For KCC Use: Effective Date: District # The state of the content of the conten

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL Must be approved by KCC five (5) days prior to commence

iviust be approved by KCC five		
Expected Spud Date:1/8/08	Spot Description;	
month day year	SW _ SE _ NE _ SE Sec. 15 Twp. 35 S. R. 2	ZIW
OPERATOR: License# 4058	(0/0/0/0) 1,410 feet from N / X S Line of Si	
Name: American Warrior, Inc.	feet from E / W Line of Se	
Address 1: PO BOX 399	Is SECTION: Regular Irregular?	
Address 2:		
City: GARDEN CITY State: KS Zip: 67846 +	(Note: Locate well on the Section Plat on reverse side) County: Sumner	
Contact Person: Cecil O'Brate	Lease Name: Carter Well #: 1-15	
Phone: 620-275-9231	Field Name: WILDCAT	
CONTRACTOR: License# 5822	Is this a Prorated / Spaced Field?	7 _{No}
Name: Val Energy, Inc.	Target Formation(s): Mississippi/Viola	7140
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 334	
_ /	11016	MSL
	Water well within one-quarter mile:	_
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:	
Seismic : # of Holes Other	Depth to bottom of fresh water:	<u> </u>
Other:	Depth to bottom of usable water: 230	
	Surface Pipe by Alternate:	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 250	
Operator:	Length of Conductor Pipe (if any): N/A	
Well Name:	Projected Total Depth: 5500'	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippi/Viola	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:		
· · · · · · · · · · · · · · · · · · ·	(Note: Apply for Permit with DWR	
KCC DKT #:		JNO ONE
· · · · · · · · · · · · · · · · · · ·		No .
AFF The undersigned hereby affirms that the drilling, completion and eventual plus	Will Cores be taken? If Yes, proposed zone: IDAVIT	VED
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION	VED ON COMMISSION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A convect the appropriate district of intent to drill shall be posted on each	Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. IDAVIT RECEI KANSAS CORPORATION JAN 23	VED ON COMMISSION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by	Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. Adrilling rig; by circulating cement to the top; in all cases surface pipe shall be set.	VED ON COMMISSION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. Arilling rig; by circulating cement to the top; in all cases surface pipe shall construction.	VED ON COMMISSION 2008 IN DIVISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr	Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. Arilling rig; by circulating cement to the top; in all cases surface pipe shall constructed by the construction of	VED ON COMMISSION 2008 IN DIVISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugger.	Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. Arilling rig; by circulating cement to the top; in all cases surface pipe shall booservation underlying formation. WICHIT WICHIT Corporation of the plugging; ed or production casing is cemented in:	VED ON COMMISSION 2008 IN DIVISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	Will Cores be taken? If Yes, proposed zone: IDAVIT agging of this well will comply with K.S.A. 55 et. seq. ANSAS CORPORATE Construction of the top; in all cases surface pipe shall construction of the top; in all cases surface pipe shall constructed in; and placement is necessary prior to plugging; and or production casing is cemented in; and placement in the top in the top in all cases surface pipe shall constructed in; and placement is necessary prior to plugging; and or production casing is cemented in; and placement in the top in the top in all cases surface pipe shall constructed in; and placement is necessary prior to plugging; and or production casing is cemented in; and placement in the top in all cases surface within 120 DAYS of spud date.	VED ON COMMISSION 2008 IN DIVISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	Will Cores be taken? If Yes, proposed zone: IDAVIT agging of this well will comply with K.S.A. 55 et. seq. ANSAS CORPORATE Construction of the top; in all cases surface pipe shall construction of the top; in all cases surface pipe shall constructed in; and placement is necessary prior to plugging; and or production casing is cemented in; and placement in the top in the top in all cases surface pipe shall constructed in; and placement is necessary prior to plugging; and or production casing is cemented in; and placement in the top in the top in all cases surface pipe shall constructed in; and placement is necessary prior to plugging; and or production casing is cemented in; and placement in the top in all cases surface within 120 DAYS of spud date.	VED ON COMMISSION 2008 IN DIVISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. ANSAS CORPORATION Grilling rig; by circulating cement to the top; in all cases surface pipe shall be servetted underlying formation. WICHIT is a complete to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	VED ON COMMISSION 2008 IN DIVISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be-	Will Cores be taken? If Yes, proposed zone: IDAVIT agging of this well will comply with K.S.A. 55 et. seq. If Yes, proposed zone: IDAVIT Additional comply with K.S.A. 55 et. seq. IDAVIT IDAV	VED ON COMMISSION 2008 IN DIVISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. ANSAS CORPORATION Grilling rig; by circulating cement to the top; in all cases surface pipe shall be servetted underlying formation. WICHIT is a complete to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	VED ON COMMISSION 2008 IN DIVISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be-	Will Cores be taken? If Yes, proposed zone: IDAVIT agging of this well will comply with K.S.A. 55 et. seq. If Yes, proposed zone: IDAVIT Additional comply with K.S.A. 55 et. seq. IDAVIT IDAV	VED ON COMMISSION 2008 IN DIVISION A, KS
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the completed within 30 days of Operator or Agent: Signature of Operator or Agent: For KCC Use ONLY	Will Cores be taken? If Yes, proposed zone: IDAVIT agging of this well will comply with K.S.A. 55 et. seq. If Yes, proposed zone: IDAVIT Agging of this well will comply with K.S.A. 55 et. seq. If Yes, proposed zone: If Yes, proposed zone: If Yes, proposed zone: RECEI KANSAS CORPORATION: If Yes, proposed zone: If Yes, proposed zo	VED ON COMMISSION 2008 IN DIVISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the beat places. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 191 - 22526-0000	Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. If Yes, proposed zone: IDAVIT Griging of this well will comply with K.S.A. 55 et. seq. IDAVIT Griding rig; Output of the top; in all cases surface pipe shall constructed to the top; in all cases surface pipe shall constructed underlying formation. WICHIT In the below any usable water to surface within 120 DAYS of spud date. If the below any usable water to surface within 120 DAYS of spud date. If the below any usable water to surface within 120 DAYS of spud date. If the below any usable water to surface within 120 DAYS of spud date. If the below any usable water to surface within 120 DAYS of spud date. If the below any usable water to surface within 120 DAYS of spud date. If the below any usable water to surface within 120 DAYS of spud date. If the below any usable water to surface within 120 DAYS of spud date. If the below any usable water to surface within 120 DAYS of spud date. If the below any usable water to surface within 120 DAYS of spud date. If the below any usable water to surface within 120 DAYS of spud date. If the below any usable water to surface within 120 DAYS of spud date. If the below any usable water to surface within 120 DAYS of spud date. If the below any usable water to surface within 120 DAYS of spud date. If the below any usable water to surface within 120 DAYS of spud date. If the below any usable water to surface within 120 DAYS of spud date. If the below any usable water to surface within 120 DAYS of spud date. If the below any usable water to surface within 120 DAYS of spud date. If the below any usable water to surface within 120 DAYS of spud date. If the below any usable water to surface within 120 DAYS of spud date. If the below any usable water to surface pipe shall below to the top in the top	VED on commission 2008 In division a, ks
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best of the spud shall be statement to the statement of the spud shall be	Will Cores be taken? If Yes, proposed zone: IDAVIT agging of this well will comply with K.S.A. 55 et. seq. If Yes, proposed zone: IDAVIT Agging of this well will comply with K.S.A. 55 et. seq. If Yes, proposed zone: IDAVIT Agent RECEI KANSAS CORPORATI IN ANSAS CORPORATI IN ANSAS CORPORATI IN ANSAS CORPORATI ANSAS CORPORATI IN ANSAS CORPORATI IN ANSAS CORPORATI IN ANSAS CORPORATI ANSAS CORPORATI IN ANSAS CORPORATI IN ANSAS CORPORATI IN ANSAS CORPORATI ANSAS CORPORATI IN ANSAS CO	VED on commission 2008 In division a, ks
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best of the completed within 30 days of the spud date or the well shall be completed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 191-22526-0000 Conductor pipe required feet	Will Cores be taken? If Yes, proposed zone: IDAVIT agging of this well will comply with K.S.A. 55 et. seq. If Yes, proposed zone: IDAVIT Agging of this well will comply with K.S.A. 55 et. seq. If Yes, proposed zone: IDAVIT Agging of this well will comply with K.S.A. 55 et. seq. If Yes, proposed zone: IDAVIT IDAVIT IDAVIT IDAVIT IT YES IT YES IDAVIT IT YES IT YE	VED ON COMMISSION 2008 IN DIVISION A, KS
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the because of the complete of the complete of the production of the producti	Will Cores be taken? If Yes, proposed zone: IDAVIT agging of this well will comply with K.S.A. 55 et. seq. If Yes, proposed zone: IDAVIT Agging of this well will comply with K.S.A. 55 et. seq. If Yes Example 2 In Yes Example 2 In Yes In Yes In Yes, proposed zone: If Yes In Yes, proposed zone: In In Yes, propos	VED ON COMMISSION 2008 IN DIVISION A, KS
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best of the statements. For KCC Use ONLY API # 15 - 191 - 22526-0000 Conductor pipe required	Will Cores be taken? If Yes, proposed zone: IDAVIT agging of this well will comply with K.S.A. 55 et. seq. If Yes, proposed zone: IDAVIT Agging of this well will comply with K.S.A. 55 et. seq. If Yes, proposed zone: IDAVIT Agging of this well will comply with K.S.A. 55 et. seq. If Yes, proposed zone: IDAVIT INTERPORT INTERPORT IDAVIT	VED ON COMMISSION 2008 IN DIVISION A, KS
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distremation of the distremation of the distremation of the properties of the well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the beat statements. Signature of Operator or Agent: For KCC Use ONLY API # 15/9/- 22526-OOOO Conductor pipe required	Will Cores be taken? If Yes, proposed zone: IDAVIT agging of this well will comply with K.S.A. 55 et. seq. If Yes, proposed zone: IDAVIT Agging of this well will comply with K.S.A. 55 et. seq. If Yes Example 2 In Yes Example 2 In Yes In Yes In Yes, proposed zone: If Yes In Yes, proposed zone: In In Yes, propos	VED ON COMMISSION 2008 IN DIVISION A, KS
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best of the statements. For KCC Use ONLY API # 15 - 191 - 22526-0000 Conductor pipe required	Will Cores be taken? If Yes, proposed zone: IDAVIT agging of this well will comply with K.S.A. 55 et. seq. If Yes, proposed zone: IDAVIT Agging of this well will comply with K.S.A. 55 et. seq. If Yes Seq. In Yes Seq. In Yes Seq. If Yes, proposed zone: In Yes Seq. If Yes, proposed zone: If Yes, proposed z	VED ON COMMISSION 2008 IN DIVISION A, KS
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distremation of the distremation of the distremation of the properties of the well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the beat statements. Signature of Operator or Agent: For KCC Use ONLY API # 15/9/- 22526-OOOO Conductor pipe required	Will Cores be taken? If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. ANSAS CORPORATION Grilling rig; by circulating cement to the top; in all cases surface pipe shall boostervation underlying formation. Wichit underlying formation to plugging; and or production casing is cemented in; If the below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Agent Title: Agent Agent File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	VED ON COMMISSION 2008 IN DIVISION A, KS


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 191- 22526-000 Operator: American Warrior, Inc.	Location of Well: County: Sumner
Lease: Carter	1,410feet from N / X S Line of Section
Well Number: 1-15	
Field: WILDCAT	Sec. 15 Twp. 35 S. R. 2 E 🔀 W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: SW _ SE _ NE _ SE	Is Section: Regular or Irregular
	ff Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: American Warrior, In-	С.		License Number: 4058	
Operator Address: PO BOX 399			GARDEN CITY KS 67846	
Contact Person: Cecil O'Brate		Phone Number: 620-275-9231		
Lease Name & Well No.: Carter 1-15		Pit Location (QQQQ):		
Type of Pit:	Pit is:		SW _ SE _ NE _ SE	
Emergency Pit Burn Pit	Proposed Existing		Sec15Twp35R2East West	
	If Existing, date constructed:		1,410 Feet from North / South Line of Section	
(II VVP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section	
	4,800	(bbls)	Sumner County	
Is the pit located in a Sensitive Ground Water Area? Yes No		Chloride concentration:mg/l		
Is the bottom below ground level? Yes No	Artificial Liner?	No	(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee	et) 120	Width (feet) N/A: Steel Pits	
Depth from ground level to deepest point: 4 (feet) No Pit				
material, thickness and installation procedure.		iiner integrity, ir	ncluding any special monitoring.	
Distance to nearest water well within one-mile of	pit		west fresh waterfeet.	
NA feet Depth of water well	feet	Source of information measurements		
Emergency, Settling and Burn Pits ONLY: Drilling, Works		over and Haul-Off Pits ONLY:		
Producing Formation: Type of materia		I utilized in drilling/workover: Fresh Mud		
		king pits to be utilized:1		
		procedure: DRY UP AND THEN BACK FILL		
Does the slope from the tank battery allow all spill flow into the pit? Yes No	led fluids to	Drill pits must b	e closed within 365 days of spud date. RECEIVED	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
1/23/08				
KCC OFFICE USE ONLY Steel Pit RFAC RFAS				
Date Received: 1/23/05 Permit Number: Permit Date: 3/13/05 Lease Inspection: No				



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

March 13, 2008

Mr. Cecil O'Brate American Warrior, Inc. PO Box 399 Garden City, KS 67846

Re: Drilling Pit Application

Carter Lease Well No. 1-15 SE/4 Sec. 15-35S-02W Sumner County, Kansas

Dear Mr. O'Brate:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit within 72 hours of drilling completion.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

cc: File