# For KCC Use: Effective Date: 3-/9-08 District # No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

## NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Soud Date: March 23, 2008	Spot Description: Approx	
Expected Spud Date:	SE _ SE _ NE _ SW Sec. 19 Twp. 21	s в 22 ПE⊠w
5663 🗸	(0/0/0/0) 1,410 feet from	
OPERATOR: License#		K / W Line of Section
Name: Hess Oil Company	is SECTION: Regular Irregular?	Z = / L zmo or odonom
Address 1: P. O. Box 1009	<del>-</del> -	
Address 2:	(Note: Locate well on the Section Plat	on reverse side)
City: State: No Zip: 07400 + 1000 Contact Person: Bryan Hess	County: Hodgeman	A
Phone: 620-241-4640	Lease Name: Lazora Lazora	Well #: 1
<b>,</b>	Field Name:	
CONTRACTOR: License# 4958	Is this a Prorated / Spaced Field?	☐Yes X No
Name: Mallard JV, Inc.	Target Formation(s): Fort Scott	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 1	230'
	Ground Surface Elevation: 2285 est.	feet MSL
	Water well within one-quarter mile:	Yes X No
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:	Yes X No
Disposal Wildcat Cable  Seismic; # of Holes Other	Depth to bottom of fresh water: 150'	
Other:	Depth to bottom of usable water: 900 050	
Union.	Surface Pine by Alternate:	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:	
	Length of Conductor Pipe (if any): none	
Operator:	Projected Total Depth: 4400'	
Well Name:	Formation at Total Depth: Fort Scott	
Original Completion Date: Original Total Depth:	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:	
If Yes, true vertical depth:		
Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with D	WR
KCC DKT #:	Will Cores be taken?	Yes ⊠No
	If Yes, proposed zone:	RECEIVED
Oil it tas Looses w/pooling clauses submitted AFFI	DAVIT KANSAS (	OPPOPATION COMMISSION
The undersioned hereby effirms that the drilling completion and eventual plus	cing of this well will comply with K.S.A. EE at sea	
- Hie proefsimen liefenvällings fiat the commu. Commerca and everalar max		
It is carred that the following minimum requirements will be met	ging of this well will comply with K.S.A. 33 et. seq.	IAR 1 3 2008
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:		
Notify the appropriate district office <i>prior</i> to spudding of well;	CON	VSERVATION DIVISION
Notify the appropriate district office <i>prior</i> to spudding of well;	CON	VSERVATION DIVISION
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by</li> </ol>	condrilling rig; y circulating cement to the top; in all cases surface	VSERVATION DIVISION
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> </ol>	conditiling rig;  y circulating cement to the top; in all cases surface punderlying formation.  ct office on plug length and placement is necessary	NSERVATION DIVISION WICHITA AS pipe shall be set
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge</li> </ol>	conditiling rig; y circulating cement to the top; in all cases surface punderlying formation. of office on plug length and placement is necessary d or production casing is cemented in;	NSERVATION DIVISION WICHITA AS set prior to plugging;
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugge</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented</li> </ol>	drilling rig;  y circulating cement to the top; in all cases surface punderlying formation.  ct office on plug length and placement is necessary  d or production casing is cemented in;  from below any usable water to surface within 120	NSERVATION DIVISION WICHITA AS set prior to plugging; DAYS of spud date.
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of</li></ol>	drilling rig;  y circulating cement to the top; in all cases surface punderlying formation.  ct office on plug length and placement is necessary d or production casing is cemented in; from below any usable water to surface within 120 3,891-C, which applies to the KCC District 3 area, a	NSERVATION DIVISION WICHITA AS set prior to plugging; DAYS of spud date. alternate II cementing
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be presented.</li> </ol>	drilling rig; y circulating cement to the top; in all cases surface punderlying formation. ct office on plug length and placement is necessary d or production casing is cemented in; from below any usable water to surface within 120; 3,891-C, which applies to the KCC District 3 area, a	NSERVATION DIVISION WICHITA AS set prior to plugging; DAYS of spud date. alternate II cementing
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the distripation. The appropriate district office will be notified before well is either plugge</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put hereby certify that the statements made herein are true and correct to the be</li> </ol>	drilling rig; y circulating cement to the top; in all cases surface punderlying formation. ct office on plug length and placement is necessary d or production casing is cemented in; from below any usable water to surface within 120; 3,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior st of my knowledge and belief.	NSERVATION DIVISION WICHITA AS set prior to plugging; DAYS of spud date. alternate II cementing
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second o</li></ol>	drilling rig; y circulating cement to the top; in all cases surface punderlying formation. ct office on plug length and placement is necessary d or production casing is cemented in; from below any usable water to surface within 120; 3,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior st of my knowledge and belief.	WCHITA Se set  in prior to plugging;  DAYS of spud date.  alternate II cementing to any cementing.
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the distripation. The appropriate district office will be notified before well is either plugge</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put hereby certify that the statements made herein are true and correct to the be</li> </ol>	drilling rig; y circulating cement to the top; in all cases surface punderlying formation. et office on plug length and placement is necessary d or production casing is cemented in; from below any usable water to surface within 120 3,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior est of my knowledge and belief.	WCHITA Se set  pipe shall be set  prior to plugging;  DAYS of spud date.  alternate II cementing to any cementing.
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second o</li></ol>	drilling rig; y circulating cement to the top; in all cases surface punderlying formation. ct office on plug length and placement is necessary d or production casing is cemented in; from below any usable water to surface within 120; 3,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior st of my knowledge and belief.	WCHITA Se set  pipe shall be set  prior to plugging;  DAYS of spud date.  alternate II cementing to any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed in the statements made herein are true and correct to the best of the statements of the operator of the specific to the specific statements.  Signature of Operator or Agent:  For KCC Use ONLY	drilling rig; y circulating cement to the top; in all cases surface punderlying formation. ct office on plug length and placement is necessary d or production casing is cemented in; from below any usable water to surface within 120 3,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior st of my knowledge and belief.  Pres  Remember to:	WCHITA AS set  in prior to plugging;  DAYS of spud date.  alternate II cementing to any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed in the statements made herein are true and correct to the best of the statements of the operator of the specific to the specific statements.  Signature of Operator or Agent:  For KCC Use ONLY	drilling rig; y circulating cement to the top; in all cases surface punderlying formation. In office on plug length and placement is necessary d or production casing is cemented in; from below any usable water to surface within 120 3,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior st of my knowledge and belief.  Pres  Remember to:  File Drill Pit Application (form CDP-1) with Intent File Completion Form ACO-1 within 120 days of se	WCHITA AS set  in prior to plugging;  DAYS of spud date.  alternate II cementing to any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed. I hereby certify that the statements made herein are true and correct to the best signature of Operator or Agent:    For KCC Use ONLY	drilling rig; y circulating cement to the top; in all cases surface punderlying formation. In office on plug length and placement is necessary d or production casing is cemented in; from below any usable water to surface within 120 3,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior st of my knowledge and belief.  Pres  Remember to:  File Drill Pit Application (form CDP-1) with Intent File Completion Form ACO-1 within 120 days of a File acreage attribution plat according to field pro	with the prior to plugging;  prior to plugging;  pays of spud date, alternate II cementing to any cementing.  to Drill; spud date; pration orders;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed in the statements made herein are true and correct to the best of the set.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 083 - 21547-0000  Conductor pipe required feet	drilling rig; y circulating cement to the top; in all cases surface punderlying formation. In office on plug length and placement is necessary of or production casing is cemented in; If from below any usable water to surface within 120, 3,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior st of my knowledge and belief.  Pres  Remember to:  File Drill Pit Application (form CDP-1) with Intent File Completion Form ACO-1 within 120 days of a prior in Notify appropriate district office 48 hours prior to	with the prior to plugging;  prior to plugging;  pays of spud date, alternate II cementing to any cementing.  to Drill; spud date; varion orders; workover or re-entry;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the strip of the well is dry hole, an agreement between the operator and the distripution. The appropriate district office will be notified before well is either plugge of if an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided in the statements made herein are true and correct to the best of the statements of Operator or Agent:    For KCC Use ONLY	drilling rig;  y circulating cement to the top; in all cases surface punderlying formation.  ct office on plug length and placement is necessary d or production casing is cemented in; from below any usable water to surface within 120 3,891-C, which applies to the KCC District 3 area, a blugged. In all cases, NOTIFY district office prior st of my knowledge and belief.  Pres  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent File Completion Form ACO-1 within 120 days of a File acreage attribution plat according to field pro Notify appropriate district office 48 hours prior to Submit plugging report (CP-4) after plugging is of	with the prior to plugging;  prior to plugging;  pays of spud date, alternate II cementing to any cementing.  to Drill; spud date; varion orders; workover or re-entry; ompleted (within 60 days);
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the strip of the well is dry hole, an agreement between the operator and the distrip of the appropriate district office will be notified before well is either plugge of the an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided in the statements made herein are true and correct to the best of the statements of the operator of Agent:    For KCC Use ONLY	drilling rig;  y circulating cement to the top; in all cases surface punderlying formation.  ct office on plug length and placement is necessary d or production casing is cemented in; from below any usable water to surface within 120 3,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior st of my knowledge and belief.  Pres Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent File Completion Form ACO-1 within 120 days of a File acreage attribution plat according to field pro Notify appropriate district office 48 hours prior to Submit plugging report (CP-4) after plugging is co Obtain written approval before disposing or inject	with the prior to plugging;  prior to plugging;  pays of spud date. alternate II cementing to any cementing.  to Drill; spud date; varion orders; workover or re-entry; ompleted (within 60 days); ting salt water.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the strip of the well is dry hole, an agreement between the operator and the distrip of the appropriate district office will be notified before well is either plugge of the an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided in the statements made herein are true and correct to the best of the statements of the operator of Agent:    For KCC Use ONLY	drilling rig;  y circulating cement to the top; in all cases surface punderlying formation.  ct office on plug length and placement is necessary d or production casing is cemented in; from below any usable water to surface within 120 3,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior st of my knowledge and belief.  Pres  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent File Completion Form ACO-1 within 120 days of a File acreage attribution plat according to field pro Notify appropriate district office 48 hours prior to Submit plugging report (CP-4) after plugging is co Obtain written approval before disposing or inject If this permit has expired (See: authorized expira	wellia be set  in prior to plugging;  DAYS of spud date.  alternate II cementing to any cementing.  to Drill;  spud date;  vartion orders;  workover or re-entry;  ompleted (within 60 days);  ting salt water.  tion date) please
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> of through all unconsolidated materials plus a minimum of 20 feet into the straight of the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugge of the spuddate of the shall be computed or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed in the statements made herein are true and correct to the best of the spuddate of the spuddate or the well shall be placed.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - D83 - 21547-000  Conductor pipe required feet  Minimum surface pipe required feet  Approved by: 2443-14-08  This authorization expires: 3-14-09	drilling rig; y circulating cement to the top; in all cases surface punderlying formation. In office on plug length and placement is necessary of or production casing is cemented in; from below any usable water to surface within 120:3,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior st of my knowledge and belief.  Pres  Remember to:  File Drill Pit Application (form CDP-1) with Intent File Completion Form ACO-1 within 120 days of a prior surface acreage attribution plat according to field pro Notify appropriate district office 48 hours prior to Submit plugging report (CP-4) after plugging is or Obtain written approval before disposing or inject If this permit has expired (See: authorized expirations) and return to the address before disposing or surface.	wichital be set  prior to plugging;  DAYS of spud date. alternate II cementing to any cementing.  to Drill; spud date; varion orders; workover or re-entry; ompleted (within 60 days); ting salt water. tion date) please elow.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the strip of the well is dry hole, an agreement between the operator and the distrip of the appropriate district office will be notified before well is either plugge of the an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided in the statements made herein are true and correct to the best of the statements of the operator of Agent:    For KCC Use ONLY	drilling rig; y circulating cement to the top; in all cases surface punderlying formation. In office on plug length and placement is necessary of or production casing is cemented in; from below any usable water to surface within 120:3,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior st of my knowledge and belief.  Pres  Remember to: File Drill Pit Application (form CDP-1) with Intent File Completion Form ACO-1 within 120 days of see acreage attribution plat according to field pro Notify appropriate district office 48 hours prior to Submit plugging report (CP-4) after plugging is co Obtain written approval before disposing or inject If this permit has expired (See: authorized expirationeck the box below and return to the address below with the complete content of the submit and the complete content of the address below and return to the address below with the complete content of the complete case of the ca	welling set  prior to plugging;  DAYS of spud date. alternate II cementing to any cementing.  to Drill; spud date; varion orders; workover or re-entry; ompleted (within 60 days); ting salt water. tion date) please elow.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> of through all unconsolidated materials plus a minimum of 20 feet into the straight of the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugge of the spuddate of the shall be computed or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed in the statements made herein are true and correct to the best of the spuddate of the spuddate or the well shall be placed.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - D83 - 21547-000  Conductor pipe required feet  Minimum surface pipe required feet  Approved by: 2443-14-08  This authorization expires: 3-14-09	drilling rig; y circulating cement to the top; in all cases surface punderlying formation. In office on plug length and placement is necessary of or production casing is cemented in; from below any usable water to surface within 120:3,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior st of my knowledge and belief.  Pres  Remember to:  File Drill Pit Application (form CDP-1) with Intent File Completion Form ACO-1 within 120 days of a prior surface acreage attribution plat according to field pro Notify appropriate district office 48 hours prior to Submit plugging report (CP-4) after plugging is or Obtain written approval before disposing or inject If this permit has expired (See: authorized expirations) and return to the address before disposing or surface.	wichital be set  prior to plugging;  DAYS of spud date. alternate II cementing to any cementing.  to Drill; spud date; varion orders; workover or re-entry; ompleted (within 60 days); ting salt water. tion date) please elow.

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - <i>DP3 - Q15</i> 47-0000	
Operator: Hess Oil Company	Location of Well: County: Hodgeman
Lease: LaZorra	1,410 feet from N / N S Line of Section
Well Number: 1	2,850 feet from X E / W Line of Section
Field:	Sec. 19 Twp. 21 S. R. 22 E X W
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR/QTR/QTR of acreage: SE - SE - NE - SW	To decitorit.
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

## In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Hess Oil Company		License Number: 5663			
Operator Address: P. O. Box 1009			McPherson	KS 67460	
Contact Person: Bryan Hess			Phone Number: 620-241-4640		
Lease Name & Well No.: LaZorra La	Zosa 1		Pit Location (QQQQ):		
Type of Pit:	Pit is:		SE - SE - NE - SW		
Emergency Pit Burn Pit	Proposed	Existing	Sec. 19 Twp. 21 R. 22 Eas	t West	
Settling Pit Drilling Pit	If Existing, date of	onstructed:	1,410 Feet from North / Sout	h Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:	<u>.</u>	2,850 Feet from East / Wes	t Line of Section	
(If WP Supply API No. or Year Drilled)		(bbls)	Hodgeman	County	
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:	mg/l	
is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits  How is the pit lined if a plastic liner is not used		
Yes No	Yes X	No	, , , , , , , , , , , , , , , , , , ,		
Pit dimensions (all but working pits):	BO Length (fe	eet) 80	Width (feet) N/A:	Steel Pits	
Depth fr	om ground level to de	eepest point:	6 (feet) No I	Pit	
If the pit is lined give a brief description of the		•	edures for periodic maintenance and determining	g	
material, thickness and installation procedure	<b>?.</b>	liner integrity, i	ncluding any special monitoring.		
				ĺ	
Distance to nearest water well within one-mile	e of pit		west fresh water [9feet.		
Source of info					
Emergency, Settling and Burn Pits ONLY:			over and Haul-Off Pits ONLY:		
		al utilized in drilling/workover: bentonite			
		orking pits to be utilized:4			
Barrels of fluid produced daily: Abandonment		procedure: Evaporate & backfill			
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drill pits must l	be closed within 365 days of spud date.	<u>.                                </u>	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  KANSAS CORPORATION COMMISSION					
		1	O/ MAR	1 3 2008	
3/12/08 Date		67	ignature of Applicant or Agent CONSERVA	ATION DIVISION	
Date			Wic	HITA, KG	
KCC OFFICE USE ONLY Steel Pit RFAC RFAS					
Date Received: 3 13 0 Permit Num	ber:	Perm	it Date: 3/8/08 Lease Inspection: [	Yes 🔨 No	