# For KCC Use: Effective Date: District # SG62 Tyes | No

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

#### NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Soud Date: 03/17/08	
Expected Spad Date.	Spot Description:
ORERATOR: Licensett 31337 V	
OPERATOR, License#	660 feet from N / X S Line of Section  330 feet from E / X W Line of Section
Name: _Wildcat Oil & Gas, LLC Address 1: 10286 SW 170 Ave.	Is SECTION: Regular Irregular?
Address 1: 10260 SW 170 Ave.	<del></del>
City: Nashville State: KS Zip: 67112 +	(Note: Locate well on the Section Plat on reverse side) County: Kingman
Contact Person: Gary Adelhardt	Lease Name: Hageman Well #: 1
Phone: 620-243-4401	Field Name: Willowdale SE Ext.
CONTRACTOR: License# 33902	Is this a Prorated / Spaced Field?
Name: Hardt Drilling, LLC	Target Formation(s): Mississippi
	Nearest Lease or unit boundary line (in footage): 330
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 1640 feet MSL
⊠Oil ✓ ☐ Eпh Rec ⊠Infield ✓ ☑ Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal Wildcat Cable	Depth to bottom of fresh water: 78'
Seismic; # of Holes Other Other:	Depth to bottom of usable water: _150'
Other.	Curtage Ding by Alternates VIII III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200' +
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth: 4500'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippi
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other: Haul water in
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken?
	Will Cores be taken?
KCC DKT #:	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION
KCC DKT #:	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION
AFF  The undersigned hereby affirms that the drilling, completion and eventual plus	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION
AFF  The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met:	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  gging of this well will comply with K.S.A. 55 et. seq.  MAR 1 3 2008
AFF  The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  gging of this well will comply with K.S.A. 55 et. seq.  MAR 1 3 2008  CONSERVATION DIVISION
AFF  The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  GONSERVATION DIVISION  WICHITA KS
AFF  The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  FIDAVIT  gging of this well will comply with K.S.A. 55 et. seq.  MAR 1 3 2008  CONSERVATION DIVISION  WICHITA, KS  by circulating cement to the top; in all cases surface pipe shall be set  by underlying formation.
AFF  The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the districtions are considered.	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  FIDAVIT  gging of this well will comply with K.S.A. 55 et. seq.  MAR 1 3 2008  CONSERVATION DIVISION  WICHITA, KS  by circulating cement to the top; in all cases surface pipe shall be set by underlying formation.  rict office on plug length and placement is necessary prior to plugging;
AFF  The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the definition of the district office will be notified before well is either plugg.	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  FIDAVIT  gging of this well will comply with K.S.A. 55 et. seq.  MAR 1 3 2008  CONSERVATION DIVISION  WICHITA, KS  by circulating cement to the top; in all cases surface pipe shall be set by circulating formation.  Frict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in;
AFF  The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  GONSERVATION DIVISION  WICHITA, KS  By circulating cement to the top; in all cases surface pipe shall be set  a underlying formation.  First office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; a from below any usable water to surface within 120 DAYS of spud date.
AFF  The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  GONSERVATION DIVISION  WICHITA, KS  BY circulating cement to the top; in all cases surface pipe shall be set  a underlying formation.  First office on plug length and placement is necessary prior to pluggling; and or production casing is cemented in; a from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing
AFF  The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  FIDAVIT  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  MAR 1 3 2008  CONSERVATION DIVISION  WICHITA, KS  If Yes No your content to the top; in all cases surface pipe shall be set  If yes No your content to the top; in all cases surface pipe shall be set  If yes No your content to your commission with the your content to the top; in all cases surface pipe shall be set  If yes No your content to your commission with your content to yo
AFF  The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be  I hereby certify that the statements made herein are true and correct to the be	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  FIDAVIT  gging of this well will comply with K.S.A. 55 et. seq.  MAR 1 3 2008  CONSERVATION DIVISION  WICHITA, KS  by circulating cement to the top; in all cases surface pipe shall be set  e underlying formation.  rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.
AFF  The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  FIDAVIT  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  MAR 1 3 2008  CONSERVATION DIVISION  WICHITA, KS  If Yes No your content to the top; in all cases surface pipe shall be set  If yes No your content to the top; in all cases surface pipe shall be set  If yes No your content to your commission with the your content to the top; in all cases surface pipe shall be set  If yes No your content to your commission with your content to yo
AFF  The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be  I hereby certify that the statements made herein are true and correct to the be	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  GONSERVATION DIVISION  WICHITA, KS  By circulating cement to the top; in all cases surface pipe shall be set  a underlying formation.  Fict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Secretary/Treasurer
AFF The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the description of the surface pipe as a minimum of 20 feet into the description of the surface pipe as specified before well is either plugged. If the well is dry hole, an agreement between the operator and the distriction of the surface of the well shall be a proposed to the surface of the surf	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  GONSERVATION DIVISION  WICHITA, KS  By circulating cement to the top; in all cases surface pipe shall be set  a underlying formation.  rict office on plug length and placement is necessary prior to pluggling; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Secretary/Treasurer  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;
AFF The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the broate:  O3/11/08  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 095-22/40-0000	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  FIDAVIT  gging of this well will comply with K.S.A. 55 et. seq.  MAR 1 3 2008  CONSERVATION DIVISION  WICHITA, KS  by circulating cement to the top; in all cases surface pipe shall be set  a underlying formation.  First office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; of from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Secretary/Treasurer  Title:  Remember to:  File Completion Form ACC-1 within 120 days of sould date:
AFF  The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the description of the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the description of the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  GONSERVATION DIVISION  WICHITA, KS  BY circulating cement to the top; in all cases surface pipe shall be set  BY condition and placement is necessary prior to pluggling;  and from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  BY SECRETATION DIVISION  WICHITA, KS  BY CONSERVATION  BY CONSERVATION  WICHITA, KS  BY CONSERVATION  BY C
AFF The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the completed within 30 days of the spud date or the well shall be Date:    Date: 03/11/08	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  CONSERVATION DIVISION  WICHITA, KS  By circulating cement to the top; in all cases surface pipe shall be set  By underlying formation.  First office on plug length and placement is necessary prior to plugging;  ed or production casing is cemented in;  If from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing  plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Secretary/Treasurer  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days):
AFF The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be a lhereby certify that the statements made herein are true and correct to the best of the set of th	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  GONSERVATION DIVISION  WICHITA, KS  BY circulating cement to the top; in all cases surface pipe shall be set  BY condition and placement is necessary prior to pluggling;  and from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  BY SECRETATION DIVISION  WICHITA, KS  BY CONSERVATION  BY CONSERVATION  WICHITA, KS  BY CONSERVATION  BY C
AFF The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the boate:    O3/11/08	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  GONSERVATION DIVISION  WICHITA, KS  Out circulating cement to the top; in all cases surface pipe shall be set  of underlying formation.  Fict office on plug length and placement is necessary prior to plugging;  de or production casing is cemented in;  form below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Secretary/Treasurer  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);
AFF The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the description of the district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be a likely certify that the statements made herein are true and correct to the boundary.    For KCC Use ONLY	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  GONSERVATION DIVISION  WICHITA, KS  By circulating cement to the top; in all cases surface pipe shall be set  a underlying formation.  Fict office on plug length and placement is necessary prior to plugging;  and from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Est of my knowledge and belief.  Secretary/Treasurer  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.
AFF The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the boate:    O3/11/08	Will Cores be taken?  If Yes, proposed zone:  RECEIVED KANSAS CORPORATION COMMISSION  RECEIVED KANSAS CORPORATION COMMISSION  MAR 1 3 2008  CONSERVATION DIVISION WICHITA, KS by circulating cement to the top; in all cases surface pipe shall be set auderlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; of from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Secretary/Treasurer  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please
AFF The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the description of the district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be a likely certify that the statements made herein are true and correct to the boundary.    For KCC Use ONLY	Will Cores be taken?  If Yes, proposed zone:  RECEIVED KANSAS CORPORATION COMMISSION  RECEIVED KANSAS CORPORATION COMMISSION  MAR 1 3 2008  CONSERVATION DIVISION WICHITA, KS by circulating cement to the top; in all cases surface pipe shall be set by underlying formation. First office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Secretary/Treasurer  Title:  Remember to:  File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.


#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 095-22140-000	
Operator: Wildcat Oil & Gas, LLC	Location of Well: County: Kingman
Lease: Hageman	660 feet from N / X S Line of Section
Well Number: 1	330 feet from E / X W Line of Section
Field: Willowdale SE Ext.	Sec. <u>19</u> Twp. <u>29</u> S. R. <u>8</u> E 🔀 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)



In plotting the proposed location of the well, you must show:

CONSERVATION DIVISION

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Wildcat Oil & Gas, LLC		License Number: 31337		
Operator Address: 10286 SW 170 Ave.		Nashville KS	67112	
Contact Person: Gary Adelhardt		Phone Number: 620-243-4401		
Lease Name & Well No.: Hageman	1		Pit Location (QQQQ):	
Type of Pit:	Pit is:		<u>sw</u> _ sω	
Emergency Pit Burn Pit	Proposed	Existing	Sec. 19 Twp. 29 R. 8 East X	<i>N</i> est
Settling Pit	If Existing, date constructed:		Feet from North / ▼ South Line of	of Section
Workover Pit Haul-Off Pit	Pit capacity: (bbls)			of Section
(If WP Supply API No. or Year Drilled)			Kingman	_ County
Is the pit located in a Sensitive Ground Water	in a Sensitive Ground Water Area? Ves No		Chloride concentration:	mg/l
			(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	0 Length (fe	eet)80	Width (feet) N/A: Steel I	⊃its
Depth fr	om ground level to de	epest point:	4 (feet) No Pit	
If the pit is lined give a brief description of the	liner		edures for periodic maintenance and determining	
material, thickness and installation procedure		iner integrity, ii	ncluding any special monitoring.	1
Distance to peacest water well within one-mile	of nit	Depth to shallo	owest fresh water35 &feet.	
Source of int		Source of infor	mation:	<u>.</u>
		measu	ured well owner electric log k	(DWR
			over and Haul-Off Pits ONLY:	ľ
Producing Formation: Type of mate		Type of materia	al utilized in drilling/workover: Mud	
Trainest of processing trainest and an arrangement of processing trainest and arrangement of processing trainest arrangement of processing train		orking pits to be utilized: 3		
Barrels of fluid produced daily: Abandonment		procedure: Pull free water off pits. Dry. Close	pits.	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  KANSAS CORPORATION COMMISSIO				
/ / / / / MAR 13 2008				
03/11/08 Date	<del></del>	-/ s	Signature of Applicant or Agent	
Date Signature of Applicant of Agent Conservation Division Wichita, ks				
KCC OFFICE USE ONLY Steel Pit RFAC RFAS V				
Date Received: 3 13 68 Permit Num	ber:	Perm	it Date: 3 14 08 Lease Inspection: X Yes	No



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

March 14, 2008

Mr. Gary Adelhardt Wildcat Oil & Gas, LLC 10286 SW 170 Ave. Nashville, KS 67112

Re: Drilling Pit Application

Hageman Lease Well No. 1 SW/4 Sec. 19-29S-08W Kingman County, Kansas

Dear Mr. Adelhardt:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and <u>all pits must be lined with bentonite</u>. The free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 72 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

**Environmental Protection and Remediation Department** 

cc: File