RECEIVED KANSAS CORPORATION COMMISSION

For KCC Use:	3-22-08
Effective Date:	0000
District #	<u>ح</u> ے
SGA2 Yes	Y _{No}

Spud date: Agent: Agent:

Kansas Corporation Commission MAR 1 4 2008 Oil & Gas Conservation Division

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILLCONSERVATION DIVISION WICHITA, KS Must be approved by KCC five (5) days prior to commencing well well.

Expected Spud Date: March 21, 2008	Spot Description:	
month day year	_ SW _ NW _ SW Sec. 3 Twp. 33 S. R. 14 \(\overline{\text{X}} \) E \(\overline{\text{W}} \)	
	(0/0/0/0)	
OPERATOR: License# 33074	i leet from III 7 🔀 3 Life of Section	
Name: Dart Cherokee Basin Operating Co LLC	leet from ME / W Line of Section	
Address 1: 211 W Myrtle	Is SECTION: Regular Irregular?	
Address 2:	(Note: Locate well on the Section Plat on reverse side)	
City: Independence State: KS Zip: 67301 +	County: Montgomery	
Contact Person: Jeff Hudson Phone: 620-331-7870	Lease Name: R&E Janzen Well #: C1-3	
1 110110.	Field Name: Cherokee Basin Coal Gas Area	
CONTRACTOR: License# 5675	Is this a Prorated / Spaced Field?	
Name: McPherson Drilling	Target Formation(s): Mississippian	
W 115 11 15 W 110 T 5 T 5	Nearest Lease or unit boundary line (in footage): 460 Feet	
Well Drilled For: Well Class: Type Equipment:	0	
Oil DEnh Rec Infield Mud Rotary	Water well within one-quarter mile:	
Gas Storage Pool Ext. Air Rotary		
Disposal Wildcat Cable	Public water supply well within one mile: Yes No No	
Seismic; # of Holes Other	Depth to bottom of fresh water: 150' + -	
Other:	Depth to bottom of usable water: 175'	
If OWWO: old well information as follows:	Surface Pipe by Alternate:	
In Ovvvo, old well information as follows.	Length of Surface Pipe Planned to be set: 40'	
Operator:	Length of Conductor Pipe (if any):	
Well Name:	Projected Total Depth: 1714 Feet	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippian	
— m	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes No	Well Farm Pond Other:	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR 🔲)	_
KCC DKT #:	Will Cores be taken?	
	If Yes, proposed zone:	
AFFIL	DAVIT	
The undersigned hereby affirms that the drilling, completion and eventual plugg	sing of this well will comply with K.S.A. 55 et. seg.	
the control of the state of the	, , , , , , , , , , , , , , , , , , , ,	
It is agreed that the following minimum requirements will be met:	, , , , , , , , , , , , , , , , , , , ,	
Notify the appropriate district office <i>prior</i> to spudding of well;		
	rilling rig;	
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each d The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimu	rilling rig; circulating cement to the top; in all cases surface pipe shall be set inderlying formation.	
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each d The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u If the well is dry hole, an agreement between the operator and the distriction. 	rilling rig; circulating cement to the top; in all cases surface pipe shall be set inderlying formation. It office on plug length and placement is necessary prior to plugging ;	
 Notify the appropriate district office <i>prlor</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each d The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. 	rilling rig; circulating cement to the top; in all cases surface pipe shall be set inderlying formation. It office on plug length and placement is necessary prior to plugging ; It or production casing is cemented in;	
 Notify the appropriate district office <i>prlor</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each d The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u If the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugged If an ALTERNATE II COMPLETION, production pipe shall be cemented f 	rilling rig; circulating cement to the top; in all cases surface pipe shall be set inderlying formation. It office on plug length and placement is necessary prior to plugging ; It or production casing is cemented in; Irom below any usable water to surface within 120 DAYS of spud date.	
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each d The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 	rilling rig; circulating cement to the top; in all cases surface pipe shall be set inderlying formation. It office on plug length and placement is necessary prior to plugging; If or production casing is cemented in; Irom below any usable water to surface within 120 DAYS of spud date. By 891-C, which applies to the KCC District 3 area, alternate II cementing	
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each d The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be plant. 	rilling rig; circulating cement to the top; in all cases surface pipe shall be set inderlying formation. It office on plug length and placement is necessary prior to plugging; If or production casing is cemented in; If om below any usable water to surface within 120 DAYS of spud date. In all cases, NOTIFY district office prior to any cementing.	
 Notify the appropriate district office <i>prlor</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each d The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u If the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugged If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be plugged. 	rilling rig; circulating cement to the top; in all cases surface pipe shall be set inderlying formation. It office on plug length and placement is necessary prior to plugging; If or production casing is cemented in; Irom below any usable water to surface within 120 DAYS of spud date. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief.	
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each d The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be plusted. 	rilling rig; circulating cement to the top; in all cases surface pipe shall be set inderlying formation. It office on plug length and placement is necessary prior to plugging; If or production casing is cemented in; If om below any usable water to surface within 120 DAYS of spud date. In all cases, NOTIFY district office prior to any cementing.	
 Notify the appropriate district office <i>prlor</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each d The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u If the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugged If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be plugged. 	rilling rig; circulating cement to the top; in all cases surface pipe shall be set inderlying formation. It office on plug length and placement is necessary prior to plugging; It or production casing is cemented in; Irom below any usable water to surface within 120 DAYS of spud date. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Production Engineer Title:	
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged of an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be plugged. I hereby certify that the statements made herein are true and correct to the best bate. March 12, 2008 Signature of Operator or Agent:	rilling rig; circulating cement to the top; in all cases surface pipe shall be set inderlying formation. It office on plug length and placement is necessary prior to plugging; It or production casing is cemented in; Irom below any usable water to surface within 120 DAYS of spud date. It is,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Production Engineer Title:	•
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pl I hereby certify that the statements made herein are true and correct to the best plate: March 12, 2008 Signature of Operator or Agent: For KCC Use ONLY	rilling rig; circulating cement to the top; in all cases surface pipe shall be set inderlying formation. It office on plug length and placement is necessary prior to plugging; It or production casing is cemented in; Irom below any usable water to surface within 120 DAYS of spud date. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Production Engineer Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;	ì
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be plugged. I hereby certify that the statements made herein are true and correct to the best plate: March 12, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - / 25 - 315 71 - ODDD	rilling rig; circulating cement to the top; in all cases surface pipe shall be set inderlying formation. It office on plug length and placement is necessary prior to plugging; If or production casing is cemented in; If orm below any usable water to surface within 120 DAYS of spud date. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Production Engineer Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACC-1 within 120 days of spud date:	
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pl I hereby certify that the statements made herein are true and correct to the best plate: March 12, 2008 Signature of Operator or Agent: For KCC Use ONLY	rilling rig; circulating cement to the top; in all cases surface pipe shall be set inderlying formation. It office on plug length and placement is necessary prior to plugging; It or production casing is cemented in; Irom below any usable water to surface within 120 DAYS of spud date. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Production Engineer Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pl I hereby certify that the statements made herein are true and correct to the best pate: March 12, 2008 Signature of Operator or Agent: For KCC Use ONLY API #15 - /25 - 3/5 7 1 - ODDD Conductor pipe required feet	rilling rig; circulating cement to the top; in all cases surface pipe shall be set inderlying formation. It office on plug length and placement is necessary prior to plugging; If or production casing is cemented in; Irom below any usable water to surface within 120 DAYS of spud date. It is,8,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Production Engineer Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit alluging report (CP-4) after plugging is completed (within 60 days):	}
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pl I hereby certify that the statements made herein are true and correct to the best pate: March 12, 2008 Signature of Operator or Agent: For KCC Use ONLY API #15 - /25 - 31571-0000 Conductor pipe required Minimum surface pipe required Feet per ALT. I Fill	rilling rig; circulating cement to the top; in all cases surface pipe shall be set inderlying formation. It office on plug length and placement is necessary prior to plugging; If or production casing is cemented in; Irom below any usable water to surface within 120 DAYS of spud date. It is,8,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Production Engineer Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit alluging report (CP-4) after plugging is completed (within 60 days):	}
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pl I hereby certify that the statements made herein are true and correct to the best pate: March 12, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - /25 - 315 - 0000 Conductor pipe required Minimum surface pipe required Approved by: Full 3-17-08	rilling rig; circulating cement to the top; in all cases surface pipe shall be set inderlying formation. It office on plug length and placement is necessary prior to plugging; If or production casing is cemented in; If om below any usable water to surface within 120 DAYS of spud date. In all cases, NOTIFY district 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Production Engineer Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);	}
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pl I hereby certify that the statements made herein are true and correct to the best pate: March 12, 2008 Signature of Operator or Agent: For KCC Use ONLY API #15 - /25 - 31571-0000 Conductor pipe required Minimum surface pipe required Feet per ALT. I Fill	rilling rig; circulating cement to the top; in all cases surface pipe shall be set inderlying formation. It office on plug length and placement is necessary prior to plugging; If or production casing is cemented in; If om below any usable water to surface within 120 DAYS of spud date. In all cases, NOTIFY district 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Production Engineer Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.	}

Well Not Drilled - Permit Expired Date: Signature of Operator or Agent:

Side Two

MAR 14 2008

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

CONSERVATION DIVISION WICHITA, KS

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 105 - 31571 - 0000 Operator: Dart Cherokee Basin Operating Co LLC	Location of Well: County: Montgomery
Lease: R&E Janzen	1795 feet from N / S Line of Section
Well Number: C1-3	4820 feet from Z E / W Line of Section
Field: Cherokee Basin Coal Gas Area	Sec. 3 Twp. 33 S. R. 14 🔀 E 🗌 W
Number of Acres attributable to well: 40 QTR/QTR/QTR of acreage: - SW - NW - SW	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

T33S



NOTE: In all cases locate the spot of the proposed drilling locaton.

Montgomery County

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

RECEIVED

KANSAS CORPORATION COMMISSIONKANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

April 2004 Form must be Typed

Form CDP-1

APPLICATION FOR SURFACE PIT

Submit in Duplicate

CONSERVATION DIVISION WICHITA, KS

MAR 14 2008

					
Operator Name: Dart Cherokee Basin	Operating Co LL	.c	License Number: 33074]	
Operator Address: 211 W Myrtle		Independence KS 67301			
Contact Person: Jeff Hudson		Phone Number: 620-331-7870			
Lease Name & Well No.: R&E Janzen C1-3		Pit Location (QQQQ):			
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	Proposed	Existing	Sec. 3 Twp. 33 R. 14 East West		
Settling Pit Drilling Pit	If Existing, date constructed:		1795 Feet from North / South Line of Secti	ion	
Workover Pit Haul-Off Pit	Pit capacity:		4820 Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)	026	(bbls)	Montgomery Cour		
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg.	Л	
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
Yes No	Yes X	No	Natural Clays		
Pit dimensions (all but working pits):	5 Length (fe	eet)30	Width (feet) N/A: Steel Pits		
	om ground level to de				
, , , , , , , , , , , , , , , , , , , ,		,	edures for periodic maintenance and determining		
material, thickness and installation procedure	. .	liner integrity, i	ncluding any special monitoring.		
		Depth to shallo Source of infor	west fresh waterfeet.		
	feet	measu			
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	al utilized in drilling/workover: None Air Rig	_	
Number of producing wells on lease:		Number of working pits to be utilized:0			
Barrels of fluid produced daily:		Abandonment	procedure: Air Dry & Backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must l	be closed within 365 days of spud date.	_	
I hereby certify that the above state	ments are true and	correct to the bes	t of my knowledge and belief.		
		α 1	101		
March 12, 2008		Hely	Alm		
Date		<i>U</i> 's	ignature of Applicant or Agent		
KCC OFFICE USE ONLY Steel Pit RFAC RFAS					
Date Received: 3/14/a% Permit Num	ber:	Perm	it Date: 3/14/o⊊ Lease Inspection: Yes ⊠No		