For KCC Use: Effective Date: .

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five	·
3-20-08	Spot Description:
Expected Spud Date: month day year	
6373 V	(GGGGG) 320 feet from N / S Line of Section
OPERAIOR: License#	1780 feet from E / W Line of Section
Name: Gene M. Bailey Address 1: Box 446	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Neodesha State: Ks., Zip: 66757+	County: Wilson
Contact Person: Gene M. Bailey	Lease Name: Laverty Well #: 20
Phone: 620-325-2635	Field Name: Neodesha
CONTRACTOR: License#33374	Is this a Prorated / Spaced Field?
Name: L&S Well Service	Target Formation(s): Cherokee (Bartleville)
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 320
	Ground Surface Elevation: 800 feet MSL
KXOII Enh Rec XXIIrifield Mud Rotary Gas Storage Pool Ext. X Air Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:
Seismic; # of Holes Other	Depth to bottom of fresh water: 20
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25
Operator: NA	Length of Conductor Pipe (if any):N/A
Well Name:	Projected Total Depth: 900
Original Completion Date: Original Total Depth:	Formation at Total Depth: Bartlesville-Cherokee
Directional, Deviated or Horizontal wellbore?	Water Source for Driffing Operations:
If Yes, true vertical depth:	Well Farm Pond XXOther:
Bottom Hole Location:	OWR Permit #:(Note: Apply for Permit with DWR
VOC DVT #	
KCC DKT #:	Will Cores be taken?
RCC DK1 #:	Will Cores be taken? Yes No
RCC DK1 #:	If Yes, proposed zone:
	If Yes, proposed zone:
	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION Related of this well will comply with K.S.A. 55 et seg.
AFF	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION
AFF The undersigned hereby affirms that the drilling, completion and eventual plus	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION Reging of this well will comply with K.S.A. 55 et. seq. MAR 1 7 2008
AFF The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION George of this well will comply with K.S.A. 55 et. seq. MAR 1 7 2008 CONSERVATION DIVISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION gging of this well will comply with K.S.A. 55 et. seq. MAR 1 7 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shall be set.
AFF The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION Grilling rig; CONSERVATION DIVISION Or circulating cement to the top; in all cases surface pipe shall be set to be underlying formation.
AFF The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugger.	IDAVIT IDAVIT
AFF The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	IDAVIT RECEIVED KANSAS CORPORATION COMMISSION RANGE CORPORATION COMMISSION RANGE CORPORATION COMMISSION MAR 1 7 2008 CONSERVATION DIVISION OF circulating cement to the top; in all cases surface pipe shall be set office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date.
AFF The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kensas surface casing order #13	IF Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION RECEIVED KANSAS CORPORATION COMMISSION MAR 1 7 2008 CONSERVATION DIVISION CONSERVATION DIVISION CONSERVATION DIVISION Underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, afternate II cementing
AFF The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #10 must be completed within 30 days of the spud date or the well shall be	IDAVIT RECEIVED RANSAS CORPORATION COMMISSION ANSAS CORPORATION COMMISSION CONSERVATION DIVISION OF CITCUIATING COMMISSION CONSERVATION DIVISION OF CITCUIATING COMMISSION CONSERVATION DIVISION OF CONSERVATION DIVISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kensas surface casing order #13	IDAVIT RECEIVED RANSAS CORPORATION COMMISSION ANSAS CORPORATION COMMISSION CONSERVATION DIVISION OF CITCUIATING COMMISSION CONSERVATION DIVISION OF CITCUIATING COMMISSION CONSERVATION DIVISION OF CONSERVATION DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the best contraction.	IDAVIT RECEIVED RANSAS CORPORATION COMMISSION ANSAS CORPORATION COMMISSION CONSERVATION DIVISION OF CITCUIATING COMMISSION CONSERVATION DIVISION OF CITCUIATING COMMISSION CONSERVATION DIVISION OF CONSERVATION DIVISION
AFF The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be in hereby certify that the statements made herein are true and correct to the before the statements made herein are true and correct to the before the statements made herein are true and correct to the before the statements made herein are true and correct to the before the statements made herein are true and correct to the before the statements made herein are true and correct to the statements.	IDAVIT Comparison of this well will comply with K.S.A. 55 et. seq. Conservation Division
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the best contraction.	IDAVIT Comparison of this well will comply with K.S.A. 55 et. seq. Conservation division
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 5. If an ALTERNATE II COMPLETION, production pipe shall be ceremited. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and correct to the before the complete of the spud date or the well shall be completed. Signature of Operator or Agent:	IDAVIT Comparison of this well will comply with K.S.A. 55 et. seq. Conservation Division
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be ceremited. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the best of the content	IDAVIT Conservation Commission Conservation Division Conservation
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the because of the complete of the co	IDAVIT Comparison of this well will comply with K.S.A. 55 et. seq. MAR 1 7 2008 Conservation division Conservation Conservation division Conservation Conservation division Conservation division Con
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the best part of the conductor pipe required. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 27 497-0000 Conductor pipe required	IDAVIT Comparison of this well will comply with K.S.A. 55 et. seq. MAR 1 7 2008 Comparison Division Comparison Comparison Division Comparison C
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the because of the complete of the co	IDAVIT RECEIVED RANSAS CORPORATION COMMISSION CONSERVATION DIVISION CONSERVATION DIVISI
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #10 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the best of the production pipe required. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 27 49 7 - 0000 Conductor pipe required. Minimum surface pipe required. Approved by: ### 3-18-09 This authorization expires: 3-8-09	IDAVIT Comparison of this well will comply with K.S.A. 55 et. seq. MAR 1 7 2008 Comparison Division Comparison Comparison Division Comparison C
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the before the completed of the complete of the period of the provided of the period of the pe	RECEIVED KANSAS CORPORATION COMMISSION CONSERVATION DIVISION Origing of this well will comply with K.S.A. 55 et. seq. MAR 1 7 2008 drilling rig; CONSERVATION DIVISION Original completion. Ict office on plug length and placement is necessary prior to plugging; od or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, afternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #10 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the best of the provided of the completed within 30 days of the spud date or the well shall be completed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 27 49 7 - 0000 Conductor pipe required	IDAVIT RECEIVED RANSAS CORPORATION COMMISSION WAR 1 7 2008 drilling rig; Ochservation Division Ochservation Ochservation Division Ochservation Division Ochservation Ochs

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-274 97-0000	
Operator:	Location of Well: County: Wilson
Lease:	320 feet from N/XS Line of Section 1780 feet from E/XW Line of Section
Well Number:	Sec. 18 Twp. 30 S. R. X E W
Number of Acres attributable to well:	Is Section: X Regular or Irregular
	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

г								i i
- 1	:							
	;	1		,				
	•				'		•	
- 1								
·								
- 1							•	i i
- 1								
				*******	*******			
- 1				. 1				
- 1	:						•	
- 1								
- 1	•	ii .	•	:		:		
ı				:				
- 1						•		
ı				•		•		
- 1						******		
Į				-				
ŀ			•	:				
- 1		•	•	<u> </u>	i			
- 1			:		I	•		
- 1		•	•	•		:		
- 1			•		I	•		
- 1			:	•		•		
- 1			-	•	i	•		
- 1								
- 1		******						,
- 1								,
- 1			•	=		•		
- 1			:	•		•		:
- 1		•	•	•		I .	:	
ı		•	•	:	1	•		•
- 1			:	I.		•	•	
- 1			ž	•		:	:	
- 1		•	•	•				
								i e
	1			:		•		
		;		•		:		
		•	-	•				•
			:	:	1	•	•	
			•	•		<u> </u>	:	
		•	•	:	1	7	•	•
	'	•			1			
			*******			******	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
					1	•		
		<u> </u>	•	:		•	•	•
			:	•		:	:	
			•	•		<u> </u>	<u> </u>	<u>.</u>
		:	•	:	1	•	•	
	I		:	•	I	•	<u>.</u>	
	I	•	•	•	1	-	-	
								••••••
	l				i		-	
	ì		•	1	•			-
	ŧ	1	:	-	ì	•	•	<u>•</u>
	ı		•	•	1	:	:	:
	ı	-	•	:	1	:	:	
	ł	:	:	-	I	•		<u>.</u>
	i	:	:	•	1	:	:	:
	I	•	•	•	i	•	-	
	I				1	******		*******
	l		,,		I			
	ı				I		•	•
	1	1	1	:	1	•	•	:
	.i	:	1	•	ŀ	:	:	:
<	L			1	1	-	-	•
•	Į.	:	: 1	:	ì	•	•	:
	1	:	i 1	•	1	:	:	:
	1	•	・マフル	•	1	:	:	•
	1	•	· J & U					
			320					



1280

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:	Gene M. Bailey			License Number: 6373	
Operator Address:	Box 446	Neode	esha,Ks.	66757	
Contact Person:				Phone Number: 620-325-2635	
Lease Name & Well N	lo.: Lavert	y Well #2	.0	Pit Location (QQQQ):	
Type of Pit:		Pit is:		SW_SE_SW	
Emergency Pit	Burn Pit	X Proposed Eidsting		Sec. 18 Twp: 30 R 16 XX East West	
Settling Pit	Drilling Pit	If Existing, date constructed: Pit capacity:		$_{20}$ Feet from North $I_{\rm X}$ South Line of Section	
Workover Pil (II WP Supply API No. or)	Haul-Off Pit Year Drilled)			_1780Feet from East / 🛪 West Line of Section	
		24		WilsonCounty	
is the pit located in a S	Sensitive Ground Water	Area? Yes	× 1/0	Chloride concentration: mg/l	
Is the bottom below gr		Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but	working pits): 40	Length (feet)8	Width (feet) N/A: Steel Pils	
			leepest point:		
If the pit is lined give a material, thickness and	I Installation procedure.	liner	Describe proced	dures for periodic maintenance and determining cluding any special monitoring. KANSAS CORPORATION COMMIS	
N/A				N/A MAR 1 7 2008 CONSERVATION DIVISION	
Distance to nearest wat			Depth to shallow Source of Inform	est fresh water 30 feet.	
reet	Depth of water well	feel	measum		
Emergency, Settling a			Ī	rior and Hauf-Off Pits ONLY:	
			utilized in drilling/workover: Fresh g pits to be utilized:		
Parish Parish I AAD		ocedure:drain & backfill			
Coes the slope from the tank battery allow all spilled fluids to low into the pit? Yes No Drill pits must be			closed within 365 days of spud date.		
I hereby certify	that the above stateme	ents are true and c	orrect to the best o	my knowledge/and belief.	
3 - 13 - 0 Date	(x S	Sign	f my knowledge and belief.	
hate Received: 3/17 /	08 Parmit Number		FFICE USE ONL		
are neverved: 3/1/	Permit Number	:	Permit D	ate: 3/17/08 Lease Inspection; Yes No	