For KCC Use: Effective Date: District # SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: March 28, 2008	Spot Description:
month day year	
30931	Sec IWP S. H LE NW
OPERATOR: License#	feet from N / X S Line of Section
Name: Daystar Petroleum, Inc.	1,650 feet from E / W Line of Section
Address 1: PO Box 360	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Valley Center State: KS Zip: 67147 + 0360	County: Barton
Contact Person: Matt Osborn	
Phone: 316-755-3492	Lease Name: McCay A Well #: 1-20 Field Name: Trapp
CONTRACTOR: License# 33549	
Name: Landmark Drilling, LLC	Is this a Prorated / Spaced Field?
Name.	Target Formation(s): LKC/Arbuckle
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 330' South
Oil / Enh Rec Infield / Mud Rotary	Ground Surface Elevation: 1955 feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: unknown 180 2
Other:	Depth to bottom of usable water: unknown 380
_	Surface Pipe by Alternate: XI III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 900'
Onesista	Length of Conductor Pipe (if any):
Operator:	Projected Total Depth: 3450
Well Name: Original Total Depth: Original Total Depth:	Formation at Total Depth: Arbuckle
Original Completion Date Original Idial Depth:	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
If Yes, true vertical depth:	Well Farm Pond Other:
Bottom Hole Location:	DWR Permit #:
KCC DKT #:	(Note: Apply for Permit with DWR (1)
	Will Cores be taken?
	If Yes, proposed zone:RECEIVED
	KANSAS CORPORATION COMMISSION
AFFI	DAVIT
	PAVII
The undersigned hereby affirms that the drilling, completion and eventual plug	ging of this well will comply with K.S. ANDR t. feg. 2008
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	ging of this well will comply with K.S. MAR. 1eg. 2008
It is agreed that the following minimum requirements will be met:	ging of this well will comply with K.S. MAR. 1. 167. 2008
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	ging of this well will comply with K.S. MAR. 1. 167. 2008 CONSERVATION DIVISION
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of	ging of this well will comply with K.S. MAR. 1. 167. 2008 CONSERVATION DIVISION WICHITA, KS
 It is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 	CONSERVATION DIVISION WICHITA, KS CIrculating cement to the top; in all cases surface pipe shall be set underlying formation.
 It is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the lattice. If the well is dry hole, an agreement between the operator and the district. 	CONSERVATION DIVISION WICHITA, KS circulating cement to the top; in all cases surface pipe shall be set underlying formation. It office on plug length and placement is necessary prior to plugging;
 It is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard of the surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus as a minimum of 20 feet into the surface pipe as specified below <i>shall be set</i>	CONSERVATION DIVISION WICHITA, KS circulating cement to the top; in all cases surface pipe shall be set underlying formation. It office on plug length and placement is necessary prior to plugging; it or production casing is cemented in;
 It is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the lattice. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. 	CONSERVATION DIVISION WICHITA, KS circulating cement to the top; in all cases surface pipe shall be set underlying formation. It office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.
 It is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the	CONSERVATION DIVISION WICHITA, KS circulating cement to the top; in all cases surface pipe shall be set underlying formation. It office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 8,891-C, which applies to the KCC District 3 area, alternate II cementing
 It is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the	CONSERVATION DIVISION WICHITA, KS ricirculating cement to the top; in all cases surface pipe shall be set underlying formation. It office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.
 It is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the	CONSERVATION DIVISION WICHITA, KS ricirculating cement to the top; in all cases surface pipe shall be set underlying formation. It office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the state of	CONSERVATION DIVISION WICHITA, KS reirculating cement to the top; in all cases surface pipe shall be set underlying formation. It office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lauged. In all cases, NOTIFY district office prior to any cementing. In our productions Manager
 It is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the	CONSERVATION DIVISION WICHITA, KS ricirculating cement to the top; in all cases surface pipe shall be set underlying formation. It office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be comented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed before the statements made herein are true and correct to the beautiful surface. Signature of Operator or Agent:	CONSERVATION DIVISION WICHITA, KS rilling rig; will cases surface pipe shall be set underlying formation. It office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. Mot my knowledge and belief. Operations Manager
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the identity. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put the statements made herein are true and correct to the beginning. Signature of Operator or Agent: For KCC Use ONLY	CONSERVATION DIVISION WICHITA, KS rilling rig; ricirculating cement to the top; in all cases surface pipe shall be set underlying formation. It office on plug length and placement is necessary prior to pluggling; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. Title: Operations Manager
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be producted before the statements made herein are true and correct to the beautiful statements. Signature of Operator or Agent:	CONSERVATION DIVISION WICHITA, KS rilling rig; winderlying formation. It office on plug length and placement is necessary prior to pluggling; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. Title: Operations Manager Title:
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard of the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be comented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed. I hereby certify that the statements made herein are true and correct to the beginning. Signature of Operator or Agent: For KCC Use ONLY API # 15 - OO9 - 2518 7-OOO	CONSERVATION DIVISION WICHITA, KS circulating cement to the top; in all cases surface pipe shall be set underlying formation. It office on plug length and placement is necessary prior to plugging; or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. Total my/knowledge and belief. Operations Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard strict office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be comented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by the statements made herein are true and correct to the best of the standard strict of the standard	CONSERVATION DIVISION WICHITA, KS rilling rig; winderlying formation. It office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. Title: Operations Manager File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the strict office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statement of the stateme	CONSERVATION DIVISION WICHITA, KS rilling rig; Wichita, KS rilling formation. It office on plug length and placement is necessary prior to plugging; do reproduction casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. Title: Operations Manager File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard strict office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by the statements made herein are true and correct to the best of the standard standard of the standar	CONSERVATION DIVISION WICHITA, KS rilling rig; Wichita, KS rilling formation. It office on plug length and placement is necessary prior to plugging; do reproduction casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. Title: Operations Manager File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state will be unconsolidated materials plus a minimum of 20 feet into the state will be notified before well is either plugge for a pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the beginning of the statements of the placed by the statements of the statement of the statement	CONSERVATION DIVISION WICHITA, KS rilling rig; Wichita, KS rilling formation. It office on plug length and placement is necessary prior to plugging; do reproduction casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. Title: Operations Manager File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the structure of the well is dry hole, an agreement between the operator and the distriction of the properties of the distriction of the properties of the production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be properties that the statements made herein are true and correct to the beautified. For KCC Use ONLY API # 15 - 25/87-0000 Conductor pipe required feet minimum surface pipe required feet per ALT.	CONSERVATION DIVISION WICHITA, KS rilling rig; ricirculating cement to the top; in all cases surface pipe shall be set underlying formation. It office on plug length and placement is necessary prior to plugging; do reproduction casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. Title: Operations Manager Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the identity of the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugge of the appropriate distriction of the intention of	CONSERVATION DIVISION WICHITA, KS rilling rig; Wichita, KS rilling formation. It office on plug length and placement is necessary prior to plugging; do reproduction casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. Title: Operations Manager File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the identity of the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugge of the appropriate distriction of the intention of	CONSERVATION DIVISION WICHITA, KS rilling rig; circulating cement to the top; in all cases surface pipe shall be set underlying formation. It office on plug length and placement is necessary prior to plugging; or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. Title: Operations Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 009-25187-0000			
Operator: Daystar Petroleum, Inc.	Location of Well: County: Barton		
Lease: McCay A	1,650 feet from N / X S Line of Section		
Well Number: 1-20	1,650 feet from X E / W Line of Section		
Field: Trapp	Sec. 20 Twp. 16 S. R. 13 E X W		
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: SE NW SE	Is Section: Regular or Irregular		
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW		

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

		RECEIVED KANSAS CORPORATION COMMISSIO MAR 1 7 2008
		CONSERVATION DIVISION WICHITA, KS
	9	1656
		 3390' SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Daystar Petroleum, Inc.		License Number: 30931		
Operator Address: PO Box 360 Valley Center, KS 67147				
Contact Person: Matt Osborn		Phone Number: (316) 755 - 3492		
Lease Name & Well No.: McCay A#1-20		Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>SENWSE</u>	
Emergency Pit Burn Pit	Proposed Existing		Sec. 20 _{Twp.} 16 _{R.} 13 ☐ East ✓ West	
Settling Pit	If Existing, date constructed:		1650 Feet from North / 🗸 South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		1650 Feet from 🗸 East / 🔲 West Line of Section	
(If WP Supply API No. or Year Drilled)	800	(bbls)	Barton County	
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes ✓	Ńo	Chloride concentration: mg/l	
	1		(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Ves No	Artificial Liner? Yes ✓	No	How is the pit lined if a plastic liner is not used?	
100 [100			Mud Solids	
Pit dimensions (all but working pits):	00' Length (fe	eet)100'	Width (feet) N/A: Steel Pits	
Depth fr	rom ground level to de	eepest point: 6	(feet)	
If the pit is lined give a brief description of the			edures for periodic maintenance and determining	
material, thickness and installation procedure	} _	liner integrity, in	ncluding any special monitoring. RECEIVED	
			KANSAS CORPORATION COMMISSION	
			MAD 4 7 2000	
			MAR 1 7 2008	
Distance to nearest water well within one-mile	of pit		west fresh water 275 CONSERVATION DIVISION feet. WICHITA, KS	
Source		Source of infor	mation: redwell owner electric log KDWR	
feet Depth of water well Emergency, Settling and Burn Pits ONLY:			over and Haul-Off Pits ONLY:	
		•	al utilized in drilling/workover: Bentonite	
			king pits to be utilized: None	
·		1	procedure: Air dry and backfill	
,	amillad flyida ta	Abandoninent	procedure.	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be		pe closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
	N	M HT		
3/14/08				
Date		Š	gnature of Applicant or Agent	
KCC OFFICE USE ONLY				
01-1-0				
Date Received: 3/17/08 Permit Number: Permit Date: 3/17/08 Lease Inspection: Yes No				