For NCC Use: Effective Date: District # SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1

December 2002

Form must be Typed

Form must be Signed

All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date April 18, 2008	Spot
month day year	<u>W/2</u> <u>E/2</u> <u>NE</u> <u>Sec. 1</u> <u>Twp. 19</u> S. R. 30
OPERATOR: License# 6569	1320' fnl feet from N / S Line of Section
Name: Carmen Schmitt Inc.	990' felfeet from/ E /W Line of Section
Address: PO Box 47	Is SECTION / Regular Irregular?
Address: Great Bend, KS 67530	(Note: Locate well on the Section Plat on reverse side)
City/State/Zip:	County: Lane
Contact Person: Jacob Porter	Lease Name: Louise Well #: 2
Phone: 620-793-5100	Field Name: Dull Knife
CONTRACTOR: License# 33793	
Name: H2 Drilling LLC	Is this a Prorated / Spaced Field? Target Formation(s): LKC, Marmaton, Cherokee
Name:	larget Formation(s): 990' Fast
Well Drilled For: Well Class: Type Equipment:	Nearest Lease of unit boundary: 990' East
✓ Oil ✓ Enh Rec Infield ✓ Mud Rotary	Ground Surface Elevation: est 2852feet MSL
	Water well within one-quarter mile:
	Public water supply well within one mile: Yes ✓ No
	Depth to bottom of fresh water: 180/50
Seismic;# of Holes Other	Depth to bottom of usable water: 1300 1950
Other	Surface Pine by Alternate: 1 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
	Length of Conductor Pipe required: -0-
Operator:	Projected Total Depth: 4700'
Well Name:	Formation at Total Depth: Mississippian
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations
Directional, Deviated or Horizontal wellbore?	
If Yes, true vertical depth:	DWR Permit #:
ii ies, tide vertical deptil.	
	(Note: Apply for Permit with DWR
Bottom Hole Location:	(Note: Apply for Permit with DWR)
Bottom Hole Location:KCC DKT #:	Will Cores be taken? Yes ✓ No If Yes, proposed zone:
Bottom Hole Location: KCC DKT #: AF The undersigned hereby affirms that the drilling, completion and eventua	Will Cores be taken? If Yes, proposed zone: FIDAVIT RECEIVED Plugging of this well will comply with K.S.A. 55 ekansas CORPORATION COMMISSION.
Bottom Hole Location: KCC DKT #: AF The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met:	Will Cores be taken? If Yes, proposed zone: RECEIVED
AF The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either poor pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the poor that the statements made herein are true and to the best statements.	Will Cores be taken? If Yes, proposed zone: RECEIVED RECEIVED I plugging of this well will comply with K.S.A. 55 ekansas corporation commission MAR 1 8 2008 MAR 1 3 2008 MAR 1 3 2008 each drilling rig; CONSERVATION DIVISION set by circulating cement to the Wighting allocases surface in the wighting allocases surface in the wighting allocases surface in the wighting allocases of spud date. I district office on plug length and placement is necessary prior to plugging; alloged or production casing is cemented in; and the wighting allocation in the
AF The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either poor pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the poor that the statements made herein are true and to the best statements.	Will Cores be taken? If Yes, proposed zone: RECEIVED RECEIVED I plugging of this well will comply with K.S.A. 55 examples corporation commission MAR 1 8 2008 MAR 1 3 2008 MAR 1 3 2008 Peach drilling rig; CONSERVATION DIVISION The underlying formation. WICHITA, KS The district office on plug length and placement is necessary prior to plugging; Pented from below any usable water to surface within 120 days of spud date. The plugged. In all cases, NOTIFY district office prior to any cementing. Title: Operations Manager
AF The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet intent to drill shall be posted on 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either properties of the specific of the specific properties of the specific	Will Cores be taken? If Yes, proposed zone: RECEIVED RECEIVED I plugging of this well Will comply with K.S.A. 55 ekaesas CORPORATION COMMISSION MAR 1 8 2008 MAR 1 3 2008 MAR 1 3 2008 Reach drilling rig; CONSERVATION DIVISION The underlying formation. WICHITA, KS and district office on plug length and placement is necessary prior to plugging; Plugged or production casing is cemented in; Pented from below any usable water to surface within 120 days of spud date. Per #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Title: Operations Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
AF The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet intent in the well is dry hole, an agreement between the operator and the intention of the second of the surface of the surface of the surface casing or must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. I hereby certify that the statements made herein are true and to the best pate: March 11, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 101 - 22086-0000 Conductor pipe required	Will Cores be taken? If Yes, proposed zone: RECEIVED RECEIVED I plugging of this well will comply with K.S.A. 55 ekwisas corporation commission MAR 1 8 2008 MAR 1 3 2008 each drilling rig; conservation division set by circulating cement to the will have also assess surface has a corporation. Wichita, Ks e district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. Iter #133,891-C, which applies to the KCC district 3 area, alternate il cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Remember to: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
AF The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet intended to the specified district office will be notified before well is either properties of the appropriate district office will be notified before well is either properties of the specified date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days o	Will Cores be taken? If Yes, proposed zone: RECEIVED RECEIVED Plugging of this well will comply with K.S.A. 55 exams as corporation commission. MAR 1 8 2008 MAR 1 3 2008 MAR 1 3 2008 Plugging of this well will comply with K.S.A. 55 exams as corporation commission. MICHITA KS In a conservation division with the wild plugging of the underlying formation. In the underlying formation. In a conservation division with the wild plugging; with the underlying formation. In a conservation division with the underlying formation. In a conservation division with the underlying formation are underlying formation. In a conservation of the with the underlying formation are underlying formation. In a conservation of the underlying formation are underlying to find the underlying formation and underlying and belief. In a conservation of the conservation of the underlying in the underlying formation of the underlyin
AF The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet intent in the well is dry hole, an agreement between the operator and the intention of the surface of the surface of intention of intention of the surface of intention	Will Cores be taken? If Yes, proposed zone: RECEIVED RECEIVED I plugging of this well will comply with K.S.A. 55 ekansas corporation commission. MAR 18 2008 MAR 1 3 2008 MAR 1 3 2008 each drilling rig; conservation division set by circulating cement to the will make asses surface in the underlying formation. In the underlying formation of the underlying formation asing is cemented in; length and placement is necessary prior to plugging; lugged or production casing is cemented in; length from below any usable water to surface within 120 days of spud date. It #133,891-C, which applies to the KCC district 3 area, alternate it cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 101-22086-0000	Location of Well: County: Lane	
Operator: Carmen Schmitt Inc.	1320' fnl feet from V N / S Line of Section	
Lease: Louise	1320' fnl feet from \checkmark N / S Line of Section 990' fel feet from \checkmark E / W Line of Section	
Well Number: 2	Sec1 Twp19 S. R30	
Field: Dull Knife	Is Section: ✓ Regular or Irregular	
Number of Acres attributable to well: OTD (OTD of acress) W/2 F/2 NE	is decitori.	
QTR / QTR / QTR of acreage: W/2 - E/2 - NE	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW	

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)


I .			
	,		•
	•		
	•	· ·	
	•		
	•		
	•		
l .		i i	
	•		1/
			V
			A:
1			X
		,	
· ·	·		. ,
1			
	•	•	
1			
	•	•	•
1	•		
I			
1			
1			
1			
1			
•		, ,	
1			
		٠, ,	
		•	
	•		
		• •	
		• •	
		• •	· •
		• •	· •
		• •	· •
		• •	· •
		• •	· •
		• •	· •
		• •	· •
		• •	· •
		• •	· •
		• •	· •
	· · · · · · · · · · · ·		· · · · · · · · · ·
	· · · · · · · · · · · ·		· · · · · · · · · ·
	· · · · · · · · · · · ·	• •	· · · · · · · · ·
	: 		· · · · · · · · ·
	: 		
	: 		

NOTE: In all cases locate the spot of the proposed drilling locaton.

RECEIVED KANSAS CORPORATION COMMISSION

MAR 18 2008

CONSERVATION DIVISION WICHITA, KB



MAR 13 2008

CONSERVATION DIVISION WICHITA, KS

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: O o C - la i H				
Operator Name: Carmen Schmitt Inc.		License Number: 6569		
Operator Address: PO Box 47, G	reat Bend,	KS 67530		
Contact Person: Jacob Porter			Phone Number: (620) 793 - 5100	
Lease Name & Well No.: Louise #2			Pit Location (QQQQ):	
Type of Pit:	Pit is:	, ••••		
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 1 Twp. 19s R. 30w ☐ East ✓ Wes	it
Settling Pit	If Existing, date constructed:		1320' fnl Feet from V North / South Line of S	ection
☐ Workover Pit ☐ Haul-Off Pit			990' fel Feet from 🗸 East / West Line of S	ection
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbis)	Lane	ounty
Is the pit located in a Sensitive Ground Water		No		mg/l
is the presented in a constitue cream state.			(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?	
✓ Yes No	Yes ✓	NO	Natural clays and bentonite	
Pit dimensions (all but working pits):1	00 Length (fe	_{eet)} 100	Width (feet)	•
Depth f	rom ground level to de	eepest point: 4	(feet)	
If the pit is lined give a brief description of the material, thickness and installation procedur	liner 3.	1	edures for periodic maintenance and determining notuding any special monitoring. RECEI' KANSAS CORPORATI PECTION MAR 18	ои соми
			CONSERVATIO	
Distance to nearest water well within one-mil	e of pit	Depth to shallo Source of info	owest fresh water 55 feet.	· .
~1630 feet Depth of water well 105 feet		measured well owner electric log KDWR		
teet Depth of water well_	feet		rmation:	/R
Emergency, Settling and Burn Pits ONLY		measu	rmation:	/R
leet Deptil of water wen		measu	rmation: ured well owner electric log KDV	/R
Emergency, Settling and Burn Pits ONLY		Drilling, Work Type of materi	rmation: ured well owner electric log KDV tover and Haul-Off Pits ONLY: al utilized in drilling/workover: Bentonite rking pits to be utilized: 4	/R
Emergency, Settling and Burn Pits ONLY Producing Formation:		Drilling, Work Type of materi	rmation: ured well owner electric log KDV cover and Haul-Off Pits ONLY: al utilized in drilling/workover: Bentonite	/R
Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a flow into the pit? Yes No	I spilled fluids to	Drilling, Work Type of materi Number of work Abandonment Drill pits must	rmation: ured well owner electric log KDV tover and Haul-Off Pits ONLY: al utilized in drilling/workover: Bentonite rking pits to be utilized: 4 procedure: Evaporate and backfill be closed within 365 days of spud date. RECEIVED	/R
Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a flow into the pit? Yes No	I spilled fluids to	Drilling, Work Type of materi Number of work Abandonment Drill pits must	rmation: ured well owner electric log KDV tover and Haul-Off Pits ONLY: al utilized in drilling/workover: Bentonite rking pits to be utilized: 4 procedure: Evaporate and backfill be closed within 365 days of spud date. RECEIVED	/R
Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a flow into the pit? I hereby certify that the above state March 11, 2008	I spilled fluids to	Drilling, Work Type of materi Number of work Abandonment Drill pits must	rmation: ured well owner electric log KDV tover and Haul-Off Pits ONLY: al utilized in drilling/workover: Bentonite rking pits to be utilized: 4 procedure: Evaporate and backfill be closed within 365 days of spud date. RECEIVED st of my knowledge and belief. KANSAS CORPORATION COMMI	/R
Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a flow into the pit? I hereby certify that the above state	I spilled fluids to	Drilling, Work Type of materi Number of work Abandonment Drill pits must	rmation: ured well owner electric log KDV tover and Haul-Off Pits ONLY: all utilized in drilling/workover: Bentonite rking pits to be utilized: 4 procedure: Evaporate and backfill be closed within 365 days of spud date. RECEIVED st of my knowledge and belief. KANSAS CORPORATION COMMI	/R
Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a flow into the pit? I hereby certify that the above state March 11, 2008	I spilled fluids to ements are true and	Drilling, Work Type of materi Number of work Abandonment Drill pits must	well ownerelectric logKDV lover and Haul-Off Pits ONLY: all utilized in drilling/workover: Bentonite rking pits to be utilized: 4 procedure: Evaporate and backfill be closed within 365 days of spud date. RECEIVED st of my knowledge and belief. KANSAS CORPORATION COMMIT MAR 1 3 2008 CONSERVATION DIVISION WICHITA, KS	/R
Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a flow into the pit? I hereby certify that the above state March 11, 2008	I spilled fluids to ements are true and	Drilling, Work Type of materi Number of work Abandonment Drill pits must correct to the bes	well ownerelectric logKDV lover and Haul-Off Pits ONLY: all utilized in drilling/workover: Bentonite rking pits to be utilized: 4 procedure: Evaporate and backfill be closed within 365 days of spud date. RECEIVED st of my knowledge and belief. KANSAS CORPORATION COMMIT MAR 1 3 2008 CONSERVATION DIVISION WICHITA, KS	JR SSION