For KCC Use: Effective Date: 3-24-08 District #_ SGA? ☐ Yes 📝 No

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

	December 2002
	Form must be Typed
	Form must be Signed
Aii	blanks must be Filled

Form C-1

Expected Spud Date April 25, 2008	Spot
month day year	E/2 E/2 - W/2 - SW Sec. 1 Twp. 19 S. R. 30 West
6569	1320' fsl feet from N / ✓ S Line of Section
OPERATOR: License# 6569 V Name: Carmen Schmitt Inc.	1155' fwlfeet from E / V W Line of Section
Name: Carrier Scranic Inc.	Is SECTION RegularIrregular?
Address: PO Box 47 Great Bond, KS 67530	
Address: Great Bend, KS 67530	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Jacob Poner	County: Lane
Phone: 620-793-5100	Lease Name: Risley Well #: 1
33703	Field Name: WC
CONTRACTOR: License# 33793	Is this a Prorated / Spaced Field?
Name: H2 Drilling LLC	Target Formation(s): LKC, Marmaton, Cherokee
Will Division Building Time Francisco	Nearest Lease or unit boundary; 1155 West
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: est 2/73 2ct 2863 feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile: Yes VNo
OWWO Disposal 🗸 Wildcat 🖍 🔲 Cable	Depth to bottom of fresh water: 1889 1/50
Seismic; # of Holes Other	Depth to bottom of usable water: 1390 /450
Other	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200'
Operator:	Length of Conductor Pipe required: -0-
Well Name:	Projected Total Depth: 4700'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippian
·	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other hauled
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken? Yes ✓ No
1100 0111 111	
	If You proposed yours
	If You proposed yours
AFF	
	If Yes, proposed zone RECEIVED KANSAS CORPORATION COMMISSION KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plants	If Yes, proposed zone RECEIVED FANSAS CORPORATION COMMISSION FOR THE C
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:	If Yes, proposed zone RECEIVED FANSAS CORPORATION COMMISSION FOR THE WILL COMMISSION FOR THE WILL COMMISSION FANSAS CORPORATION COMMISSION FOR THE WILL COMMISSION FANSAS CORPORATION COMMISSION FOR THE WILL COMMISSION FANSAS CORPORATION COMMISSION FOR THE WILL COMMISSION FOR THE WILL COMMISSION FANSAS CORPORATION COMMISSION FOR THE WILL COMMISSION FANSAS CORPORATION COMMISSION FOR THE WILL COMMISSION FOR THE WIL
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone RECEIVED RANSAS CORPORATION COMMISSION COMMISSION WILL COMPANY WITH A S A. 55 et. seq. MAR 1 3 2008 CONSERVATION DIVISION WICHTA AS CONSERVATION DIVISION WICHTA AS CONSERVATION DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	If Yes, proposed zone RECEIVED KANSAS CORPORATION COMMISSION (COMMISSION WICHITA, KS) RECEIVED KANSAS CORPORATION COMMISSION (COMMISSION COMMISSION COMMISSION WICHITA, KS)
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone RECEIVED KANSAS CORPORATION COMMISSION (ANSAS CORPORATION COMMISSION Ungging of this well will comply with K.S.A. 55 et. seq. MAR 1 3 2008 CONSERVATION DIVISION WICHITA, KS WICHITA, KS WICHITA, KS WICHITA, KS It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the definition of the surface pipe as specified below.	If Yes, proposed zone RECEIVED KANSAS CORPORATION COMMISSION (ANSAS CORPORATION COMMISSION Ungging of this well will comply with K.S.A. 55 et. seq. MAR 1 3 2008 CONSERVATION DIVISION WICHITA, KS WICHITA, KS WICHITA, KS WICHITA, KS In by circulating cement to the top, in all cases surface pipe shall be set the underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the first the well is dry hole, an agreement between the operator and the constitution of the surface propriate district office will be notified before well is either plug	If Yes, proposed zone RECEIVED KANSAS CORPORATION COMMISSION (ANSAS CORPORATION COMMISSION Ungging of this well will camply with K.S.A. 55 et. seq. MAR 1 3 2008 CONSERVATION DIVISION WICHITA, KS WICHITA, KS WICHITA, KS WICHITA, KS In eunderlying formation. Wichita and placement is necessary prior to plugging; upper or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constant of the set of the appropriate district office will be notified before well is either plus to the appropriate district office will be notified before well is either plus to the appropriate district office will be notified before well is either plus to the appropriate district office will be notified before well is either plus to the appropriate district office will be notified before well is either plus to the appropriate district office will be notified before well is either plus to the appropriate district office will be notified before well is either plus to the appropriate district office will be notified before well is either plus to the appropriate district office will be notified before well is either plus to the appropriate district office will be notified before well is either plus to the appropriate district office will be notified before well is either plus to the appropriate district office will be notified before well is either plus to the appropriate district office will be notified before well is either plus to the appropriate district office will be notified before well appropriate district office	If Yes, proposed zone RECEIVED KANSAS CORPORATION COMMISSION COMMISSION WILL COMPLY WITH A SUBSECTION DIVISION WICHITA, KS CONSERVATION DIVISION WICHITA, KS WICHITA, KS CONSERVATION DIVISION WICHITA, KS CORPORATION DIVISION WICHITA, KS CONSERVATION DIVISION WICHITA, CONSERVATION DIVISION WICHITA, CONSERVATION D
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intent to drill shall be posted on each of the intent to drill shall be posted on each of the intent to drill shall be posted on each of the intent to drill shall be posted on each of the intent to drill shall be posted on each of the intent to drill shall be posted on each of the intent to drill shall be posted on each of the intent to drill shall be posted on each of the intent to drill shall be posted on each of the intent to district office will be notified before well is either plug to the intent to drill shall be coment of the intent to drill shall be coment of the intent to drill shall be coment of the intent to drill shall be posted on each of the intent to drill shal	If Yes, proposed zone RECEIVED KANSAS CORPORATION COMMISSION COMMISSION WILL COMPOSE TO THE WILL COMPOSE T
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the surface will be notified before well is either plug to the surface of the surface casing order must be completed within 30 days of the spud date or the well shall	If Yes, proposed zone RECEIVED KANSAS CORPORATION COMMISSION (ANSAS CORPORATION COMMISSION) Unugging of this well will comply with K.S.A. 55 et. seq. MAR 1 3 2008 CONSERVATION DIVISION WICHITA, KS WICHITA, KS WICHITA, KS In by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. (Identical office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. (#133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intent to drill shall be posted on each of the intent to drill shall be posted on each of the intent to drill shall be posted on each of the intent to drill shall be posted on each of the intent to drill shall be posted on each of the intent to drill shall be posted on each of the intent to drill shall be posted on each of the intent to drill shall be posted on each of the intent to drill shall be posted on each of the intent to district office will be notified before well is either plug to the intent to drill shall be coment of the intent to drill shall be coment of the intent to drill shall be coment of the intent to drill shall be posted on each of the intent to drill shal	If Yes, proposed zone RECEIVED KANSAS CORPORATION COMMISSION (ANSAS CORPORATION COMMISSION) Unugging of this well will comply with K.S.A. 55 et. seq. MAR 1 3 2008 CONSERVATION DIVISION WICHITA, KS WICHITA, KS WICHITA, KS In by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. (Identical office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. (#133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set	If Yes, proposed zone RECEIVED KANSAS CORPORATION COMMISSION CONSERVATION COMMISSION WILL COMPLY WITH A 2008 CONSERVATION DIVISION WICHITA, KS WICHITA, WICHITA, KS WICHITA, WICHITA, KS WICHITA, WICHIT
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the surface will be notified before well is either plug to the surface of the surface casing order must be completed within 30 days of the spud date or the well shall	If Yes, proposed zone RECEIVED KANSAS CORPORATION COMMISSION CONSERVATION COMMISSION WILL COMPLY WITH A 2008 CONSERVATION DIVISION WICHITA, KS WICHITA, WICHITA, KS WICHITA, WICHITA, KS WICHITA, WICHIT
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set	If Yes, proposed zone RECEIVED (ANSAS CORPORATION COMMISSION) IDAVIT KANSAS CORPORATION COMMISSION Unugging of this well will comply with K.S.A. 55 et. seq. MAR 1 3 2008 CONSERVATION DIVISION WICHITA, KS (A) by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. (Identical or plug length and placement is necessary prior to plugging; and or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. (If I all cases, NOTIFY district office prior to any cementing to the plugged. In all cases, NOTIFY district office prior to any cementing. (If I all cases, NOTIFY district office prior to any cementing.) If my knowledge and belief. Title: Operations Manager
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the posted on each of the posted on the posted of the posted of the posted on the posted of the posted of the posted on the posted of the poste	If Yes, proposed zone RECEIVED (ANSAS CORPORATION COMMISSION) IDAVIT KANSAS CORPORATION COMMISSION Unugging of this well will comply with K.S.A. 55 et. seq. MAR 1 3 2008 CONSERVATION DIVISION WICHITA, KS (A) by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. District office on plug length and placement is necessary prior to plugging; upded or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Operations Manager Remember to:
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the posted on each of the posted on the posted of the posted of the posted on the posted of the posted of the posted on the posted of the poste	If Yes, proposed zone RECEIVED (ANSAS CORPORATION COMMISSION) IDAVIT KANSAS CORPORATION COMMISSION Unugging of this well will comply with K.S.A. 55 et. seq. MAR 1 3 2008 CONSERVATION DIVISION WICHITA, KS (A) by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Identication casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Operations Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set of the well is dry hole, an agreement between the operator and the construction of the set	If Yes, proposed zone RECEIVED (ANSAS CORPORATION COMMISSION) IDAVIT KANSAS CORPORATION COMMISSION Unugging of this well will comply with K.S.A. 55 et. seq. MAR 1 3 2008 CONSERVATION DIVISION WICHITA, KS (A) by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. District office on plug length and placement is necessary prior to plugging; upded or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Operations Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the continuous amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the continuous form of the continuous and the continuous form of the co	If Yes, proposed zone RECEIVED (ANSAS CORPORATION COMMISSION) IDAVIT KANSAS CORPORATION COMMISSION Unugging of this well will comply with K.S.A. 55 et. seq. MAR 1 3 2008 CONSERVATION DIVISION WICHITA, KS (AT by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. District office on plug length and placement is necessary prior to plugging; upded or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Operations Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set	If Yes, proposed zone RECEIVED (ANSAS CORPORATION COMMISSION) IDAVIT KANSAS CORPORATION COMMISSION Unugging of this well will comply with K.S.A. 55 et. seq. MAR 1 3 2008 CONSERVATION DIVISION WICHITA, KS (A) by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. District office on plug length and placement is necessary prior to plugging; and god or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Operations Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the complete of intent to drill <i>shall be</i> posted on each and the complete of the posted on each and the complete of the plant of the well is dry hole, an agreement between the operator and the complete of the plant of	If Yes, proposed zone RECEIVED IDAVIT KANSAS CORPORATION COMMISSION Ugging of this well will comply with S.A. 55 et. seq. MAR 1 3 2008 CONSERVATION DIVISION WICHITA, KS In by circulating cement to the top; in all cases surface pipe shall be set to be underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged or production casing is cemented in; aged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set	If Yes, proposed zone RECEIVED IDAVIT KANSAS CORPORATION COMMISSION Ugging of this well will camply with K.S.A. 55 et. seq. MAR 1 3 2008 CONSERVATION DIVISION WICHITA, KS In the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; gled or production casing is cemented in; gled from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Operations Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the complete of intent to drill <i>shall be</i> posted on each and the complete of the well is dry hole, an agreement between the operator and the complete of the well is dry hole, an agreement between the operator and the complete of the well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate of the spud date or the well shall. It hereby certify that the statements made herein are true and to the best of the plug of the spud date or the well shall. It hereby certify that the statements made herein are true and to the best of the plug of the spud date or the well shall. It hereby certify that the statements made herein are true and to the best of the plug of the spud date or the well shall. For KCC Use ONLY API # 15 -	If Yes, proposed Zone RECEIVED (ANSAS CORPORATION COMMISSION IN CONSERVATION DIVISION WICHITA, KS (ANSAS CORPORATION COMMISSION CONSERVATION DIVISION WICHITA, KS (ANSAS CORPORATION COMMISSION COMMISSION CONSERVATION DIVISION WICHITA, KS (ANSAS CORPORATION COMMISSION COMMISSION CONSERVATION DIVISION WICHITA, KS (ANSAS CORPORATION COMMISSION COMMISSION CONSERVATION COMMISSION CONSERVATION COMMISSION WICHITA, KS (ANSAS CORPORATION COMMISSION COMMISSION COMMISSION CONSERVATION COMMISSION WICHITA, KS (ANSAS CORPORATION COMMISSION COMMISSION COMMISSION COMMISSION (ANSAS CORPORATION COMMISSION COMMISSION (ANSAS CORPORATION COMMISSION COMMISSION COMMISSION COMMISSION WICHITA, KS (ANSAS CORPORATION COMMISSION COMMISSION WICHITA, KS (ANSAS CORPORATION WICHITA, KS (ANSAS CORPORATION MAR 1 3 2008 CONSERVATION MICHITAL (ANSAS COMMISSION WICHITA, KS (ANSAS CORPORATION WICHITA, KS (ANSAS CORPORATION WICHITA, KS (
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set of the well is dry hole, an agreement between the operator and the construction of the set of the specific set of the set of the specific set of the spec	If Yes, proposed PRECEIVED KANSAS CORPORATION COMMISSION KANSAS CORPORATION COMMISSION WILLIAM RECEIVED KANSAS CORPORATION COMMISSION Ungging of this well will comply with K.S.A. 55 et. seq. MAR 1 3 2008 CONSERVATION DIVISION WICHITA, KS WICHITA
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the complete of intent to drill <i>shall be</i> posted on each and the complete of the well is dry hole, an agreement between the operator and the complete of the well is dry hole, an agreement between the operator and the complete of the well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate of the spud date or the well shall. It hereby certify that the statements made herein are true and to the best of the plug of the spud date or the well shall. It hereby certify that the statements made herein are true and to the best of the plug of the spud date or the well shall. It hereby certify that the statements made herein are true and to the best of the plug of the spud date or the well shall. For KCC Use ONLY API # 15 -	IT Yes, proposed zone RECEIVED (ANSAS CORPORATION COMMISSION) IDAVIT KANSAS CORPORATION COMMISSION Ugging of this well will comply with KSA. 55 et. seq. MAR 1 3 2008 CONSERVATION DIVISION WICHITA, KS (WICHITA, KS) In by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. District office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the complete of intent to drill <i>shall be</i> posted on each and the complete of the well is dry hole, an agreement between the operator and the complete of the well is dry hole, an agreement between the operator and the complete of the well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate of the spud date or the well shall. It hereby certify that the statements made herein are true and to the best of the plug of the spud date or the well shall. It hereby certify that the statements made herein are true and to the best of the plug of the spud date or the well shall. It hereby certify that the statements made herein are true and to the best of the plug of the spud date or the well shall. For KCC Use ONLY API # 15 -	If Yes, proposed zone RECEIVED IDAVIT KANSAS CORPORATION COMMISSION Ugging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION WICHITA, KS In by circulating cement to the top, in all cases surface pipe shall be set ne underlying formation. Istrict office on plug length and placement is necessary prior to plugging; iged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent:
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the agreement and the drill shall be posted on each and the drill shall unconsolidated materials plus a minimum of 20 feet into the search and the drilling an	IT Yes, proposed zone RECEIVED (ANSAS CORPORATION COMMISSION) IDAVIT KANSAS CORPORATION COMMISSION Ugging of this well will comply with KSA. 55 et. seq. MAR 1 3 2008 CONSERVATION DIVISION WICHITA, KS (WICHITA, KS) In by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. District office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 101-22085-0000	Location of Well: County: Lane
Operator: Carmen Schmitt Inc.	
Lease: Risley	1320' fsl feet from N / ✓ S Line of Section 1155' fwl feet from E / ✓ W Line of Section
Well Number: 1	Sec. 1 Twp. 19 S. R. 30 East ✓ Wes
Field: WC Number of Acres attributable to well: QTR / QTR / QTR of acreage: E/2 E/2 - W/2 - SW	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)


													_				
R	į		•														
KANSAS COF																	
																	'
MA	ļ																
			٠						,	'							
CONS											,						
			•				•										
		, .					'						•		•		
	:								ľ			•					
											1		•		•		
EXAMPLE																	
	1								-	-						_	-
			•				•		ı						•		
#													•				
			• •	•		• •	•	•	1	•		•		• •			
10									ļ								
220			٠											v			
339									-			-		Х	•		
			-				•										
			•										•		•		
				•								•					.
· · ·	1		•				•										
SEWARD CO. KANSAS CO	l .		•		•		•										

NOTE: In all cases locate the spot of the proposed drilling locaton.

ECEIVED PORATION COMMISSION

R 182008

ERVATION DIVISION WICHITA, KS



MAR 13 2008

In plotting the proposed location of the well, you must show:

CONSERVATION DIVISION WICHITA, KS

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Carmen Schmitt	Inc.	License Number: 6569				
Operator Address: PO Box 47, G	reat Bend,	KS 67530				
Contact Person: Jacob Porter			Phone Number: (620) 793 - 5100			
Lease Name & Well No.: Risley #1			Pit Location (QQQQ):			
Type of Pit:	Pit is:					
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 1 Twp. 19s R. 30w ☐ East ✓ West			
Settling Pit	If Existing, date co	onstructed:	1320' fsl Feet from North / V South Line of Section			
Workover Pit Haul-Off Pit			1155' fwl Feet from East / V West Line of Section			
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Lane			
			Chloride concentration:mg/l			
Is the pit located in a Sensitive Ground Water	Area? Yes _ √	No	(For Emergency Pits and Settling Pits only)			
is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?			
✓ Yes No	Yes ✓	No	Natural clays and bentonite			
Pit dimensions (all but working pits):1	00 Length (fe	_{eet)} 100	Width (feet) N/A: Steel Pits			
	rom ground level to de	eepest point: 4	(feet)			
material, thickness and installation procedur		Visual insp	CONSERVATION DIVISION WICHITA, KS			
Distance to nearest water well within one-mil	le of pit /25	Depth to shallowest fresh water 55 feet.				
~6000 feet Depth of water well	105 feet	meas	ured well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY	:	1	cover and Haul-Off Pits ONLY:			
Producing Formation:		Type of mater	al utilized in drilling/workover: Bentonite			
Number of producing wells on lease:			rking pits to be utilized: 4			
Barrels of fluid produced daily:		Abandonment procedure: Evaporate and backfill				
Does the slope from the tank battery allow a flow into the pit? Yes No	ll spilled fluids to	Drill pits must be closed within 365 days of spud date.				
I hereby certify that the above state			KANSAS CORPORATION COMMISSION			
March 11, 2008 Date	<u> </u>	Jaco	Signature of Applicant or Agent MAR 1 3 2008			
	ксс	OFFICE USE O	CONSERVATION DIVISION			