KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION NOTICE OF INTENT TO DOLL

Form must be Signed

month day year	Spot Description:	 
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	. <u>w1 . sw</u> . <u>NW</u> sec. <u>26 Twp. 34 S. R. 18 XE</u>	
ERATOR: License#	(aoono) feet from N / S Line of Sect	ion
ne: Quest Cherokee, LLC		JOH
ress 1; 210 W. Park Ave., Suite 2750	is SECTION: Regular Irregular?	
ress 2·	(Nete: Locate well on the Section Plat on reverse side)	
Oklehoma City State: OK Zip: 73102 +	County: Labette	
tact Person: Richard Marlin	Lease Name: Flutte Trust Well #: 26-1	
ne: 405-702-7480	Field Name: Cherokee Basin CBM	
ITRACTOR: License#_33837 or another Licensed by KCC	is this a Prorated / Spaced Field?	No
ie: Will advise on the ACO-1	Target Formation(s). Cherokee Coals	
	Nearest Lease or unit boundary line (in footage): 336 350	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 908 feet M	ISL
Oil Enh Rec X Infield Mud Rotary	Water well within one-quarter mile:	No _
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	No
Disposal Wildcat Cable	Depth to bottom of fresh water: 100	
Seismic ; # of HolesOther	Depth to bottom of usable water:	
Other: Coalbed Methane	Surface Ping by Atternate:	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25	
	Length of Conductor Pipe (if any):	
Operator:	Projected Total Depth: 1500	
Well Name:	Formation at Total Depth: Cherokee Coals	
Original Completion Date: Original Total Depth:		
ctional. Deviated or Horizontal wellbore?	Water Source for (Drilling Operations:	
	Well Farm Pond Other: Air	
s, true vertical depth:	DWR Permit #:	7
om Hole Location:	(Note: Apply for Permit with DWR)	مندا
ODKT#:	Will Cores be taken?	NO
1980 FML, 330 KMC, 330 MMB	If Yes, proposed zone:RECEIVE	
DOGNESSY, ELECTIVE 350 NLUB	KANSAS CORPORATION (	
1980 FNL; 330 FWL; 330 NLLB 2290 FNL; 565 FWL; 350 NLUB	FIDAVIT	COMIN
undersigned hereby affirms that the drilling, completion and eventual plu	igging of this well will comply with K.S.A. 55 et. seq.	ma
	FED 13 ZU	JUO
agreed that the following minimum requirements will be met:		
agreed that the following minimum requirements will be met:  Notify the appropriate district office <i>prior</i> to spudding of well;	○CNSERVATION DE	
agreed that the following minimum requirements will be met:  Notify the appropriate district office <i>prior</i> to spudding of well;	○CNSERVATION DE	
agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i>	CASERVATION DE by circulating cement to the top; in all cases surface pipe <b>shall be set</b> HTA, KS e underlying formation.	
agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole an agreement between the operator and the dist	drilling rig; by circulating cement to the top; in all cases surface pipe shall be self-lita, KS e underlying formation.  Trict office on plug length and placement is necessary prior to plugging;	
agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist	e drilling rig;  by circulating cement to the top; in all cases surface pipe <b>shall be sat</b> to the top; in all cases surface pipe <b>shall be sat</b> to the top; in all cases surface pipe <b>shall be sat</b> to the top; in all cases surface pipe <b>shall be sat</b> to the top; in all cases surface pipe <b>shall be sat</b> to the top; in all cases surface pipe <b>shall be sat</b> to the top; in all cases surface pipe <b>shall be sat</b> to the top; in all cases surface pipe <b>shall be sat</b> to the top; in all cases surface pipe <b>shall be sat</b> to the top; in all cases surface pipe <b>shall be sat</b> to the top; in all cases surface pipe <b>shall be sat</b> to the top; in all cases surface pipe <b>shall be sat</b> to the top; in all cases surface pipe <b>shall be sat</b> to the top; in all cases surface pipe <b>shall be sat</b> to the top; in all cases surface pipe <b>shall be sat</b> to the top; in all cases surface pipe <b>shall be sat</b> to the top; in all cases surface pipe <b>shall be sat</b> to the top; in all cases surface pipe <b>shall be sat</b> to the top; in all cases surface pipe <b>shall be sat</b> to the top; in all cases surface pipe <b>shall be sat</b> to the top; in all cases surface pipe <b>shall be sat</b> to the top; in all cases surface pipe <b>shall be sat</b> to the top; in all cases surface pipe <b>shall be sat</b> to the top; in all cases surface pipe <b>shall be sat</b> to the top; in all cases surface pipe <b>shall be sat</b> to the top; in all cases surface pipe <b>shall be sat</b> to the top; in all cases surface pipe <b>shall be sat</b> to the top; in all cases surface pipe <b>shall be sat</b> to the top; in all cases surface pipe <b>shall be sat</b> to the top; in all cases surface pipe <b>shall be sat</b> to the top; in all cases surface pipe <b>shall be sat</b> to the top; in all cases surface pipe <b>shall be sat</b> to the top; in all cases surface pipe <b>shall be sat</b> to the top; in all cases surface pipe <b>shall be sat</b> to the top; in all cases surface pipe <b>shall be sat</b> to the top; in all cases surface pipe <b>shall be sat</b> to the top; in all cases surface pipe <b>shall be sat</b> to the top; in all cases surface pipe <b>shall b</b>	
agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist.  5. The appropriate district office will be notified before well is either plugg	e drilling rig;  by circulating cement to the top; in all cases surface pipe <b>shall be set</b> with the content of the top; in all cases surface pipe <b>shall be set</b> with the content of the case of th	
agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the state of the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the state of	e drilling rig; by circulating cement to the top; in all cases surface pipe shall be set that, KS e underlying formation. brict office on plug length and placement is necessary prior to plugging; and form below any usable water to surface within 120 DAYS of spud date.  133.891-C. which applies to the KCC District 3 area, alternate II cementing	
agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the dist. The appropriate district office will be notified before well is either plugg of the analytematic office will be notified before well is either plugg of the state of the well shall be completed within 30 days of the spud date or the well shall be	by drilling rig; by circulating cement to the top; in all cases surface pipe shall be set HITA, KS e underlying formation.  That office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; of from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.	
agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	drilling rig; by circulating cement to the top; in all cases surface pipe shall be self-lita, Kg e underlying formation. Trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.	
agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an advantage of the approved notice of intent to drill <i>shall be</i> posted on each an advantage of the approved notice of intent to drill shall be set through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the dist of the appropriate district office will be notified before well is either plugger. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be preby certify that the statements made herein are true and correct to the barriers.	by circulating cement to the top; in all cases surface pipe shall be set. HTA, KS to underlying formation.  The production casing is cemented in; of from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Dest of my knowledge and belief.  Vice President	
agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the intent of the approved notice of intent to drill <i>shall be</i> posted on each and the intention of the appropriate district office price and intention of the intent	drilling rig; by circulating cement to the top; in all cases surface pipe shall be self-lita, Kg e underlying formation. Trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.	
agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an advantage of the approved notice of intent to drill <i>shall be</i> posted on each an advantage of the approved notice of intent to drill shall be set through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the dist of the appropriate district office will be notified before well is either pluggered. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be preby certify that the statements made herein are true and correct to the barriers.	de drilling rig; by circulating cement to the top; in all cases surface pipe shall be self. Ks e underlying formation.  Interior office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Dest of my knowledge and belief.  Vice President  Title:	
agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the dist. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be preby certify that the statements made herein are true and correct to the base of the spud state of the spud state of the statements.  Signature of Operator or Agent.	by circulating cement to the top; in all cases surface pipe shall be set.  If the content of the top; in all cases surface pipe shall be set.  If the content of the content of the cases surface pipe shall be set.  If the content of the case of th	
agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the dist of the appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be preby certify that the statements made herein are true and correct to the best of the complete of the statements of the complete of the statements of the spud date or the well shall be statement of the statements of the spud date or the well shall be statement of the statement of	by circulating cement to the top; in all cases surface pipe shall be set HTA, KS is underlying formation.  Trict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Dest of my knowledge and belief.  Title:  **Vice President**  **Title: Vice President**  **File Drill Pit Application (form CDP-1) with Intent to Drill;  **File Completion Form ACO-1 within 120 days of spud date;	26
agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the statement of the well is dry hole, an agreement between the operator and the dist of the well is dry hole, an agreement between the operator and the dist of the appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B". Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be cereby certify that the statements made herein are true and correct to the best of the cereby certify that the statements made herein are true and correct to the best of the cereby certify that the statements made herein are true and correct to the best of the cereby certify that the statements made herein are true and correct to the best of the cereby certify that the statements made herein are true and correct to the best of the cereby certify that the statements made herein are true and correct to the best of the cereby certify that the statements made herein are true and correct to the best of the cereby certify that the statements made herein are true and correct to the best of the cereby certify that the statements made herein are true and correct to the best of the cereby certify that the statements made herein are true and correct to the best of the cereby certify that the statements made herein are true and correct to the cereby certify that the statements made herein are true and cereby certify that the statements made herein are true and cereby certify that the statements made herein are true and cereby certification.	by circulating cement to the top; in all cases surface pipe shall be set HITA, KS e underlying formation.  Intercretation of the state of the set of the state of the set of the	
agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the dist of the appropriate district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be eareby certify that the statements made herein are true and correct to the best of the complete of the statements of the production of the product of the statements of the product of the complete of the statements of the product of the product of the statements of the statement of the product of the statement of the product of the product of the statement of the product of the product of the product of the statement of the product	by circulating cement to the top; in all cases surface pipe shall be set. HITA, KS e underlying formation.  Intercretation of the state	26 34
agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an each and the district of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg of it an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be preby certify that the statements made herein are true and correct to the best of the statements of the spud date of the well shall be street or the statements of the spud date or the well shall be street or the statements of the spud date or the well shall be street or the statements of the spud date or the well shall be street or the statements of the spud date or the well shall be street or the statements and herein are true and correct to the street or the statements of the spud date or the well shall be street or the statements of the spud date or the well shall be street or the statements of the spud date or the well shall be street or the	by circulating cement to the top; in all cases surface pipe shall be set. HITA, KS e underlying formation.  Intercretation of the state	26 34 1
agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be preby certify that the statements made herein are true and correct to the better.  February 13, 2008 Signature of Operator or Agent 15.  For KCC Use ONLY  API # 15 - OPP - 24 2 70 - OCCO  Conductor pipe required 70 feet per ALT. I I III	by circulating cement to the top; in all cases surface pipe shall be set. HITA, KS e underlying formation.  Intercretation of the state	26 34
agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be ereby certify that the statements made herein are true and correct to the best of the complete o	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set.  If the underlying formation.  Interest office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; of from below any usable water to surface within 120 DAYS of spud date.  It is a plugged. In all cases, NOTIFY district office prior to any cementing.  If it is a properties in the control of it is a properties.  File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting saft water.  If this permit has expired (See: authorized expiration date) please	26 34 1
agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the se	by circulating cement to the top; in all cases surface pipe shall be set HITA, Ks e underlying formation.  Intercretifice on plug length and placement is necessary prior to plugging; and or production casing is cemented in; of from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Dest of my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	26 34 1
agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be breby certify that the statements made herein are true and correct to the best of the complete of the complete to the best of the complete of th	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set.  If the underlying formation.  Interest office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; of from below any usable water to surface within 120 DAYS of spud date.  It is a plugged. In all cases, NOTIFY district office prior to any cementing.  If it is a properties in the control of it is a properties.  File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting saft water.  If this permit has expired (See: authorized expiration date) please	26 34 1

MAR 20 2008

## *"CORRECTED*

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other walls producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

Operator: Quest Cherokee, LLC	Location of Well: County: Labette
ease. Plute Trust	T,900 23.90 feet from X N / S Line of Section
Nell Number: 26-1	feet from E / X W Line of Section
Field: Cherokee Basin CBM	Sec. <u>26 Twp. 34</u> S. R. <u>18</u> E W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest comer boundary.  Section corner used: NE NW SE SW
	RECEIVED  KANSAS CORPORATION COMMISS  PLAT
(Show footage to the n	attributable acreage for prorated or spaced wells.)  MAR 2 0 2008  earest lease or unit boundary line.)
1990 3290	CONSERVATION DIVISION
	WICHITA, KS
/ <b>:</b>   \	
	RECEIVED
) ( )	KANSAS CORPORATION COMMISS
	:
	FEB 1 9 2008
	∴ONSERVATION DIVISION
5 330 <del>wiky</del>	wichita, Ks
3 3 3 4 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	
<b>─</b>	EXAMPLE
db	! ! !
	1980
	3390
	SEWARD CO.

#### In plotting the proposed location of the well, you must show:

API No. 15 - 099-24270-0000

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION



### APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee, LLC		License Number: 33344		
Operator Address: 210 W. Park Ave., Suite 2750		Oklahoma City OK 73102		
Contact Person: Richard Marlin		Phone: Number: 405-702-7480		
Lease Name & Well No.: Plute Trust	26-1		Pit Logation (QQQQ):	
Type of Pit:	Pit is:		<u>SW</u> _ <u>NW</u>	
Emergency Pit Burn Pit	Proposed Existing		Sec. 26 Twp. 34 R. 18 East West	
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		Feet from East / West Line of Section	
(If WP Supply API No. or Year Drilled)	300	(bbls)	Labette County	
Is the pit located in a Sensitive Ground Water	Is the pit located in a Sensitive Ground Water Area? Yes No		Chloride concentration: mg/l	
is the bottom below ground level?	Artificial Liner?	<u> </u>	(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?	
Yes No	Yes X	No	Air Drilling Well	
Pit dimensions (all but working pits):	30 Length (fe	eet)10	Width (feet) N/A: Steel Pits	
	rom ground level to de		10 (feet) No Pit	
		edures for periodic maintenance and determining including any special monitoring.		
material, triodices and distances pro-		Well is bei	ng air drilled with operations lasting approx.	
Source of infe				
NA/feet Depth of water well			ulbu Land well owner Land electric log Land well owner	
Emarganty) training and a			Drilling, Workover and Haul-Off Pits ONLY:	
			Type of material utilized in drilling/workover: Air Drilled  Number of working pits to be utilized: 1	
		1	rking pits to be utilized: 1 procedure: Air Dry, Back fill and cover.	
Does the slope from the tank battery allow all spilled fluids to		Drill pits must	be closed within 365 days of spud date. RECEIVED  KANSAS CORPORATION COMMISSIO	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  FEB 1 9 2008				
February 13, 2008 Date	\$	ugan	Signature of Applicant or Agent	
	ксс	OFFICE USE (	Steel Pit RFAC RFAS RFAS	
Date Received: Z (19 6% Permit Nur	mber:	Perr	-/'/	

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 87202

KANSAS CORPORATION COMMISSION