

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: April 1, 2008 month day year	Spot Description: CSWSWSec. 10 Twp. 31 S. R. 31 EXW
OPERATOR: License#	feet from N / X S Line of Section Section Section Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side) County: Seward
Phone: 316-755-3492	Lease Name: Bail A Well #: 1-10 Field Name: Thirty one SW
CONTRACTOR: License#_5822 Name: _Val Energy, Inc.	Is this a Prorated / Spaced Field? Target Formation(s): Lansing/Kansas City, Morrow, Mississippian, Page 1
Well Drilled For: Well Class: Type Equipment: Oil	Nearest Lease or unit boundary line (in footage): Ground Surface Elevation: 2810'
Other:	Surface Pipe by Alternate: XI I II II III III III III III III III
Operator: Well Name: Original Completion Date: Original Total Depth:	Length of Conductor Pipe (if any): Note Projected Total Depth: 6000 Formation at Total Depth: Mississippian
Directional, Deviated or Horizontal wellbore? If Yes, true vertical depth: Bottom Hole Location: KCC DKT #:	Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken?
	If Yes, proposed zone: IDAVIT RECEIVED Iging of this well will comply with K.S.A. 55 et. seqkansas Corporation Commissio
It is agreed that the following minimum requirements will be met:	
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	y circulating cement to the top; in all cases surface pipe (COMPLIANCE) UNICHITA, KS underlying formation. WICHITA, KS let office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
Date: 3/19/08 Signature of Operator or Agent:	Title: Operations Manager
For KCC Use ONLY API # 15	Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
Minimum surface pipe required	Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Date: Signature of Operator or Agent:

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 175-22136-0000	
Operator: Daystar Petroleum, Inc.	Location of Well: County: Seward
Lease: Ball A	
Well Number: 1-10	660 feet from N / X S Line of Section 660 feet from E / X W Line of Section
Field: Thirty one SW	Sec. 10 Twp. 31 S. R. 31 E X W
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR/QTR/QTR of acreage: C SW SW	_
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)

								1
	:	:	:		:			
					· · · · · · · · · · · · · · · · · · ·	: :	:	
		:						
			:		• • •	•	•	
•••••	. : !	·	: :		· · · · · · · · · · · · · · · · · · ·	·	: :	
	<u> </u>	<u>!</u>	<u>:</u>		<u> </u>	: : :	• • •	EXA
•••••		:		•••••	•••••	,		
			: 					
			•					
	1	:	:					SEV

RECEIVED KANSAS CORPORATION COMMISSION

MAR 20 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

(60)

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Daystar Petroleum, Inc.			License Number: 30931		
Operator Address: PO Box 360 V	alley Center,	KS 67147	,		
Contact Person: Matt Osborn		Phone Number: (316) 755 - 3492			
Lease Name & Well No.: Ball A #1-10			Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>Csw</u> _sw		
Emergency Pit Burn Pit	✓ Proposed		Sec. 10 _{Twp.} 31S _{R.} 31		
Settling Pit	If Existing, date constructed:		660 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / V West Line of Section		
		(bbls)	Scward County		
Is the pit located in a Sensitive Ground Water	Area?Yes _ √	No	Chloride concentration:mg/l (For Emergency Pils and Settling Pils only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
✓ Yes No	☐ Yes ✓	No	Mud Solids		
Pit dimensions (all but working pits):	BO Length (fe	eet)80	Width (feet) N/A: Steel Pits		
Depth fr	rom ground level to de		(feet)		
If the pit is lined give a brief description of the		Describe proce	edures for periodic maintenance and determining RECEIVED		
material, thickness and installation procedure	z.	inner integrity, i	KANSAS CORPORATION COMMISSI		
			WANSAS CORPORATION COMMISSI		
			MAR 2 0 2008		
Distance to nearest water well within one-mile	e of pit	Depth to shallo	MAR 2 0 2008 CONSERVATION DIVISION		
	•	Source of infor	MAR 2 0 2008 CONSERVATION DIVISION West fresh water 240 feet. mation:		
feet Depth of water well	347feet	Source of infor	MAR 2 0 2008 CONSERVATION DIVISION WICHITA, KS west fresh water 240		
	347 feet	Source of informeasu	MAR 2 0 2008 CONSERVATION DIVISION WICHITA, KS west fresh water 240 feet. mation: ired well owner electric log✓ KDWR over and Haul-Off Pits ONLY:		
	347 feet	Source of inform measu Drilling, Work Type of materia	MAR 2 0 2008 CONSERVATION DIVISION WICHITA. KS West fresh water 240 feet. mation: Irred well owner electric log KDWR Over and Haul-Off Pits ONLY: al utilized in drilling/workover: Bentonite		
	347 feet	Source of inform measu Drilling, Work Type of materia Number of wor	MAR 2 0 2008 CONSERVATION DIVISION WICHITA, KS West fresh water 240 feet. mation: ured well owner electric log ✓ KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Bentonite king pits to be utilized: one		
	347 feet	Drilling, Work Type of materia Number of wor Abandonment	MAR 2 0 2008 CONSERVATION DIVISION WICHITA. KS West fresh water 240 feet. mation: Irred well owner electric log KDWR Over and Haul-Off Pits ONLY: Bentonite king pits to be utilized: one procedure: air dry and backfill		
	347 feet	Drilling, Work Type of materia Number of wor Abandonment Drill pits must I	MAR 2 0 2008 CONSERVATION DIVISION WICHITA, KS Invest fresh water 240 feet. Invation: Inved well owner electric log KDWR Invest fresh water 240 feet. Investigation of the control o		
	347 feet	Drilling, Work Type of materia Number of wor Abandonment Drill pits must I	MAR 2 0 2008 CONSERVATION DIVISION WICHITA, KS Invest fresh water 240 feet. Invation: Inved well owner electric log KDWR Invest fresh water 240 feet. Investigation of the control o		
	347 feet	Drilling, Work Type of materia Number of wor Abandonment Drill pits must I	MAR 2 0 2008 CONSERVATION DIVISION WICHITA, KS Invest fresh water 240 feet. Invation: Inved well owner electric log KDWR Invest fresh water 240 feet. Investigation of the control o		
	347 feet	Drilling, Work Type of materia Number of wor Abandonment Drill pits must I	MAR 2 0 2008 CONSERVATION DIVISION WICHITA, KS Invest fresh water 240 feet. Invation: Inved well owner electric log KDWR Invest fresh water 240 feet. Investigation of the control o		
	347 feet	Drilling, Work Type of materia Number of wor Abandonment Drill pits must I	MAR 2 0 2008 CONSERVATION DIVISION West fresh water 240		