For KCC Use: Effective Date: District # Pool 10 | The Po

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date April 7, 2008	· ·	East
month day year	250' S - NW SW NE Sec. 22 Twp. 13 S. R. 34	Vest
OPERATOR: License# 6569	1900 fnl feet from N / S Line of Section	1
Nome: Carmen Schmitt Inc.	2310 fel feet from Feet fr	1
Address: PO Box 47	Is SECTIONRegularIrregular?	
City/State/Zip: Great Bend, KS 67530	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Jacob Porter	County: Logan	
Phone: 620-793-5100	Lease Name: Brungardt Well #: 1	
Phone:	Field Name: WC	
CONTRACTOR: License# 33935		
Name: HD Drilling LLC	Is this a Prorated / Spaced Field? Target Formation(s): LKC and Cherokee	_INO
Titling.	larget Formation(s):	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary:	
✓ Oil	Ground Surface Elevation: est 2954' feet	
Gas Storage Pool Ext. Air Rotary	<u>==</u>	No_
- H - H - H - H - H - H - H - H - H - H	Public water supply well within one mile:	' No
	Depth to bottom of fresh water: 1867/50	
Seismic;# of Holes Other	Depth to bottom of usable water:	
Other	Surface Pipe by Alternate:	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 240'	
Operator:	Length of Conductor Pipe required: -0-	
·	Projected Total Depth: 4650'	
Well Name:	Formation at Total Depth: Mississippian	
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well V Farm Pond Other	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	7.
KCC DKT #:	Will Cores be taken? Yes ✓	No
	If Yes, proposed zone:	
ΔFFI	DAVIT RECEIVED	١
The undersigned hereby affirms that the drilling, completion and eventual plu	· · · · · · · · · · · · · · · · · · ·	
	agging of the won this comply with the six seed.	
It is agreed that the following minimum requirements will be met:	MAR 2 0 200	12
 Notify the appropriate district office prior to spudding of well; 		<i>1</i> 0
2. A copy of the approved notice of intent to drill shall be posted on eac	in drilling rig;	SION
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 	or by circulating competition the top; in all cases surface pipe shan be seen	SIOR
4. If the well is dry hole, an agreement between the operator and the di	ie underlying formiethori.	
		ıa.
		ıg;
5. The appropriate district office will be notified before well is either plugg	ged or production casing is cemented in;	
 The appropriate district office will be notified before well is either pluggent. If an ALTERNATE II COMPLETION, production pipe shall be cemented. 	ged or production casing is cemented in; ed from below any usable water to surface within <i>120 days</i> of spud date	
 The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order 	ged or production casing is cemented in;	nting
 The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be 	ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemel be plugged. In all cases, NOTIFY district office prior to any cementing	nting
 The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of 	ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemeloe plugged. In all cases, NOTIFY district office prior to any cementing my knowledge and belief.	nting
 The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of 	ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemeloe plugged. In all cases, NOTIFY district office prior to any cementing my knowledge and belief.	nting
 The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be the interest of the statements made herein are true and to the best of 	ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemel be plugged. In all cases, NOTIFY district office prior to any cementing i my knowledge and belief. Title: Operations Manager	nting
The appropriate district office will be notified before well is either pluge If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be a likely certify that the statements made herein are true and to the best of Date: March 19, 2008	ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemel to plugged. In all cases, NOTIFY district office prior to any cementing if my knowledge and belief. Title: Operations Manager Remember to:	nting
5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of Date: March 19, 2008 Signature of Operator or Agent: For KCC Use ONLY	ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cementer plugged. In all cases, NOTIFY district office prior to any cementing in my knowledge and belief. Title: Operations Manager Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;	nting
5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be in the statements made herein are true and to the best of Date: March 19, 2008	ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemer to plugged. In all cases, NOTIFY district office prior to any cementing if my knowledge and belief. Title: Operations Manager Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;	nting
5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be a likely certify that the statements made herein are true and to the best of Date: March 19, 2008	ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemel to plugged. In all cases, NOTIFY district office prior to any cementing if my knowledge and belief. Title: Operations Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	nting
5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be in the statements made herein are true and to the best of Date: March 19, 2008	ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemer to plugged. In all cases, NOTIFY district office prior to any cementing I my knowledge and belief. Title: Operations Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	nting
5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order in must be completed within 30 days of the spud date or the well shall be a likely certify that the statements made herein are true and to the best of Date: March 19, 2008	ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemer to plugged. In all cases, NOTIFY district office prior to any cementing I my knowledge and belief. Title: Operations Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;	nting
5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be shal	ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemer the plugged. In all cases, NOTIFY district office prior to any cementing if my knowledge and belief. Title: Operations Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	nting 22
5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be the surface casing order in the statements made herein are true and to the best of Date: March 19, 2008	ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemer the plugged. In all cases, NOTIFY district office prior to any cementing if my knowledge and belief. Title: Operations Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	nting
5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be shal	ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemer the plugged. In all cases, NOTIFY district office prior to any cementing if my knowledge and belief. Title: Operations Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	nting 22
5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order in must be completed within 30 days of the spud date or the well shall be the surface casing order in the statements made herein are true and to the best of Date: March 19, 2008	ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemer the plugged. In all cases, NOTIFY district office prior to any cementing if my knowledge and belief. Title: Operations Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	nting 22
5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order in must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: March 19, 2008	ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cemel be plugged. In all cases, NOTIFY district office prior to any cementing if my knowledge and belief. Title: Operations Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	nting 22

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

Location of Well: County: Logan

SEWARD CO.

ALTINO. 15 - 1 - 1	Essential of truit.
Operator: Carmen Schmitt Inc.	1900 fnl feet from V N / S Line of Section
Lease: Brungardt	2310 fel feet from VE / W Line of Section
Well Number: 1	Sec. 22 Twp. 13 S. R. 34 East ✓ Wes
Field: WC	
	Is Section: 📝 Regular or 🔲 Irregular
Number of Acres attributable to well:	
QTR / QTR / QTR of acreage:250' SNW SWNE	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW
(Show location of the well and shade attr	PLAT ributable acreage for prorated or spaced wells.) rest lease or unit boundary line.)
	DECENTED
	RECEIVED KANSAS CORPORATION COMMISSION
	Wildrig dark of
	MAR 2 0 2008
	CONSERVATION DIVISION WICHITA, KS
	י אוויז ושוניין
	EXAMPLE
	. []
	1980
	1980
	3390'

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.

APINO 15 109-20808-0000

4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Carmen Schmitt Inc.		License Number: 6569	
Operator Address: PO Box 47, Gre	eat Bend, KS 6	57530	
Contact Person: Jacob Porter		Phone Number: (620) 793 - 5100	
Lease Name & Well No.: Brungardt #1		Pit Location (QQQQ):	
Type of Pit:	Pit is:		250'\$ _ NW _ SW _ NE
Emergency Pit Burn Pit	Proposed Existing		Sec. 22 Twp. 13 R. 34 ☐ East ✓ West
Settling Pit ✓ Drilling Pit	If Existing, date cor	nstructed:	Feet from V North / South Line of Section
Workover Pit Haul-Off Pit Haul	Pit capacity:	(bbls)	2310 fel Feet from East / ✓ West Line of Section County
Is the pit located in a Sensitive Ground Water	Area? Yes		Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?
✓ Yes No	☐ Yes ✓ N	lo	natural clays and bentonite
Pit dimensions (all but working pits):1	00 Length (fee	et) 100	Width (feet) N/A: Steel Pits
	rom ground level to dea	_	(feet)
material, thickness and installation procedure	!	visual insp	
			MAR 2 1 2008 ONSERVATION DIVISION WIGHTA KS
Distance to nearest water well within one-mil	e of pit	Source of infor	CONSERVATION DIVISION West fresh water 15 feet. mation:
Distance to nearest water well within one-mil		Source of infor	ONSERVATION DIVISION WEST fresh water 15 feet.
N/A	42 feet	Source of information measurements Drilling, Work	west fresh water 15 feet. mation: ired well owner electric log KDWR
~11000 feet Depth of water well	42 feet :	Source of informal measurements Drilling, Work Type of materia	west fresh water 15 feet. mation: well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover:
~11000 feet Depth of water well Emergency, Settling and Burn Pits ONLY	42 feet :	Source of information ———————————————————————————————————	west fresh water 15 feet. mation: ired well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Bentonite king pits to be utilized: 4
~11000 feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation:	42 feet :	Source of information ———————————————————————————————————	west fresh water 15 feet. mation: well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover:
~11000 feet Depth of water well	42 feet :	Source of information measurement measurem	west fresh water 15 feet. mation: ired well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Bentonite king pits to be utilized: 4
~11000 feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow allowed.	42 feet:	Drilling, Work Type of materi Number of work Abandonment Drill pits must	west fresh water 15 feet. mation: well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Bentonite king pits to be utilized: 4 procedure: Evaporate and backfill be closed within 365 days of spud date.
	42 feet:	Source of informeasure of measure of measure of measure of materian Number of work Abandonment Drill pits must correct to the besure of the second of the measure of the second of t	west fresh water 15 feet. mation: well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Bentonite king pits to be utilized: 4 procedure: Evaporate and backfill be closed within 365 days of spud date. t of my knowledge and belief.
	42 feet:	Source of informeasure of measure of measure of measure of materian Number of work Abandonment Drill pits must correct to the besure of the second of the measure of the second of t	west fresh water 15 feet. mation: ared well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Bentonite king pits to be utilized: 4 procedure: Evaporate and backfill be closed within 365 days of spud date.
	42 feet :	Source of informeasure of measure of measure of measure of materian Number of work Abandonment Drill pits must correct to the besure of the second of the measure of the second of t	west fresh water 15 feet. mation: lired well owner electric log KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: Bentonite king pits to be utilized: 4 procedure: Evaporate and backfill be closed within 365 days of spud date. It of my knowledge and belief.