### 

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

# NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: 03/24/2008	Spot Description:	
month day year	\$₩ SE SE NW Sec. 29 Twp. 28 S. R. 22 XE	Ūw
6766	(0/0/0/0) 2,805 feet from N / X S Line of S	_
OPERATOR: License#	3,135 feet from 🗶 E / W Line of S	ection
Address 1: 1111 S Margrave	Is SECTION: * Regular   Irregular?	
Address 2:	(Note: Locate well on the Section Plat on reverse side)	
City: Fort Scott State: KS Zip: 66701 +	County: Crawford	
Contact Person: Tom Norris	Lease Name: Hammerbacher Well #: 2	
Phone: 620-223-6559	Field Name: Walnut SE	
CONTRACTOR: License# 66784 33734	Is this a Prorated / Spaced Field?	T <sub>No</sub>
Name: Hat Drilling, LLC	Target Formation(s): Bartlesville	<b>-</b>
	Nearest Lease or unit boundary line (in footage): 330	
<u> </u>		MSL
X Oil	Water well within one-quarter mile:	No
Gas Storage Pool Ext. Air Rotary  Disposal Wildow Cable	Public water supply well within one mile:	No
Disposal Wildcat Cable Seismic : # of Holes Other	Depth to bottom of fresh water: 1000+	-
Other:	Depth to bottom of usable water: 1000+	
	Surface Pipe by Alternate: I XII	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20	
Operator:	Length of Conductor Pipe (if any): NA	
Well Name:	Projected Total Depth: 450	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Bartlesville	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?  If Yes, true vertical depth:	Well Farm Pond Other:	<del></del>
Bottom Hole Location:	DWR Permit #:	
KCC DKT #:	- (Note: Apply for Permit with DWR (1) - Will Cores be taken?	ZINO.
	Will Cores be taken?Yes	- Inc
	H res, proposed zone.	EIVED
	11	こうくだし
AF	ANDER CODER	ETVIELD ATION COMMISSIO
· · · · · · · · · · · · · · · · · · ·	FIDAVIT  KANSAS CORPOR  Lugging of this well will comply with K.S.A. 55 et. seg.	ATION COMMISSIO
The undersigned hereby affirms that the drilling, completion and eventual pl	FIDAVIT  KANSAS CORPOR  Lugging of this well will comply with K.S.A. 55 et. seg.	
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:	FIDAVIT  KANSAS CORPOR  Lugging of this well will comply with K.S.A. 55 et. seg.	ATION COMMISSIO
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  MAR 2  CONSERVA	ATION COMMISSIO  1 2008  TON DIVISION
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i>	th drilling rig;  thy circulating cement to the top; in all cases surface pipe shall be set WICH	ATION COMMISSIO
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	th drilling rig;  thy circulating cement to the top; in all cases surface pipe shall be set with the underlying formation.	ATION COMMISSIO  1 2008  TON DIVISION
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the distribution.	the drilling rig;  the drilling rig;  the underlying formation.  Strict office on plug length and placement is necessary prior to plugging;	ATION COMMISSIO  1 2008  TON DIVISION
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th  4. If the well is dry hole, an agreement between the operator and the dis  5. The appropriate district office will be notified before well is either plug	the drilling rig;  the drilling rig;  the drilling rig;  the underlying formation.  Strict office on plug length and placement is necessary prior to plugging;  ged or production casing is cemented in;	ATION COMMISSIO  1 2008  TON DIVISION
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th  4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #	Interpretation of the second state of the second state of the second sec	ATION COMMISSIO  1 2008  TON DIVISION
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th  4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #	the drilling rig;  the drilling rig;  the drilling rig;  the underlying formation.  Strict office on plug length and placement is necessary prior to plugging;  ged or production casing is cemented in;	ATION COMMISSIO  1 2008  TON DIVISION
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th  4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #	the drilling rig;  the drilling rig;  the drilling rig;  the drilling rig;  the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;  ed from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.	ATION COMMISSIO  1 2008  TON DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug.  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug.  5. The appropriate district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and correct to the	CONSERVA  ch drilling rig;  the production casing is cemented in;  ed from below any usable water to surface within 120 DAYS of spud date.  Page 133,891-C, which applies to the KCC District 3 area, alternate II cementing.  Best of my knowledge and belief.	ATION COMMISSIO  1 2008  TON DIVISION
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be	the drilling rig;  the drilling rig;  the drilling rig;  the drilling rig;  the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;  ed from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.	ATION COMMISSIO  1 2008  TION DIVISION  TIA KS
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th  4. If the well is dry hole, an agreement between the operator and the dis  5. The appropriate district office will be notified before well is either plug  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #  must be completed within 30 days of the spud date or the well shall b  I hereby certify that the statements made herein are true and correct to the  Date:  O3/15/2008  Signature of Operator or Agent:	CONSERVA  ch drilling rig;  the production casing is cemented in;  ed from below any usable water to surface within 120 DAYS of spud date.  Page 133,891-C, which applies to the KCC District 3 area, alternate II cementing.  Best of my knowledge and belief.	ATION COMMISSIO  1 2008  TION DIVISION  TIA KS
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and the agreement of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the Date:    O3/15/2008	CONSERVA  ch drilling rig;  thy circulating cement to the top; in all cases surface pipe shall be set  wilch and underlying formation.  strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Dest of my knowledge land belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;	ATION COMMISSIO  1 2008  TON DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the specified below <i>shall be sell</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of if an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the Date:    Signature of Operator or Agent:   Signature of	CONSERVA  the drilling rig; the drilling rig; the drilling rig; the drilling rig; the underlying coment to the top; in all cases surface pipe shall be set  witch and underlying formation.  strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Dest of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	ATION COMMISSION 1 2008 TION DIVISION TIA KS
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and the intention of the appropriate district of intent to drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the Date:    O3/15/2008	conservation of this well will comply with K.S.A. 55 et. seq.  MAR 2  Conservation drilling rig;  the drilling rig;  the circulating cement to the top; in all cases surface pipe shall be set witch the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date.  H133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Best of my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;	ATION COMMISSIO  1 2008  TION DIVISION  TIA KS
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the conductor pipe required.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 037 - 21975 - 0000  Conductor pipe required feet	conservation of this well will comply with K.S.A. 55 et. seq.  MAR 2  Conservation drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set witch the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; igged or production casing is cemented in;  et from below any usable water to surface within 120 DAYS of spud date.  Passage, NOTIFY district office prior to any cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Best of my knowledge and belief.  President  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	ATION COMMISSION 1 2008 TION DIVISION TITA KS
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the structure of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and correct to the Date:    O3/15/2008	conservation of this well will comply with K.S.A. 55 et. seq.  MAR 2  Conservation drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set witch the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; iged or production casing is cemented in;  et from below any usable water to surface within 120 DAYS of spud date.  Plags, 891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Best of my knowledge and belief.  President  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	TION COMMISSION 1 2008 TION DIVISION TITA KS
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each strong and unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong and the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be computed or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the Date:    Signature of Operator or Agent:   Signature of Operator	conservation of this well will comply with K.S.A. 55 et. seq.  MAR 2  Conservation drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set with the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. Plass, 891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Dest of my knowledge and belief.  President  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please	ATION COMMISSION 1 2008 TION DIVISION TITA KS
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distorman of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the set of the conductor pipe required Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - O37 - 2/975-0000  Conductor pipe required Nore feet per ALT. I Feet Minimum surface pipe required feet per ALT. I Feet Approved by: Mall 3 - 24-08  This authorization expires: 3-24-09	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set with the underlying formation.  It is considered in the set with the set with the set with the set with the set or plug length and placement is necessary prior to plugging; iged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. It is a plies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title:    President   President	29 28
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each strong and unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong and the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be computed or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the Date:    Signature of Operator or Agent:   Signature of Operator	In drilling rig;  It by circulating cement to the top; in all cases surface pipe shall be set witch an underlying formation.  It by circulating cement to the top; in all cases surface pipe shall be set witch an underlying formation.  It is office on plug length and placement is necessary prior to plugging; iged or production casing is cemented in;  It is a plugged. In all cases, NOTIFY district office prior to any cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  It is prior to production form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days of the box below and return to the address below.  Well Not Drilled - Permit Expired Date:	ATION COMMISSION 1 2008 TION DIVISION TITA KS
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distorman of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the set of the conductor pipe required Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - O37 - 2/975-0000  Conductor pipe required Nore feet per ALT. I Feet Minimum surface pipe required feet per ALT. I Feet Approved by: Mall 3 - 24-08  This authorization expires: 3-24-09	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set with the underlying formation.  It is considered in the set with the set with the set with the set with the set or plug length and placement is necessary prior to plugging; iged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. It is a plies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title:    President   President	29 28

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 037-21975-0000  Operator: N & W Enterprises, Inc.	Location of Well: County: Crawford
Lease: Hammerbacher	2,805 feet from N / S Line of Section
Well Number: 2	3,135 feet from E / W Line of Section
Field: Walnut SE	Sec. 29 Twp. 28 S. R. 22 X E W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

 				 	RECEIVED KANSAS CORPORATION COMMISSION MAR 2 1 2008
		N	W <u>u</u>		CONSERVATION DIVISION WICHITA, KS
 				 	 1980
 	· · · · · · · · · · · · · · · · · · ·			 	 3390,
 				 	 SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: N & W Enterprises	s, Inc.	License Number: 6766			
Operator Address: 1111 S Margi		Fort Scott KS 66701			
Contact Person: Tom Norris		Phone Number: 620-223-6559			
Lease Name & Well No.: Hammerba	acher 2	Pit Location (QQQQ):			
Type of Pit:	Pit is:	······································	<u>SE . SE . NW</u>		
Emergency Pit Burn Pit	X Proposed	Existing	Sec. 29 Twp. 28 R. 22 East West		
Settling Pit	If Existing, date co	onstructed:	2,805 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		3,135 Feet from K East / West Line of Section		
(If WP Supply API No. or Year Drilled)		(bbls)	<u>Crawford</u> County		
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:mg/l		
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?		
Yes No	Yes 🗶	No	Mud		
Pit dimensions (all but working pits):	5 Length (fe	5 set)	Width (feet) N/A: Steel Pits		
	rom ground level to de		4 (feet) No Pit		
Distance to nearest water well within one-mile	e of pit	Depth to shalld Source of info	owest fresh waterfeet.		
feet Depth of water well _	feet	measu	ured well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover: Water			
Number of producing wells on lease:		Number of working pits to be utilized: 2 RECEIVED			
Barrels of fluid produced daily:		Abandonment	procedure: Fill with earth KANSAS CORPORATION COMM		
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Orill pits must	be closed within 365 days of spud date.  ONSERVATION DIVISE		
I hereby certify that the above state	ments are true and	correct to the bes			
03/15/2008 Date		Thomas	Signature of Applicant or Agent		
	KCC	OFFICE USE O	NLY Steel Pit RFAC RFAS		
Date Received: 3/21/08 Permit Num	nber:	Perm	nit Date: 3/21/08 Lease Inspection: Yes KNo		