For KCC Use:

Effective Date: 3-39-08

District #

SGA? Ves V No

KANSAS CORPORATION COMMISSION Oil & GAS CONSERVATION DIVISION

October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

Form C-1

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: 03/25/2008	Spot Description:	·
month day year	SE NESW - NW - Sec. 29 Twp. 28 S. R. 22 X E]w
OPERATOR: License# 6766 —	(0.00/0/0) 3,465 feet from N / X S Line of Sec	tion
Name: N & W Enterprises, Inc	4,125 feet from KE / W Line of Sec	tion
Address 1: 1111 S Margrave	is SECTION: 🔀 Regular 🔲 Irregular?	
Address 2:	(Note: Locate well on the Section Plat on reverse side)	
City: Fort Scott State: KS Zip: 66701 +	County: Crawford	
Contact Person: Tom Norris	Lease Name: Hammerbacher Well #: 21	
Phone: 620-223-6559	Field Name: Walnut SE	Luciana
CONTRACTOR: License# 33734	Is this a Prorated / Spaced Field?	No
Name: Hat Drilling, LLC	Target Formation(s): Bartlesville	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 825	
★Oil	Ground Surface Elevation:feet N	ISL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	No 🖊
Disposal Wildeat Cable	Public water supply well within one mile:	No
Seismic : # of Holes Other	Depth to bottom of fresh water: 1000+	
Other:	Depth to bottom of usable water:	
	Surface Pipe by Alternate:	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20	
Operator:	Length of Conductor Pipe (if any):	
Well Name:	Projected Total Depth: 450	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Bartlesville	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes ✗ No	Well X Farm Pond Other:	
If Yes, true vertical depth: Bottom Hole Location:	DWR Permit #:	
KCC DKT #:	(Note: Apply for Permit with DWR	la.
TOO DITT TO THE PROPERTY OF TH	Will Cores be taken?	No
	If Yes, proposed zone:	
AFFI	IDAVIT	
The undersigned hereby affirms that the drilling, completion and eventual plug	going of this well will comply with K.S.A. 55 et. seg.	
It is agreed that the following minimum requirements will be met:	KANSAS CORPORATION	ON COMMISSION
Notify the appropriate district office <i>prior</i> to spudding of well;	14.D. O. i	
 A copy of the approved notice of intent to drill shall be posted on each 	drilling rig: MAR 2.1	2008
3. The minimum amount of surface pipe as specified below shall be set b	y circulating cement to the top; in all cases surface pipe shall be set	
through all unconsolidated materials plus a minimum of 20 feet into the		
		DIVISION
4. If the well is dry hole, an agreement between the operator and the distri	ict office on plug length and placement is necessary prior to pluggiffig.HITA	
The appropriate district office will be notified before well is either plugge	ict office on plug length and placement is necessary <i>prior to pluggthis</i> HITA and or production casing is cemented in;	
The appropriate district office will be notified before well is either pluggeIf an ALTERNATE II COMPLETION, production pipe shall be cemented	ict office on plug length and placement is necessary <i>prior to pluggthis</i> HITA and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date.	
 The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 	ict office on plug length and placement is necessary prior to pluggitiscHfTA and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing	
 The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be p 	ict office on plug length and placement is necessary prior to pluggthig HITA and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	
 The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 	ict office on plug length and placement is necessary prior to pluggthig HITA and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	
 The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be p 	ict office on plug length and placement is necessary prior to pluggthig HITA and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	
 The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be perfectly that the statements made herein are true and correct to the best of the statements. 	ict office on plug length and placement is necessary prior to pluggthis HITA and or production casing is cemented in; Ifrom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. ast of my knowledge and belief.	K\$
5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed in the statements made herein are true and correct to the best signature of Operator or Agent. Date: Signature of Operator or Agent. For KCC Use ONLY	ict office on plug length and placement is necessary prior to pluggitisc HITA and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. ast of my knowledge and belief. Title: Remember to:	
5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed in the statements made herein are true and correct to the best signature of Operator or Agent. Date: Signature of Operator or Agent. For KCC Use ONLY	ict office on plug length and placement is necessary prior to pluggitisc HITA and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. ast of my knowledge and belief. Title:	Ks 29
5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be p I hereby certify that the statements made herein are true and correct to the be Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - D3 7 - 21992 - COO	ict office on plug length and placement is necessary prior to pluggitischiff and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. ast of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	K\$
5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plusted by that the statements made herein are true and correct to the best signature of Operator or Agent: For KCC Use ONLY	ict office on plug length and placement is necessary prior to pluggitischiff and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. ast of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	Ks 29
5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the best signature of Operator or Agent. Date: 3/6/08 Signature of Operator or Agent.	ict office on plug length and placement is necessary prior to pluggitig HITA ad or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. ast of my knowledge and belief. Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);	Z9 28
5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be Date: 3/6/0 \$ Signature of Operator or Agent: For KCC Use ONLY API # 15 - D3 7 - 2/992 - OOO Conductor pipe required	ict office on plug length and placement is necessary prior to pluggitig; HfTA and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. ast of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.	Ks 29
5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be in I hereby certify that the statements made herein are true and correct to the best statements. Signature of Operator or Agent: For KCC Use ONLY API # 15 - D3 7 - 2 1992 - OOO Conductor pipe required	ict office on plug length and placement is necessary prior to pluggitig HITA ad or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. ast of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	Z9 28 22
5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be in I hereby certify that the statements made herein are true and correct to the best signature of Operator or Agent. Signature of Operator or Agent. For KCC Use ONLY API # 15 - D3 7 - 21992 - Conductor pipe required	ict office on plug length and placement is necessary prior to pluggitischiff and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. ast of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	29 28 22 X
5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be in I hereby certify that the statements made herein are true and correct to the best signature of Operator or Agent. For KCC Use ONLY API # 15 - D3 7 - 21992 - Conductor pipe required	ict office on plug length and placement is necessary prior to pluggitight Andrew of or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. ast of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Date:	Z9 28 22
5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be in I hereby certify that the statements made herein are true and correct to the best signature of Operator or Agent: Signature of Operator or Agent: For KCC Use ONLY API # 15 - D3 7 - 2 1992 - OOO Conductor pipe required feet Minimum surface pipe required feet per ALT. I VII Approved by: This authorization expires: 3 - 4 - 09 This authorization expires:	ict office on plug length and placement is necessary prior to pluggitischiff and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. ast of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	29 28 22 X

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 037-21992-0000	
Operator: N & W Enterprises, Inc	Location of Well: County: Crawford
Lease: Hammerbacher	3,465 feet from N / X S Line of Section
Well Number: 21	4,125 feet from E / W Line of Section
Field: Walnut SE	Sec. 29 Twp. 28 S. R. 22 X E W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: SW - NW -	Is Section: Regular or Irregular
NE	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)


grant commence of the second							
1	:	•			-	-	_
:	•	•				•	
	•				•		•
!	•				•		•
t .	_			i			
!	7	•		i	-		_
	•				•	•	•
,	•		•		•		•
1							
i		•					
i							
)							
!	•		•		•	•	•
1			•				•
:				1			
,				1	5		
•	•			i	-	•	-
1					•		•
1		- :		1	-	_	
4	•		•	1	•	•	-
I				1	•		•
1				1			•
1	-	-				-	
1				1			-
1							
i contract							
					•		•
1			•	•	•		•
1				1.4		-	
!	•	•		51 8	7	•	1
1	:	:		LIV		:	
	:	: ;		WY.		:	
<u></u>	:	:	<i>\</i>	WY		: 	i
ļ	:	:	N	WY		<u> </u>	
ļ	:	:	N	WY	:	:	: :
	<u>:</u> :	:	N	WY	:	: :	:
ļ	: :	:	N	WY_		: :	
<u> </u>	<u>:</u> :		N	WY_		:	
	<u>:</u> :		N	w/4		<u>:</u>	
	:	:	ν	WY_		:	
	:		N	WY_		<u> </u>	
	:		N	WY_		:	
	:		₩	WY.		:	
		:	N	WY_		<u> </u>	
			N	WY		:	
			N	WY_		:	
			N	WY_		<u> </u>	
			N	W4		:	
	:		N	W4			
			N	W 4			
	:		N	W4			
			<i>N</i>	W 4			
			*******	W 4			
			*******	W 4			
			*******	W 4			
			*******	W 4			
			N	W4			
			*******	W 4			
			*******	W4			
			*******	WY			
			*******	W 4			
			*******	WY			
			*******	W Y			
			*******	WY			
			*******	WY			
			*******	WY			
			*******	W Y			
			*******	W Y			
			*******	W Y			
			*******	WY			
			*******	W Y			
			*******	WY			
			*******	W Y			
			*******	WY			
			*******	W Y			
			*******	W Y			
			*******	W Y			
			*******	WY			
			*******	WY			
			*******	W4			

			*******	W Y			
			*******	WY			
			*******	W Y			
			*******	W4			
			*******	W4			
			*******	WY			
			*******	W Y			
			*******	W Y			
			*******	W4			
			*******	WY			
			*******	W Y			

RECEIVED
KANSAS CORPORATION COMMISSION

MAR 2 1 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: N & W Enterprises, Inc			License Number: 6766				
Operator Address: 1111 S Margrave			Fort Scott KS 66701				
Contact Person: Tom Norris			Phone Number: 620-223-6559				
Lease Name & Well No.: Hammerbacher 21			Plt Location (QQQQ):				
Type of Pit:	Pit is:		SE NESW NW				
Emergency Pit Burn Pit	Proposed Existing If Existing, date constructed:		Sec. 29 Twp. 28 R. 22 X East West				
Settling Pit Drilling Pit			3,465 Feet from North / X South Line of Section				
Workover Pit Haul-Off Pit	Pit capacity:		4,455 4125 East / West Line of Section				
(If WP Supply API No. or Year Drilled)	- It dapasty.	(bbls)	Croudord				
Is the pit located in a Sensitive Ground Water A	rea? Yes 🗶	No	Chloride concentration:mg/l				
	A sale start than such		(For Emergency Pits and Settling Pits only)				
is the bottom below ground level? X Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used? Mud				
Pit dimensions (all but working pits):5	Length (fe	eet)5	Width (feet) N/A: Steel Pits				
Depth from	n ground level to de	epest point:	4 (feet) No Pit				
If the pit is lined give a brief description of the li- material, thickness and installation procedure.	riei		edures for periodic maintenance and determining including any special monitoring.				
· · · · · · · · · · · · · · · · · · ·		Depth to shallo Source of info	allowest fresh waterfeet.				
			measured well owner electric log KDWR				
		_	rkover and Haul-Off Pits ONLY:				
Producing Formation: Type of ma		1	material utilized in drilling/workover: Water				
			per of working pits to be utilized:2				
Barrels of fluid produced daily: Abandon		Abandonment	procedure: Fill with earth RECEIVED				
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits n		Drill pits must	pits must be closed within 365 days of spud date.				
I hereby certify that the above statem	ents are true and o	correct to the bes	st of my knowledge and belief.				
03/16/2008 Date		Thomas	GOWSERVATION DIVISION MOCENTA. KS Signature of Applicant or Agent				
	KCC	OFFICE USE O	NLY Steel Pit RFAC RFAS				
Date Received: 3 21 25 Permit Number	er:	Perm	nit Date: 3/21/08 Lease Inspection: Yes K No				