For KCC Use: Effective Date: District # SGA?

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date: May 2, 2008	Spot Description:
month day year	SE NE NW Sec. 7 Twp. 19 S. R. 29
6569	(0/0/0/0) 990 feet from N / S Line of Section
OPERATOR: License#	2,310 feet from E / W Line of Section
Name: Oamer Schmitt Inc.	Is SECTION: Regular Irregular?
Address 1: PO Box 47	18 SECTION. Maguiai maguiai:
Address 2: City: Great Bend State: KS Zip: 67530 +	(Nate: Locate well on the Section Plat on reverse side)
City: Great Detail State: No Zip: 07355 +	County: Lane
Contact Person: Jacob Porter Phone: 620-793-5100	Lease Name: Haney Well #: 1
Phone: 620-793-5100	Field Name: WC
CONTRACTOR: License# 4958	Is this a Prorated / Spaced Field?
Name: Mallard JV, inc.	Target Formation(s): Lansing, Marmaton
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 330' East
	Ground Surface Elevation: est 2848' feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal Wildcat Cable	Depth to bottom of fresh water: 150'
Seismic ; # of Holes Other	
Other:	Depth to bottom of usable water: 1450'
If OWWO: old well information as follows:	Surface Pipe by Alternate:
III OWWO. Old Well inidiffication as follows.	Length of Surface Pipe Planned to be set: 200'
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth: 4700'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippian
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other: hauled
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	
	Will Cores be taken?
	
	If Yes, proposed zone:
	If Yes, proposed zone:
AFF	If Yes, proposed zone: RECEIVED *ANSAS CORPORATION COMMISS
AFF The undersigned hereby affirms that the drilling, completion and eventual plug	If Yes, proposed zone: RECEIVED **ANSAS CORPORATION COMMISS gging of this well will comply with K.S.A. 55 et. seq.
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	If Yes, proposed zone: RECEIVED *ANSAS CORPORATION COMMISS
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	If Yes, proposed zone: RECEIVED ANSAS CORPORATION COMMISS Graphy with K.S.A. 55 et. seq. MAR 2 1 2008
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	If Yes, proposed zone: RECEIVED ANSAS CORPORATION COMMISS Graphy with K.S.A. 55 et. seq. MAR 2 1 2008
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by	If Yes, proposed zone: RECEIVED ANSAS CORPORATION COMMISS gging of this well will comply with K.S.A. 55 et. seq. MAR 2 1 2008 drilling rig; conservation division by circulating cement to the top; in all cases surface pipe shall be sign.
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone: RECEIVED ANSAS CORPORATION COMMISS gging of this well will comply with K.S.A. 55 et. seq. MAR 2 1 2008 drilling rig; by circulating cement to the top; in all cases surface pipe shall passed. KS
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials pius a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr	If Yes, proposed zone: RECEIVED ANSAS CORPORATION COMMISS gging of this well will comply with K.S.A. 55 et. seq. MAR 2 1 2008 drilling rig; py circulating cement to the top; in all cases surface pipe shall pass the complete shall be set to flice on plug length and placement is necessary prior to plugging;
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials pius a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger.	If Yes, proposed zone: RECEIVED ANSAS CORPORATION COMMISS gging of this well will comply with K.S.A. 55 et. seq. MAR 2 1 2008 drilling rig; py circulating cement to the top; in all cases surface pipe shall be shal
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	RECEIVED ANSAS CORPORATION COMMISS drilling rig; or conservation Division or drived formation. If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate if cementing
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	RECEIVED ANSAS CORPORATION COMMISS drilling rig; or conservation Division or drived formation. If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate if cementing
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distress. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE It COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone: RECEIVED ANSAS CORPORATION COMMISS gging of this well will comply with K.S.A. 55 et. seq. MAR 2 1 2008 drilling rig; CONSERVATION DIVISION underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
AFF: The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be-	RECEIVED ANSAS CORPORATION COMMISS drilling rig; or circulating cement to the top; in all cases surface pipe shall be still a comply with K.S.A. 55 et. seq. CONSERVATION DIVISION or considerable of the top; in all cases surface pipe shall be still a considerable of the top; in all cases surface pipe shall be still a considerable of the top; in all cases surface pipe shall be still a considerable of the top; in all cases surface pipe shall be still a considerable of the top; in all cases surface pipe shall be still a considerable of the top; in all cases surface pipe shall be still a considerable of the top; in all cases surface pipe shall be still a considerable of the top; in all cases, nother top surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
AFF. The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be-	RECEIVED ANSAS CORPORATION COMMISS drilling rig; or circulating cement to the top; in all cases surface pipe shall be still a comply with K.S.A. 55 et. seq. CONSERVATION DIVISION or considerable of the top; in all cases surface pipe shall be still a considerable of the top; in all cases surface pipe shall be still a considerable of the top; in all cases surface pipe shall be still a considerable of the top; in all cases surface pipe shall be still a considerable of the top; in all cases surface pipe shall be still a considerable of the top; in all cases surface pipe shall be still a considerable of the top; in all cases surface pipe shall be still a considerable of the top; in all cases, nother top surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
AFF: The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be-	RECEIVED ANSAS CORPORATION COMMISS ging of this well will comply with K.S.A. 55 et. seq. MAR 2 1 2008 drilling rig; ov circulating cement to the top; in all cases surface pipe shall be self. KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Operations Manager
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the beautiful to the statements of the prior of the policy. March 20, 2008 Signature of Operator or Agent:	RECEIVED ANSAS CORPORATION COMMISS ging of this well will comply with K.S.A. 55 et. seq. MAR 2 1 2008 drilling rig; ov circulating cement to the top; in all cases surface pipe shall be self. KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: Remember to:
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials pius a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the complete to the statements of the complete of the specific to the specific to the specific to the statements of the spud date or the well shall be the statements of the spud date or the well shall be the specific to	If Yes, proposed zone: RECEIVED ANSAS CORPORATION COMMISS gging of this well will comply with K.S.A. 55 et. seq. MAR 2 1 2008 drilling rig; by circulating cement to the top; in all cases surface pipe shallow strain, ks underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate il cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between March 20, 2008 Signature of Operator or Agent: For KCC Use ONLY ARI #15 - 101 - 22089 - 00000	If Yes, proposed zone: RECEIVED ANSAS CORPORATION COMMISS gging of this well will comply with K.S.A. 55 et. seq. MAR 2 1 2008 drilling rig; ov circulating cement to the top; in all cases surface pipe shall registary prior to plugging; and or production casing is cemented in; If om below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate il cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between March 20, 2008 Signature of Operator or Agent: For KCC Use ONLY ARI #15 - 101 - 22089 - 00000	If Yes, proposed zone: RECEIVED ANSAS CORPORATION COMMISS gging of this well will comply with K.S.A. 55 et. seq. MAR 2 1 2008 drilling rig; by circulating cement to the top; in all cases surface pipe shallow strict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrection of the surface district office will be notified before well is either plugger. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best of the plant of th	RECEIVED ANSAS CORPORATION COMMISS gging of this well will comply with K.S.A. 55 et. seq. MAR 2 1 2008 drilling rig; by circulating cement to the top; in all cases surface pipe shallow state office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; after the state of the KCC District 3 area, alternate il cementing plugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the complete of the specific of the plants. For KCC Use ONLY API # 15 - 101 - 20089 - 0000 Conductor pipe required	RECEIVED ANSAS CORPORATION COMMISS ging of this well will comply with K.S.A. 55 et. seq. MAR 2 1 2008 drilling rig; or conservation division by circulating cement to the top; in all cases surface pipe shall be seq. Conservation division underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate il cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: Operations Manager Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP A) after plugging is completed (within 60 days):
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrection of the surface of the specified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE IT COMPLETION, production pipe shall be demented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be it hereby certify that the statements made herein are true and correct to the best march 20, 2008. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 101 - 2008 - Signature of Operator or Agent: For KCC Use ONLY API # 15 - 101 - 2008 - Signature of Operator or Agent: For KCC Use ONLY API # 15 - 101 - 2008 - Signature of Operator or Agent: For KCC Use ONLY API # 15 - 101 - 2008 - Signature of Operator or Agent: Approved by: Approved	RECEIVED ANSAS CORPORATION COMMISS gging of this well will comply with K.S.A. 55 et. seq. MAR 2 1 2008 drilling rig; by circulating cement to the top; in all cases surface pipe shallowed and placement is necessary prior to plugging; and or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Title: Pemember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials pius a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrement of the surface of the set of the well is district office will be notified before well is either plugger of the next of the properties of the surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best of the surface of	If Yes, proposed zone: RECEIVED ANSAS CORPORATION COMMISS gging of this well will corruptly with K.S.A. 55 et. seq. MAR 2 1 2008 drilling rig; ov circulating cement to the top; in all cases surface pipe shall regard to underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate il cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the complete of the specific or the production of the specific or the speci	RECEIVED ANSAS CORPORATION COMMISS gging of this well will comply with K.S.A. 55 et. seq. MAR 2 1 2008 drilling rig; by circulating cement to the top; in all cases surface pipe shallow state of the production assing is cemented in; and or production casing is cemented in; and production assing is cemented in; and the state of the KCC District 3 area, alternate ill cementing plugged. In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials pius a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrement of the surface of the set of the well is district office will be notified before well is either plugger of the next of the properties of the surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best of the surface of	RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED RANSAS CORPORATION COMMISS AND 2 1 2008 drilling rig; ry circulating cement to the top; in all cases surface pipe shall perform to pivision underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate il cementing plugged. In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Comperations Manager Title: Remember to: File Drill Pit Application (form CDP-1) with intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Date:
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials pius a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrement of the surface of the set of the well is district office will be notified before well is either plugger of the next of the properties of the surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best of the surface of	RECEIVED ANSAS CORPORATION COMMISS gging of this well will comply with K.S.A. 55 et. seq. MAR 2 1 2008 drilling rig; by circulating cement to the top; in all cases surface pipe shallow state of the production assing is cemented in; and or production casing is cemented in; and production assing is cemented in; and the state of the KCC District 3 area, alternate ill cementing plugged. In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 101-22089-0000	
Operator: Carmen Schmitt Inc.	Location of Well: County: Lane
Lease:	990 feet from N / S Line of Section
Well Number: 1	2,310 feet from E / X W Line of Section
Field: WC	Sec. 7 Twp. 19 S. R. 29 E X W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: _ SE _ NE _ NW	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

		Х				RECEIVED **ANSAS CORPORATION COMMISS MAR 2 1 2008 **CONSERVATION DIVISION WICHITA, KS
		:		 :	:	EXAMPLE EXAMPLE
		 		 ,,,,,,		10 1980
:	••••	 	••••	 	: 	3390'
		 	-	 :	:	SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Carmen Schmitt Inc.		License Number: 6569		
Operator Address: PO Box 47			Great Bend KS 67530	
Contact Person: Jacob Porter		Phone Number: 620-793-5100		
Lease Name & Well No.: Haney	1	Pit Logation (QQQQ):		
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water Is the bottom below ground level? Yes No Pit dimensions (all but working pits): Depth fi	Artificial Liner?	No (bbls)	Chloride concentration:mg/l (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used? natural clays and bentonite Width (feet)N/A: Steel Pits	
If the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-mile.	Э.	liner integrity, li visual insp	edures for periodic maintenance and determining including any special monitoring. PECTION KANSAS CORPORATION COMMISSION MAR 2 1 2008 DOWNSTRUCTOR FEETCONSERVATION DIVISION	
~900 feet Depth of water well		Source of infor		
Emergency, Settling and Burn Pits ONLY		Drilling, Work	cover and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	ial utilized in drilling/workover: bentonite	
Number of producing wells on lease:	<u></u>	Number of working pits to be utilized:4		
Barrels of fluid produced daily:		Abandonment	procedure: evaporate and backfill	
Does the slope from the tank battery allow al flow into the pit? Yes No	I spilled fluids to	Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above state	ements are true and	correct to the bes	st of my knowledge and belief.	
March 20, 2008 Date		Jacob	Signature of Applicant or Agent	
	ксс	OFFICE USE O	ONLY Steel Pit RFAC RFAS	
Date Received: 3/21/08 Permit Num	nber:	Perm	nit Date: 3/21/08 Lease Inspection: Yes KNo	