For KCC Use:	3-29-08
Effective Date: _	02/4
District #	<u>/</u> /
SGA2 TVos	· IV No

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 October 2007 Form must be Typed Form must be Signed

SGA? Yes NO NOTICE OF IN Must be approved by KCC five	e (5) days prior to commencing well	
Expected Soud Pate: May 12, 2008	Spot Description:	
Expected Spud Date:	S/2 SE SW SE Sec. 35 Twp. 18 S. R. 30 E	lw
6569 🗸	(a/a/a/a/a) 165 feet from N / X S Line of Sec	
PERATOH: License#	1,650 feet from X E / W Line of Sec	
ame: Carmen Schmitt Inc.	Is SECTION: Regular Irregular?	
ddress 1: PO Box 47		
ddress 2: KS Zip: 67530 +	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Jacob Porter	County: Lane Lease Name: Well #: 1	
Phone: 620-793-5100	Lease Name: Vanœ Well #: 1	
4050		——— M+
CONTRACTOR: License# 4958 Slame: Mallard JV, Inc.	Is this a Prorated / Spaced Field?YesI Target Formation(s): Lansing, Marmaton	NO.
	Nearest Lease or unit boundary line (in footage): 165' South	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation; est 2858' feet M	ISL
☑Oil ☐ Enh Rec ☐ Infield ☑ Mud Rotary	Water well within one-quarter mile:	
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	-
Disposal Wildcat Cable	Depth to bottom of fresh water: 150'	
Seismic ; # of Holes Other	Depth to bottom of usable water: 1450'	
Other:	Surface Pine by Alternate:	_
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200'	
—		
Operator:	Projected Total Depth: 4700'	
Well Name:Original Total Depth:	NAT151	
	Water Source for Orilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond X Other: hauled	
f Yes, true vertical depth:		
	DWR Permit #:(Note: Apply for Permit with DWR 1	
Bottom Hole Location:	DWR Permit #:	No
Sottom Hole Location:	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone:	
lottom Hole Location:	DWR Permit #:	ED
octom Hole Location: CCC DKT #: Dil & bas beases w/ pooling clauses submitted AF	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: RECEIVITY KANSAS CORPORATION	ED
oitem Hole Location: CCC DKT #: Dil & bas Leases W/ Pooling clauses Submitted AF	DWR Permit #:	ED COMMISS
Sottom Hole Location: CCC DKT #: Dil & bas bacses cu/ pooling clauses Submitted AF The undersigned hereby affirms that the drilling, completion and eventual pl	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: RECEIVITY KANSAS CORPORATION	ED COMMISS
Sottom Hole Location: CCC DKT #: Oil & bas beases w/ pooling clauses Submitted AF The undersigned hereby affirms that the drilling, completion and eventual plats agreed that the following minimum requirements will be met:	OWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: RECEIVI KANSAS CORPORATION Ugging of this well will comply with K.S.A. 55 et. seq. MAR 2 1 2	ED I COMMISS 1008
Sottom Hole Location: CCC DKT #: Dil & bas bacses w/ pooling clauses Submitted AF The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: RECEIVI KANSAS CORPORATION Ugging of this well will comply with K.S.A. 55 et. seq. CONSERVATION 1	ED I COMMISE 1008 DIVISION
Sottom Hole Location: CCC DKT #: The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set	DWR Permit #:	ED I COMMISE 1008 DIVISION
Sottom Hole Location: CCC DKT #: AF The undersigned hereby affirms that the drilling, completion and eventual plet is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. MAR 2 1 2 CONSERVATION In the drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set that the underlying formation.	ED I COMMISE 1008 DIVISION
AF The undersigned hereby affirms that the drilling, completion and eventual plet is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole an agreement between the operator and the district of the well is dry hole an agreement between the operator and the district of the well is dry hole an agreement between the operator and the district of the well is dry hole an agreement between the operator and the district of the well is dry hole an agreement between the operator and the district of the well is dry hole an agreement between the operator and the district of the well is dry hole.	DWR Permit #:	ED I COMMISE 1008 DIVISION
AF The undersigned hereby affirms that the drilling, completion and eventual pl t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be sei</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE IL COMPLETION production pipe shall be cemente	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION KANSAS CORPORATION WAR 2 1 2 CONSERVATION Is the drilling rig; they circulating cement to the top; in all cases surface pipe shall be set on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.	ED I COMMISE 1008 DIVISION
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be sei</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the distance of the second of the second of the second of the second of the well is dry hole, an agreement between the operator and the distance of the second of the se	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION KANSAS CORPORATION WAR 2 1 2 CONSERVATION IS the drilling rig; they circulating cement to the top; in all cases surface pipe shall be set on eunderlying formation. Strict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and form below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing	ED I COMMISE 1008 DIVISION
AF The undersigned hereby affirms that the drilling, completion and eventual plet is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the second of	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION WAR 2 1 2 CONSERVATION 1 The drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set CHITA, to the underlying formation. Strict office on plug length and placement is necessary prior to plugging; inged or production casing is cemented in;	ED I COMMISE 1008 DIVISION
AF The undersigned hereby affirms that the drilling, completion and eventual pl t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be sei</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. MAR 2 1 2 CONSERVATION In the underlying formation. Strict office on plug length and placement is necessary prior to plugging; and the definition of the complete water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.	ED I COMMISE 1008 DIVISION
AF The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. MAR 2 1 2 CONSERVATION In the underlying formation. Strict office on plug length and placement is necessary prior to plugging; and the definition of the complete water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.	ED I COMMISE 1008 DIVISION
AF The undersigned hereby affirms that the drilling, completion and eventual pl t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall b hereby certify that the statements made herein are true and correct to the	Will Cores be taken? If Yes, proposed zone: FIDAVIT RECEIVE KANSAS CORPORATION CONSERVATION 1 The underlying formation. Strict office on plug length and placement is necessary prior to pluggling; and production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. Title: Operations Manager	ED I COMMISS IOOS DIVISION S
AF The undersigned hereby affirms that the drilling, completion and eventual pleat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the intention of the appropriate district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all the statement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either	Will Cores be taken? If Yes, proposed zone: FIDAVIT RECEIVE KANSAS CORPORATION CONSERVATION 1 The drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set office on plug length and placement is necessary prior to pluggling; and production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: Remember to:	ED I COMMISE 1008 DIVISION
AF The undersigned hereby affirms that the drilling, completion and eventual pleat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all the set in the set of the	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION Wall Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION KANSAS CORPORATION CONSERVATION IN CONSERVA	ED I COMMISS POOS DIVISION S
AF The undersigned hereby affirms that the drilling, completion and eventual pl t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall b hereby certify that the statements made herein are true and correct to the Date: March 20, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15. 101-220PP-0000	Will Cores be taken? If Yes, proposed zone: RECEIV KANSAS CORPORATION Thugging of this well will comply with K.S.A. 55 et. seq. MAR 2 1 2 CONSERVATION IN The condition of	ED COMMISS 008 DIVISION S
AF The undersigned hereby affirms that the drilling, completion and eventual pleat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of t	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION Wall Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION KANSAS CORPORATION KANSAS CORPORATION MAR 2 1 2 CONSERVATION! CONSERVATION! It by circulating cement to the top; in all cases surface pipe shall be set with drilling rig; Wichera, Kansas corporation In all cases surface pipe shall be set Wichera, Kansas corporation Conservation! Conservation! Wichera, Kansas corporation In all cases surface pipe shall be set Wichera, Kansas corporation Conservation! Conservat	ED COMMISS COMMISS COMMISSION S
AF The undersigned hereby affirms that the drilling, completion and eventual plet is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and to the state of the appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the Date: March 20, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 101 - 22 OPP-0000 Conductor pipe required Minimum surface pipe required feet feet per ALT. I	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION Wall Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION KANSAS CORPORATION KANSAS CORPORATION MAR 2 1 2 CONSERVATION! CONSERVATION! It by circulating cement to the top; in all cases surface pipe shall be set with drilling rig; Wichera, Kansas corporation In all cases surface pipe shall be set Wichera, Kansas corporation In all cases surface pipe shall be set Wichera, Kansas corporation Conservation! Conservation! Wichera, Kansas corporation In all cases surface pipe shall be set Wichera, Kansas corporation Conservation! Conservation! In all cases, Notify district office prior to plugging; In all cases, Notify district office prior to any cementing. Dest of my knowledge and belief. Title: Operations Manager Title: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	ED COMMISS DIVISION S
AF The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and to the spropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the Date: Signature of Operator or Agent: For KCC Use ONLY API # 15	Will Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION Wall Cores be taken? If Yes, proposed zone: RECEIVE KANSAS CORPORATION KANSAS CORPORATION KANSAS CORPORATION MAR 2 1 2 CONSERVATION! CONSERVATION! It by circulating cement to the top; in all cases surface pipe shall be set with drilling rig; Wichera, Kansas corporation In all cases surface pipe shall be set Wichera, Kansas corporation In all cases surface pipe shall be set Wichera, Kansas corporation Conservation! Conservation! Wichera, Kansas corporation In all cases surface pipe shall be set Wichera, Kansas corporation Conservation! Conservation! In all cases, Notify district office prior to plugging; In all cases, Notify district office prior to any cementing. Dest of my knowledge and belief. Title: Operations Manager Title: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	ED COMMISS 008 DIVISION S
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the well is dry hole, an agreement between the operator and the disc. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be a like the statements made herein are true and correct to the spate: March 20, 2008	Will Cores be taken? If Yes, proposed zone: RECEIVIT Wall Cores be taken? If Yes, proposed zone: RECEIVIT KANSAS CORPORATION MAR 2 1 2 CONSERVATION IS The underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. Title: Operations Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	ED COMMISS DIVISION S
AF The undersigned hereby affirms that the drilling, completion and eventual pleat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and interest in the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all the completed is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is	Will Cores be taken? If Yes, proposed zone: RECEIV KANSAS CORPORATION Thugging of this well will comply with K.S.A. 55 et. seq. MAR 2 1 2 CONSERVATION IS The underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. P133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.	ED COMMISS DIVISION S
AF The undersigned hereby affirms that the drilling, completion and eventual pl t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the Date: March 20, 2008	Will Cores be taken? If Yes, proposed zone: RECEIVIT Wall Cores be taken? If Yes, proposed zone: RECEIVIT KANSAS CORPORATION MAR 2 1 2 CONSERVATION IS The underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Dest of my knowledge and belief. Title: Operations Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	ED COMMISS DIVISION S

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 101-22088-0000		
Operator: Carmen Schmitt Inc.	Location of Well: County: Lane	
Lease: Vance	165 feet from N / X S Line of Section	
Well Number: 1	1,650 feet from E E / W Line of Section	
Field: WC	Sec. 35 Twp. 18 S. R. 30 E W	
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: S/2 - SE - SW - SE	Is Section: Regular or Irregular	
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW	

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)

					_	_	
i	:	:					,
	1	: .					
	:						
i		•					, ,
:		•					
1	•	•					
	•	•					
1	•	•					
1		•					
i							i
				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
:							
						-	
!		•					
1		•				_	
!	•	•					
i	•	•	•				
i			•		•	•	
1	•		•		•	•	
	,						·
			•				-
!							
							,
i							
1	_						
i	•	•				-	-
:	-	•	:			_	-
	•		•				
i	•		•			-	-
1	-	•				-	_
i	•		•		•	•	
1			•				-
!	-		•				•
			•				•
i		-					
•							
				i			,
	•	•	:	1			
	•	•	•	1			
:					•		:
i			•		•	•	: 1
			•		•	•	•
				_	•	•	•
		<u> </u>		_			•
i		:		7			•
!	:	-	ים.	~		•	
1		-	14	,			
,							
1		:	_				
	:	;			:		
							·
			_				
			- 3'				
				:			
						,,,,,,,	
						,	
						,,,,,,,	
-							
-							
					×		

RECEIVED KANSAS CORPORATION COMMISSION

MAR 2 1 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Carmen Schmitt Inc.			License Number: 6569				
Operator Address: PO Box 47			Great Bend KS 67530				
Contact Person: Jacob Porter	· · · · · ·		Phone Number: 620-793-5100				
Lease Name & Well No.: Vance 1			Pit Location (QQQQ):				
Type of Pit: Pit	is:		S/2SESE				
Emergency Pit Burn Pit	Proposed Existing		Sec. 35 Twp. 18 R. 30 East West				
Settling Pit Drilling Pit If E	If Existing, date constructed:		165 Feet from North / South Line of Section				
Workover Pit Haul-Off Pit Pit	Pit capacity:		1,650 Feet from East / West Line of Section				
(if WP Supply API No. or Year Drilled)	500	(bbls)	Lane County				
Is the pit located in a Sensitive Ground Water Area	? Yes	No	Chloride concentration:mg/l				
Is the bottom below ground level? Art	tificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?				
Yes No	Yes X	No .	natural clays and bentonite				
Pit dimensions (all but working pits):100	Length (fe	eet)100					
,	round level to de	eepest point:	4 (feet) No Pit				
If the pit is lined give a brief description of the liner			dures for periodic maintenance and determining RECEIVED				
material, thickness and installation procedure.			ncluding any special monitoring. KANSAS CORPORATION COMMISSIO				
		visual insp	MAR 2 1 2008				
			CONSERVATION DIVISION WICHITA, KS				
Distance to nearest water well within one-mile of p	it		west fresh water 69feet.				
S S			Source of information: measured well owner electric log KDWR				
Emergency, Settling and Burn Pits ONLY:	feet						
Producing Formation:			al utilized in drilling/workover: bentonite				
· ·			ling, Workover and Haul-Off Pits ONLY: e of material utilized in drilling/workover: bentonite ber of working pits to be utilized: 4				
			Abandonment procedure: evaporate and backfill				
Does the slope from the tank battery allow all spilled fluids to			Drill pits must be closed within 365 days of spud date.				
I hereby certify that the above statement			i l				
	is are true and o	correct to the bes	t of my knowledge and belief.				
	is are true and (
March 20, 2008	is are true and o	facec	2 Portes				
March 20, 2008 Date	s are true and o	facec					
		facec	Signature of Applicant or Agent				