# For KCC Use: Effective Date:

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Typed All blanks must be Filled

# NOTICE OF INTENT TO DRILL

Expected Spud Date:	APRIL	11 2008	Spot Description: **FTZGIBBONS 13-12-	
Expected open bate.	month	day year	<u>SW - NW - SW Sec. 12 Twp. 7 S. R. 39 </u>	14/
	33019		(Q/Q/Q/Q) 1,749 feet from N / X S Line of Sect	
OPERATOR: License# Name:ROSEWOOD RES			581 feet from E / W Line of Sect	
Address 1: 2711 N. HASK		LB 22	Is SECTION: Regular Irregular?	
Address 2:				
City: DALLAS	State: TX	Zip: 75204 +	( <b>Note:</b> Locate well on the Section Plat on reverse side) County: SHERMAN	
Contact Person: STORM	SANDS		Lease Name: FITZGIBBONS Well #: 13-12	<del></del>
Phone: 214-756-6606			Field Name: WILDCAT	
CONTRACTOR: Licenses	<sub>#</sub> 33532		Is this a Prorated / Spaced Field?	lo.
Name: ADVANCED DRILL	ING TECHNOLOGIES, LLC		Target Formation(s): Niobrara, Lansing-KS City, Marmaton, Cherokee, Morrow	
W-# B-# 5	MARK COLORS	To Fredrica	Nearest Lease or unit boundary line (in footage): 581'	
Well Drilled For:	Well Class:	Type Equipment:	Ground Surface Elevation: 3521.1 feet M	SL
	Rec Infield	Mud Rotary	Water well within one-quarter mile:	
✓ Gas	· =	Air Rotary	Public water supply well within one mile:	-
Disp	<u></u>	Cable	Depth to bottom of fresh water: 1987 270	
Seismic ; # Other:	of Holes Other		Depth to bottom of usable water: 485 270'	_
Other:			Confess Biss by Absences 171 111	_
If OWWO: old well	II information as follows:		Length of Surface Pipe Planned to be set: 320 Min	
			Length of Conductor Pipe (if any): N/A	
• • • • • • • • • • • • • • • • • • • •			Projected Total Depth: 5,300'	
	Date:Orig		Formation at Total Depth: Arbuckle	
Original Completion B	rate Ong	ginar rotar beptin.	Water Source for Drilling Operations:	
Directional, Deviated or H	orizontal wellbore?	Yes X No	Well Farm Pond Other:	
If Yes, true vertical depth:			DWR Permit #:	
Bottom Hole Location:			(Note: Apply for Permit with DWR 7)	_
KCC DKT #:	······		─ Will Cores be taken?	No
			If Yes, proposed zone:	
			RECEIVED	)
		AF	FIDAVIT KANSAS CORPORATION C	OMMISSION
The undersigned hereby			lugging of this well will comply with K.S.A. 55 et. seq.	
The anabiological mores,	affirms that the drilling	g, completion and eventual p	logging of this wer will compry with N.S.A. 55 et. seq.	
It is agreed that the follo	,	• •	MAR 2 5 20	08
It is agreed that the follow	wing minimum require	ments will be met:	MAR 2 5 20	
It is agreed that the follows:  1. Notify the appropriate A copy of the appropriate and the appropriate an	wing minimum requirer riate district office <i>prio</i> roved notice of intent to	ments will be met:  r to spudding of well; o drill shall be posted on eac	MAR 2 5 20 ch drilling rig: CONSERVATION DIV	
It is agreed that the follows:  1. Notify the appropriate A copy of the appropriate A. The minimum amount of the second s	wing minimum require riate district office <i>prlo</i> roved notice of intent to ount of surface pipe as	ments will be met:  r to spudding of well; o drill shall be posted on ead s specified below shall be se	MAR 2.5.20 ch drilling rig; CONSERVATION DIV t by circulating cement to the top; in all cases surface pipe shall be WEFHITA, KS	
It is agreed that the follows:  1. Notify the appropriate in the appro	wing minimum required riate district office <i>prio</i> roved notice of intent to ount of surface pipe as solidated materials plus	ments will be met:  r to spudding of well; o drill shall be posted on ead s specified below shall be se s a minimum of 20 feet into the	MAR 2.5.20  ch drilling rig;  t by circulating cement to the top; in all cases surface pipe shall be WGHITA, KS he underlying formation.	
It is agreed that the follows:  1. Notify the appropriate in the appro	wing minimum required riate district office <i>prlo</i> roved notice of intent to ount of surface pipe as solidated materials plus ole, an agreement betw	ments will be met:  r to spudding of well; o drill shall be posted on each s specified below shall be se s a minimum of 20 feet into the ween the operator and the dis-	MAR 2 5 20  ch drilling rig;  t by circulating cement to the top; in all cases surface pipe shall be WEHITA, KS he underlying formation.  strict office on plug length and placement is necessary prior to plugging;	
It is agreed that the follows:  1. Notify the appropriate appropriate description:  2. A copy of the appropriate description:  3. The minimum and through all unconsists dry he set is dry he formatter appropriate description:	wing minimum required riate district office <i>prlo</i> roved notice of intent to ount of surface pipe as solidated materials plus ole, an agreement betw listrict office will be not	ments will be met:  r to spudding of well; o drill shall be posted on each s specified below shall be se s a minimum of 20 feet into the ween the operator and the dis ified before well is either plug	MAR 2.5.20  ch drilling rig;  t by circulating cement to the top; in all cases surface pipe shall be WGHITA, KS he underlying formation.	
It is agreed that the follows:  1. Notify the appropriate of the appro	wing minimum requirer riate district office <i>prio</i> , roved notice of intent to ount of surface pipe as solidated materials plushole, an agreement between the control of the control of the complete of the control of th	ments will be met:  r to spudding of well; o drill shall be posted on each s specified below shall be se s a minimum of 20 feet into the ween the operator and the dis iffied before well is either plug duction pipe shall be cement ansas surface casing order #	ch drilling rig;  CONSERVATION DIV.  It by circulating cement to the top; in all cases surface pipe shall be WGHITA, KS the underlying formation.  Istrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  It 33,891-C, which applies to the KCC District 3 area, alternate II cementing	
It is agreed that the follows:  1. Notify the appropriate of the appro	wing minimum requirer riate district office <i>prio</i> , roved notice of intent to ount of surface pipe as solidated materials plushole, an agreement between the control of the control of the complete of the control of th	ments will be met:  r to spudding of well; o drill shall be posted on each s specified below shall be se s a minimum of 20 feet into the ween the operator and the dis iffied before well is either plug duction pipe shall be cement ansas surface casing order #	CONSERVATION DIV.  It by circulating cement to the top; in all cases surface pipe shall be WEHITA, KS the underlying formation.  It is in all cases surface pipe shall be WEHITA, KS the underlying formation.  It is in all cases surface pipe shall be WEHITA, KS the underlying formation.  It is in all cases surface pipe shall be WEHITA, KS the underlying formation of the underlying formation in the underlying formation casing is cemented in; and the underlying formation casing is cemented in; and the underlying formation cases are underlying formation of the	
It is agreed that the follows:  1. Notify the appropriate of the appro	wing minimum required riate district office <i>prio</i> roved notice of intent to ount of surface pipe as solidated materials plusible, an agreement betwinstrict office will be not a COMPLETION, propendix "B" - Eastern Keld within 30 days of the	ments will be met:  r to spudding of well; o drill shall be posted on each s specified below shall be se s a minimum of 20 feet into the ween the operator and the dis- iffied before well is either plug duction pipe shall be cement ansas surface casing order to spud date or the well shall be	ch drilling rig;  CONSERVATION DIV.  It by circulating cement to the top; in all cases surface pipe shall be WGHITA, KS the underlying formation.  Istrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  It 33,891-C, which applies to the KCC District 3 area, alternate II cementing	
It is agreed that the follows:  1. Notify the appropriate of the appro	wing minimum required riate district office <i>prio</i> , roved notice of intent to ount of surface pipe as solidated materials plusiole, an agreement betwinstrict office will be not if II COMPLETION, propendix "B" - Eastern K and within 30 days of the statements made herein.	ments will be met:  If to spudding of well; o drill shall be posted on each is specified below shall be se is a minimum of 20 feet into the ween the operator and the dis- ified before well is either plugduction pipe shall be cement ansas surface casing order if is spud date or the well shall be in are true and correct to the	conservation Divided by the difference of the drilling rig;  conservation Divided by circulating cement to the top; in all cases surface pipe shall be Wightita, KS the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  best of my knowledge and belief.	
It is agreed that the follows:  1. Notify the appropriate of the appro	wing minimum required riate district office <i>prio</i> , roved notice of intent to ount of surface pipe as solidated materials plusiole, an agreement betwinstrict office will be not if II COMPLETION, propendix "B" - Eastern K and within 30 days of the statements made herein.	ments will be met:  r to spudding of well; o drill shall be posted on each s specified below shall be se s a minimum of 20 feet into the ween the operator and the dis- iffied before well is either plug duction pipe shall be cement ansas surface casing order to spud date or the well shall be	ch drilling rig;  CONSERVATION DIV.  It by circulating cement to the top; in all cases surface pipe shall be WEHITA, KS the underlying formation.  Istrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  It 33,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.	
It is agreed that the follows:  1. Notify the appropriate of the appro	wing minimum required riate district office <i>prio</i> , roved notice of intent to ount of surface pipe as solidated materials plusiole, an agreement betwinstrict office will be not if II COMPLETION, propendix "B" - Eastern K and within 30 days of the statements made herein.	ments will be met:  If to spudding of well; o drill shall be posted on each is specified below shall be se is a minimum of 20 feet into the ween the operator and the dis- ified before well is either plugduction pipe shall be cement ansas surface casing order if is spud date or the well shall be in are true and correct to the	conservation Divided by the difference of the drilling rig;  conservation Divided by circulating cement to the top; in all cases surface pipe shall be Wightita, KS the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  best of my knowledge and belief.	ISION
It is agreed that the follows:  1. Notify the appropriate of the appropriate of the appropriate of the appropriate of the well is dry he for the appropriate of the a	wing minimum requirer riate district office <i>prio</i> , roved notice of intent to ount of surface pipe as solidated materials plus ole, an agreement betw listrict office will be not if II COMPLETION, proo pendix "B" - Eastern K ad within 30 days of the statements made here	ments will be met:  If to spudding of well; o drill shall be posted on each is specified below shall be set is a minimum of 20 feet into it ween the operator and the dis diffied before well is either plug duction pipe shall be cement ansas surface casing order a is spud date or the well shall be in are true and correct to the operator or Agent:	ch drilling rig;  conservation Divide by circulating cement to the top; in all cases surface pipe shall be WightTA, KS the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. At 33,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Dest of my knowledge and belief.  Title:  Landman	
It is agreed that the follows:  1. Notify the appropriate of the appro	wing minimum required riate district office <i>prio</i> , roved notice of intent to ount of surface pipe as solidated materials plusiole, an agreement betwinstrict office will be not if II COMPLETION, propendix "B" - Eastern K and within 30 days of the statements made herein.	ments will be met:  If to spudding of well; o drill shall be posted on each is specified below shall be set is a minimum of 20 feet into it ween the operator and the dis diffied before well is either plug duction pipe shall be cement ansas surface casing order a is spud date or the well shall be in are true and correct to the operator or Agent:	conservation Divide the definition of the top; in all cases surface pipe shall be wighted. KS the underlying formation.  In strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  It 33,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Dest of my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	ISION
It is agreed that the follows:  1. Notify the appropriate of the appropriate of the appropriate of the well is dry he form the appropriate of the well is dry he form the appropriate of	wing minimum requirer riate district office <i>prio</i> , roved notice of intent to ount of surface pipe as solidated materials plus ole, an agreement betw istrict office will be not if II COMPLETION, pro opendix "B" - Eastern K d within 30 days of the statements made here  Signature of Op	ments will be met:  If to spudding of well; o drill shall be posted on each is specified below shall be set is a minimum of 20 feet into it ween the operator and the dis- iffied before well is either plug duction pipe shall be cement ansas surface casing order a is spud date or the well shall be in are true and correct to the perator or Agent:	conservation Diversity by circulating cement to the top; in all cases surface pipe shall be wighted. KS the underlying formation.  In strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. At 33,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Best of my knowledge and belief.  Title:  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;	ISION
It is agreed that the follows:  1. Notify the appropriate of the appro	wing minimum requirer riate district office <i>prio</i> , roved notice of intent to ount of surface pipe as solidated materials plus ole, an agreement betwellistrict office will be not if II COMPLETION, proopendix "B" - Eastern K and within 30 days of the statements made hereif Signature of Opendix  A OSTIS-OOOT	ments will be met:  If to spudding of well; o drill shall be posted on each is specified below shall be set is a minimum of 20 feet into it ween the operator and the dis- iffied before well is either plug duction pipe shall be cement ansas surface casing order shall be in are true and correct to the perator or Agent:	conservation divided by the district office and belief.  Conservation Divided by circulating cement to the top; in all cases surface pipe shall be wighted. KS he underlying formation.  In the underlying formation of the underlying formation of the underlying formation.  In the underlying formation of the unde	ISION
It is agreed that the follows:  1. Notify the appropriate of the appropriate of the appropriate of the well is dry he form the appropriate of the well is dry he form the appropriate of	wing minimum requirer riate district office <i>prio</i> , roved notice of intent to ount of surface pipe as solidated materials plus ole, an agreement betw listrict office will be not if II COMPLETION, pro opendix "B" - Eastern K ad within 30 days of the statements made here  Signature of Open  20518-0007 d  Word required  320	ments will be met:  If to spudding of well; of drill shall be posted on each is specified below shall be set is a minimum of 20 feet into the ween the operator and the dis- diffed before well is either plug- duction pipe shall be cement ansas surface casing order it is spud date or the well shall be in are true and correct to the perator or Agent:	conservation Diversity by circulating cement to the top; in all cases surface pipe shall be WightTA, KS the underlying formation.  In strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  It 33,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Best of my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);	12 7
It is agreed that the follows:  1. Notify the appropriate of the appro	wing minimum requirer riate district office <i>prio</i> , roved notice of intent to ount of surface pipe as solidated materials plus ole, an agreement between district office will be not if II COMPLETION, proopendix "B" - Eastern K and within 30 days of the statements made hereif  Signature of Open  ACS 18-000  Tequired 320  320	ments will be met:  If to spudding of well; o drill shall be posted on each is specified below shall be set is a minimum of 20 feet into it ween the operator and the dis- iffied before well is either plug duction pipe shall be cement ansas surface casing order shall be in are true and correct to the perator or Agent:	conservation Diversity by circulating cement to the top; in all cases surface pipe shall be WightTA, KS the underlying formation.  In strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  It 33,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Best of my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.	ISION
It is agreed that the follows:  1. Notify the appropriate of the appro	wing minimum requirer riate district office prior roved notice of intent to ount of surface pipe as solidated materials plus ole, an agreement betw district office will be not fill COMPLETION, pro- pendix "B" - Eastern K and within 30 days of the statements made herei  Signature of Op  ROSTR-OOO  Tequired	ments will be met:  If to spudding of well; of drill shall be posted on eads specified below shall be set into the set int	conservation Diversity by circulating cement to the top; in all cases surface pipe shall be WightTA, KS the underlying formation.  In strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  It 33,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Best of my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);	12 7
It is agreed that the follows:  1. Notify the appropriate of the appro	wing minimum requirer riate district office prior roved notice of intent to ount of surface pipe as solidated materials plus ole, an agreement betw district office will be not fill COMPLETION, pro- pendix "B" - Eastern K and within 30 days of the statements made herei  Signature of Op  ROSTR-OOO  Tequired	ments will be met:  If to spudding of well; o drill shall be posted on each is specified below shall be set is a minimum of 20 feet into it ween the operator and the dis- iffied before well is either plug duction pipe shall be cement ansas surface casing order shall be in are true and correct to the perator or Agent:	conservation divided by the different conservation of the differen	12 7 39
It is agreed that the follows:  1. Notify the appropriate of the appro	wing minimum requirer riate district office prior roved notice of intent to ount of surface pipe as solidated materials plus ole, an agreement betw district office will be not fill COMPLETION, pro- pendix "B" - Eastern K and within 30 days of the statements made herei  Signature of Op  ROSTR-OOO  Tequired	ments will be met:  If to spudding of well; of drill shall be posted on each is specified below shall be set is a minimum of 20 feet into the ween the operator and the dis- diffed before well is either plug- duction pipe shall be cement ansas surface casing order it is spud date or the well shall be in are true and correct to the perator or Agent:  feet  feet  feet per ALT.	conservation Diversity by circulating cement to the top; in all cases surface pipe shall be WightTA, KS the underlying formation.  In strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  It 33,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Best of my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	12 7

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 181-20518-0000	
Operator: ROSEWOOD RESOURCES, INC.	Location of Well: County: SHERMAN
Lease: FITZGIBBONS	
Well Number: 13-12	1,749 feet from N / X S Line of Section  581 feet from E / X W Line of Section
Field: WILDCAT	Sec. <u>12</u> Twp. <u>7</u> S. R. <u>39</u> E 🔀 W
Number of Acres attributable to well: 160  QTR/QTR/QTR/QTR of acreage: SW - NW - SW	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)

							. I
1	•			1	•		٠ ١
	•	•	•	1	•		•
	:	•	•	1	•		•
		•	:	1	:	•	: 1
	:	:	:		:	•	: 1
		1	:			:	: 1
		1		1		:	
		•		l	-	-	
				l			
******			*******				
1				1			
i	•		•				.
	•		•		•	•	.
	•	•	•		•		
	•	•	•		•		.
1		•	•		•		•
	•	•	•		•		•
	•	•	•		•		•
	•	•	•		•	•	•
				l			
							*******
				l			
		_		I .			
ı				r		:	
ı							. 1
ı	•						. 1
l	•		•	1	•	•	. :
1		-		1			. 1
ŀ				1	•		• 1
I		•	•				. !
I	-	-	•		•		. ,
I				ı			ı
I				ı			Ī
						•	
		•				•	:
		•				•	: 1
		:				:	: 1
	•			1 .		:	
I	•					:	. 1
I	•						. 1
I							. }
I			•		•		. !
			1				
			1	2			
	:	: :	1	2			: 1
	:	:	1	2			:
	:		1	2			
	:		1	2			
	:		1	2			
	:		1	2			
			1	2			
			1				
	:		1				
E041			1				
581'			1				
581'			1				
581'			1				
581'			1				
581'			1	2			
581'	)		1				
581'	) )		1				
581'	) )		1				
581'	)		1				
581'	)		1				
581'	)		1				
581'			1				
581'	)		1				
581'	)		1				
581'	)		1				
581'	) 		1				
581'	) 		1				
581'	) 		1				
581'	) 		1				
581'	) 		1				
581'	1,749'		1				
581'	) 		1				
581'	) 		1				
581'	) 		1				
581'	) 		1				
581'	) 		1				
581'	) 		1				
581'	) 		1				
581'	) 		1				
581'	) 		1				
581'	) 		1				
581'	) 		1				
581'	) 		1				

RECEIVED KANSAS CORPORATION COMMISSION

MAR 25 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: ROSEWOOD RESOURCES, INC.			License Number: 33019			
Operator Address: 2711 N. HASKELL A	VE., SUITE 280	DALLAS	TX 75204			
Contact Person: STORM SANDS		Phone Number: 214-756-6606				
Lease Name & Well No.: FITZGIBBONS 13-12			Pit Location (QQQQ):			
Type of Pit:  Emergency Pit Burn Pit  Settling Pit Drilling Pit  Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)  Is the pit located in a Sensitive Ground Water  Is the bottom below ground level?	Pit is:  Proposed  If Existing, date conditions  Pit capacity:  Area?  Artificial Liner?  Yes	(bbis)		South Line of Section  West Line of Section  County  mg/I  ttling Pits only)		
Pit dimensions (all but working pits):		eepest point:	Width (feet)  6 (feet)  dures for periodic maintenance and detendeding any special monitoring.			
Distance to nearest water well within one-mile  3,407 248/ feet Depth of water well	e of pit 195 240 feet	Depth to shallo Source of infor measu		S TOO KDWR		
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Num			Drilling, Workover and Haul-Off Pits ONLY:  Type of material utilized in drilling/workover:  Number of working pits to be utilized:  Abandonment procedure: Evaporation & Backfill			
Does the slope from the tank battery allow all flow into the pit? Yes No	Drill pits must be closed within 365 days of spud date.					
I hereby certify that the above state  March 24, 2008  Date		X.	ignature of Applicant or Agent	MAR 2 5 2008  CONSERVATION DIVISION  WICHITA, KS		
Date Received: 3/25/05 Permit Num						