For KCC Uses Effective Date: 3-300P District # Ves No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date: 04/04/2008	Spot Description: 15's
month day year	
5056	(Ontro) 5. II 5. II
OPERATOR: License#	leet non [] N / [] S Line of Section
Name: F.G. HOLL COMPANY L.L.C.	reet fromE / X w Line of Section
Address 1: 9431 E. CENTRAL	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: WICHITA State: KS Zip: 67206 +	County: PAWNEE
Contact Person: FRANKLIN R. GREENBAUM	Lease Name: FROETSCHNER Well #: 1-12
Phone: 316-684-8481	Field Name: WILDCAT
CONTRACTOR: License# 5929	Is this a Prorated / Spaced Field?
Name: DUKE DRILLING COMPANY RIG NO. 8	Target Formation(s): CHASE, CHEROKEE SAND
W (D 2) - 5	Nearest Lease or unit boundary line (in footage): 165
Well Drilled For: Well Class: Type Equipment:	2076
Oil C Enh Rec Infield Mud Rotary	
☐ Gas ☐ Storage ☐ Pool Ext. ☐ Air Rotary	Water well within one-quarter mile:
Disposal XWildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 180'
Other:	Depth to bottom of usable water: 200
	Surface Pipe by Alternate: III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 1120'
Operator:	Length of Conductor Pipe (if any); NONE
Well Name:	Projected Total Depth: 4,500
Original Completion Date: Original Total Depth:	
Original Completion Date Original lotal Depth:	•
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
Yes, true vertical depth:	Well Farm Pond Other:
ortes, true vertical depth	DWR Permit #: CONTRACTOR WILL APPLY
KCC DKT #:	- (Note: Apply for Permit with DWR 1)
	- Will Cores be taken? ☐ Yes ☒ No
thas Leases w/pooling clauses filed w/original nt 15-145-21549-00-00 (expired)	If Yes, proposed zone:
nt 15-145-21549-00-00 (expired)	DEOEN/ED
AF	FIDAVIT RECEIVED KANSAS CORPORATION COMM
"he undersigned hereby affirms that the drilling, completion and eventual p	lugging of this well will comply with K.S.A. 55 et, seq. KANSAS CORPORATION COMM
t is agreed that the following minimum requirements will be met:	
g me receiving commission todanomormo mili po mot.	MAR 2 5 2008
d Blacks, the appropriate district office of the second of the	MAIL 2 2000
Notify the appropriate district office <i>prior</i> to spudding of well;	
2. A copy of the approved notice of intent to drill chall be posted on one	sh deilling via
 A copy of the approved notice of intent to drill shall be posted on eac The minimum amount of surface pipe as specified below shall be se 	ch drilling rig; *CONSERVATION DIVISION** *Property of the top; in all cases surface pipe shall be series. The cases surface pipe shall be series.
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 	ch drilling rig; the drilling r
 A copy of the approved notice of intent to drill shall be posted on ead The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the different state. If the well is dry hole, an agreement between the operator and the different state. 	ch drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall by CHITA, KS he underlying formation. Strict office on plug length and placement is necessary prior to plugging:
 A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall by CANSERVATION DIVISION to by circulating cement to the top; in all cases surface pipe shall by CAITA, KS he underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in;
 A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second of th	ch drilling rig; thy circulating cement to the top; in all cases surface pipe shall be child, KS he underlying formation. strict office on plug length and placement is necessary prior to plugging:
 A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second of th	CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall within, KS he underlying formation. strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.
 A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order that must be completed within 30 days of the spud date or the well shall be completed. 	CONSERVATION DIVISION to by circulating cement to the top; in all cases surface pipe shall by CATTA, KS he underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
 A copy of the approved notice of intent to drill shall be posted on ead The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the sether of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be the production of the sether of the sether of the sether or the sether of th	CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall be certain, KS he underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. F133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
 A copy of the approved notice of intent to drill shall be posted on ead The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the second of the seco	CONSERVATION DIVISION to by circulating cement to the top; in all cases surface pipe shall be certain to the top; in all cases surface pipe shall be certain, KS he underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. F133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
 A copy of the approved notice of intent to drill shall be posted on ead The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the lift of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be the purchase of the spud date or the well shall be certify that the statements made herein are true and correct to the constraints. 	CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall be certain, KS he underlying formation. It is constructed to the top; in all cases surface pipe shall be certain, KS he underlying formation. It is constructed in the construction casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. F133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. The construction of the construction of the construction of the construction. Title: Petroleum geologist
A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the difference of the appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be the production of the spud date or the well shall be certified that the statements made herein are true and correct to the control of the spud date. O3/24/2007 Signature of Operator or Agent: Frank of the spud date of the spud date.	CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall be contained by circulating cement to the top; in all cases surface pipe shall be contained by cont
A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through a set throug	CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall be contained by circulating cement to the top; in all cases surface pipe shall be contained by cont
A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the difference of the appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be the production of the spud date or the well shall be certified that the statements made herein are true and correct to the control of the spud date. O3/24/2007 Signature of Operator or Agent: Frank of the spud date of the spud date.	CONSERVATION DIVISION to by circulating cement to the top; in all cases surface pipe shall be constituted formation. The underlying formation and placement is necessary prior to plugging; and plugged or production casing is cemented in; and formation and the underlying formation and plugged. The underlying formation is necessary prior to plugging; and the underlying formation in the underlying forma
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the set through all unconsolidated materials plus a minimum of 20 feet into the set into th	CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall be considered to the top; in all cases surface pipe shall be considered to the top; in all cases surface pipe shall be considered to the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. F133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Petroleum geologist Petroleum geologis
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the set of t	CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall by chita, KS he underlying formation. In the underlying formation. In the underlying formation. In the underlying formation are production casing is cemented in; greed or production casing is cemented in; greed or production casing is cemented in; greed from below any usable water to surface within 120 DAYS of spud date. It is a specific to five the transfer of the tr
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through a set through	CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall by chita, KS he underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. P133,891-C, which applies to the KCC District 3 area, alternate II cementing applyaged. In all cases, NOTIFY district office prior to any cementing. Title: Petroleum geologist Petroleum geologist
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through a set in the set in th	CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall by chita, KS he underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. P133,891-C, which applies to the KCC District 3 area, alternate II cementing applyaged. In all cases, NOTIFY district office prior to any cementing. Title: Petroleum geologist Petroleum geologist
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through a set through	CONSERVATION DIVISION to by circulating cement to the top; in all cases surface pipe shall benching. KS he underlying formation. In the underlying formation. In the underlying formation are to fire an even and placement is necessary prior to plugging; and plugged or production casing is cemented in; and form below any usable water to surface within 120 DAYS of spud date. It is a space of the complete to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. In the complete to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the seed of the well is dry hole, an agreement between the operator and the discrete structure of the well is either plug of the specified before the specified	CONSERVATION DIVISION to by circulating cement to the top; in all cases surface pipe shall be child. KS he underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing is plugged. In all cases, NOTIFY district office prior to any cementing. 11
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all through all through all through all through a set in the set of the	CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall be contain the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. The strict of prior to any cementing are plugged. In all cases, NOTIFY district office prior to any cementing. Title: Petroleum geologist
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet per ALT. It is authorization expires: 3-25-09 This authorization expires: 3-25-09 This authorization expires: 3-25-09	CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall by circulating cement to the top; in all cases surface pipe shall by chita, KS he underlying formation. In the underlying formation. In the underlying formation are production casing is cemented in; ged or production casing is cemented in; ged from below any usable water to surface within 120 DAYS of spud date. It is a great alternate II cementing by plugged. In all cases, NOTIFY district office prior to any cementing. In the completion form ACO-1 with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 14521572-0000	
Operator: F.G. HOLL COMPANY L.L.C.	Location of Well: County: PAWNEE
Lease: FROETSCHNER	1,800 feet from N / X S Line of Section
Well Number: 1-12	2,475 feet from E / X W Line of Section
Field: WILDCAT	Sec. <u>12</u> Twp. <u>22</u> S. R. <u>19</u> E X W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

]	_						
	1	•		•		i	:	: 1
]	•		•			•	
	1	•	•	•		•	•	
	1	•		•		•	•	
	1	•		•		•	•	•
	1	:	•	•	I	•	•	
	1	:	•	•		•	•	. !
		•	•	•		•	•	' i
								1
					1			. 1
	ř.	1		:	i	:	•	: 1
	1			:	1		•	
				:	!		:	: I
	I	•		•	l			: 1
	[•		•	l			
	ſ	•			l			
		•		•	l	•		
					l			
					ſ			
		•	•	•	1	•		
					l	•		,
	1	•			I			•
	1	•		•	I			•
	I	•	•	•	I		•	•
	1	•	•	•	I	•	•	.
	1		•	•	I	•	•	.
	i	•	•	•	I	•		. 1
	I	•		•	I	•	-	.
					l			4
		•••••				•••••		******
	Į.				l			1
	ſ				l		•	
		•	•	•	l	•	•	
			•	•	l		•	, 1
			•	:	l	•	•	. 1
				:	l		•	
					ı	:	•	
						•	•	. 1
						•	•	
			•			•	•	· i
				=		•	•	· I
					1			,
					1			
					1			
					l			
	1				l			
					*******			1
~ · · · · · · ·	ŀ			_	l			1
(./ 12 ' /								
SLT'Z				. 7				
	l			· i	1	, ,		
	I				1			
	1			· i	1			- 1
	I							- 1
	l .			· .				- 1
					l			
	l .			1	1			- 1
	l .	_		. i	I			- 1
	I							- 1
	l				1			
	l .				1			- 1
	l			: :	1			
					1			
	i i				1			
	1 .	. :			1		:	
	1				1			- 1
	l				1			
						• • • • • • •		
	*				1			
		_		i	i			,
				· I				
								J
] .			1
					1			
					1			- 1
	'				1			•
	'		•					i
	'		•					1
	'			1				I
					L			
							_	
		**						



NOTE: In all cases locate the spot of the proposed drilling locaton.

MAR 25 2008

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections SERVATION DIVISION 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: F.G. HOLL COMPANY L.L.C.			License Number: 5056			
Operator Address: 9431 E. CENTRAL			WICHITA KS 67206			
Contact Person: FRANKLIN R. GREENBAUM			Phone Number: 316-684-8481			
Lease Name & Well No.: FROETSCHNER 1-12			Pit Location (QQQQ):			
Type of Pit:	Pit is:		NE SE NE SW			
Emergency Pit Burn Pit	Proposed Existing		Sec. 12 Twp. 22 R. 19 East West			
Settling Pit	If Existing, date constructed:		1,800 Feet from North / South Line of Section			
Workover Pit Haul-Off Pit	Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Pit capacity: 500 (bbls)		2,475 Feet from East / West Line of Section PAWNEE County			
(If WP Supply API No. or Year Drilled)						
Is the pit located in a Sensitive Ground Water	Area? Yes	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)				
Is the bottom below ground level? Yes No	Artificial Liner?		How is the pit lined if a plastic liner is not used? NATURAL CLAY AND MUD			
Pit dimensions (all but working pits):1	50 Length (fe	eet) 150	Width (feet) N/A: Steel Pits			
Depth fr	om ground level to de		4			
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining including any special monitoring.			
Distance to nearest water well within one-mile of pit Depth to shallow		west fresh water 57 feet.				
2417 feet Depth of water well	Source of infor					
			over and Haul-Off Pits ONLY:			
1		Type of materia	iterial utilized in drilling/workover: FRESH MUD			
		rking pits to be utilized:3				
Barrels of fluid produced daily: Abandonment p		procedure: Backfill rotary pits and smooth location				
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date. RECEIVED				
I hereby certify that the above statements are true and correct to the best of pay knowledge and belief. KANSAS CORPORATION COMMIS						
MAR 2 5 2008						
			R. Greenbaum CONSERVATION DIVISION ignature of Applicant or Agent WICHITA, KS			
KCC OFFICE USE ONLY Steel Pit RFAC RFAS						
Date Received: 3/25/08 Permit Number: Permit Date: 3/25/08 Lease Inspection: W Yes No						



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

March 25, 2008

Mr. Frank Greenbaum F.G. Holl Company, LLC 9431 E Central Wichita, KS 67206

RE: Drilling Pit Application

Froetschner Lease Well No. 1-12

SW/4 Sec. 12-22S-19W Pawnee County, Kansas

Dear Mr. Greenbaum:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Department of Environmental Protection and Remediation

cc: File