For KCC Use:	2 200
Effective Date:	3-30-CB
District #	. <b>L</b>
SGA2 Voc	No.

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

SGA? Yes No	NOTICE OF IN st be approved by KCC five	ITENT TO DRILL  e (5) days prior to commencing well	Form must be Signed All blanks must be Filled
Expected Spud Date: 04 06  month da  OPERATOR: License# Name: GRA EX, LLC Address 1: PO BOX 32	<b>2008</b> <i>y year</i>	Spot Description:  SW OF SW SE4 Sec. 11 Twp. 24  (acaca) 500 feet from 2,190 feet from Sec. 11 Twp. 24	_S. R. 14 ∏E <b>X</b> W
Address 2: 1603 N WALNUT  City: KINGMAN State: KS Z  Contact Person: DON GRABER  Phone: 620-532-6290  CONTRACTOR: License# 33549	ip: 67068 +	(Note: Locate well on the Section Plat of County: STAFFORD Lease Name: KOELSCH Field Name: RATTLESNAKE	Well #: <sup>2</sup>
Name: LANDMARK DRILLING, LLC  Well Drifled For: Well Class:  Seismic ; # of Holes Other  Other: Well Name: Original Completion Date: Original Completion Date: Original Class: Well Seismic Pool Ext.  Well Name: Original Completion Date: Original Class: Well Name: Original Completion Date: Class Original Cl	al Total Depth:No	Projected Total Depth: 4300' Formation at Total Depth: ARBUCKLE Water Source for Drilling Operations:	feet MSL Yes No Yes No
The undersigned hereby affirms that the drilling, o		If Yes, proposed zone:  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.	
It is agreed that the following minimum requirements. Notify the appropriate district office <i>prior</i> to 2. A copy of the approved notice of intent to did. The minimum amount of surface pipe as spathrough all unconsolidated materials plus at 4. If the well is dry hole, an agreement betwee 5. The appropriate district office will be notified 6. If an ALTERNATE II COMPLETION, production or pursuant to Appendix "B" - Eastern Kane	nts will be met: a spudding of well; rill shall be posted on each of ecified below shall be set by minimum of 20 feet into the enthe operator and the district before well is either pluggestion pipe shall be cemented sas surface casing order #13 and date or the well shall be p	drilling rig; y circulating cement to the top; in all cases surface pipunderlying formation. ct office on plug length and placement is necessary per or production casing is cemented in; from below any usable water to surface within 120 DA 3,891-C, which applies to the KCC District 3 area, altoolugged. In all cases, NOTIFY district office prior to	arior to plugging;  AYS of spud date.
Date: 03-20-700 Signature of Opera	ator or Agent: Jun D	Mach Title: Office	MCR
For KCC Use ONLY	- J	Remember to:	<b>=</b>

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

-p	GRA EX, LL	.c					L.oc	ation of Wel	II: County: ST	TAFFORD	1				
Lease: K	DELSCH							500		feet fro	om	N /	X s	_ine of	Section
Well Numl	per: 2							2,190	• • • • • • • • • • • • • • • • • • • •	feet fro	om 🗵		=	ine of	Section
Field: RA	TTLESNAM	(E			,		Sec	, 11	Twp. 24	 S. F	1. 14	[	∃ ∃E	X v	,
Mumber of	Acres attr	ibutable te	160 -الميد	ı					_			_			
	Acres alli /QTR/QTR						" Is S	ection:	Regular or	irre	egular				
QIIVQIII	i de l'i l'alia	or acreay	G	<del> </del>			-								
									regular, locat					oundar	у.
							Sec	tion corner	used: N	E M	МЩS	E L	SW		
							OL AT								
							PLAT								
			(Show lo						prorated or sp	aced wel	ls.)				
				(Sho	w footage	to the nea	rest lease	or unit boun	ndary line.)						
			:		:		:	i							
		 :	:												
	:		:									ಸ್ತ	CEIV	FD	
	· · · · · · · · · · · · · · · · · · ·										17名別類数		CEIV		MISSIO
											<u>্</u> ষয়াকুত্র	3 F			MISSIO
											<u> "২২৮৯ ছ</u>	r or gp	ORATIO	N COM	
	·										া শহাক্রিছ		ORATIO	N COM	
												r or gp	2 1	и сомі 2008	
												MAR SER	2 1	N COMI 2008 DIVISIO	
	:											MAR SER	ORATIO  2 1 (	N COMI 2008 DIVISIO	
									FXA	MPI F		MAR SER	ORATIO  2 1 (	N COMI 2008 DIVISIO	
									EXA	MPĽE :		MAR SER	ORATIO  2 1 (	N COMI 2008 DIVISIO	
									EXA	MPĹE :		MAR SER	ORATIO  2 1 (	N COMI 2008 DIVISIO	
									EXA.	MPLE : :		MAR SER	2 1 ; vation ichita,	N COMI 2008 DIVISIO	
									EXA	MPLE		MAR SER	ORATIO  2 1 (	N COMI 2008 DIVISIO	
									EXA	MPLE ::		MAR SER	2 1 ; vation ichita,	N COMI 2008 DIVISIO	
									EXA	MPLE		MAR SER	2 1 ; vation ichita,	N COMI 2008 DIVISIO	

#### NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

SEWARD CO.

### Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: GRA EX, LLC			License Number: 33921
Operator Address: PO BOX 32 1603 N W	ALNUT KINGMAN, K	KS 67068	
Contact Person: DON GRABER			Phone Number: 620-532-6290
Lease Name & Well No.: KOELSCH #	#2		Pit Location (QQQQ):
Type of Pit:	Pit is:		SW _ QF _ SW _ SE4
Emergency Pit Burn Pit	Proposed	Existing	Sec. 11 Twp. 24 R. 14 East West
Settling Pit X Drilling Pit	If Existing, date co	onstructed:	500 Feet from North / South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		2,190 Feet from East / West Line of Section
(If WP Supply API No. or Year Drilled)	ги сарасиу.	(bbls)	STAFFORD County
Is the pit located in a Sensitive Ground Water	Area? Wes	INO-	Chloride concentration:mg/l
is the produced by a constitute created visite			(For Emergency Pits and Settling Pits only)
Is the bottom below ground level?  Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	100 Length (fe	eet)100	Width (feet) N/A: Steel Pits
	rom ground level to de	eepest point:	5 (feet) No Pit
If the pit is lined give a brief description of the material, thickness and installation procedure		Describe proce	edures for periodic maintenance and determining RECEIVED notuding any special monitoring.
			ANSAS CURPORATION COM
			MAR 2 1 2008
			MAR 2 1 2008
Distance to nearest water well within one-mil	le of pit	Depth to shallo	MAR 2 1 2008  CONSERVATION DIVISION  WICHITA: KS  Owest fresh water
Distance to nearest water well within one-mil  2604 feet Depth of water well		,	MAR 2 1 2008  CONSERVATION DIVISION  OWEST fresh water
	50 feet	Source of info	MAR 2 1 2008  CONSERVATION DIVISION  OWEST fresh water
2604 feet Depth of water well	50 feet	Source of info measi Drilling, Work	MAR 2 1 2008  CONSERVATION DIVISION  OWEST fresh water
	50 feet	Source of info measi Drilling, Work Type of materi Number of wo	MAR 2 1 2008  CONSERVATION DIVISION  OWEST fresh water feet.  Fromation:  Ured well owner electric log KDWR  Cover and Haul-Off Pits ONLY:  al utilized in drilling/workover:  MUD & FRESH WATER  Frking pits to be utilized:
	50 feet	Source of info measi Drilling, Work Type of materi Number of wo	MAR 2 1 2008  CONSERVATION DIVISION  OWEST fresh water
2604 feet Depth of water well	50 feet	Source of informeasi  Drilling, Work  Type of materi  Number of work  Abandonment	MAR 2 1 2008  CONSERVATION DIVISION  OWEST fresh water feet.  Fromation:  Ured well owner electric log KDWR  Cover and Haul-Off Pits ONLY:  al utilized in drilling/workover:  MUD & FRESH WATER  Frking pits to be utilized:
Emergency, Settling and Burn Pits ONLY. Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow allowed the slope from the tank battery allow allowed the slope from the tank battery allow allowed the slope from the tank battery allowed the slope from the s	50 feet:	Drilling, Work Type of materi Number of work Abandonment Drill pits must	MAR 2 1 2008  CONSERVATION DIVISION WICHITA. KS  Division west fresh water
Emergency, Settling and Burn Pits ONLY.  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow al flow into the pit?  Yes No	50 feet:	Drilling, Work Type of materi Number of work Abandonment Drill pits must	MAR 2 1 2008  CONSERVATION DIVISION WICHITA. KS  Division west fresh water
Emergency, Settling and Burn Pits ONLY.  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow al flow into the pit?  I hereby certify that the above state  03-20-2007	50 feet:	Source of informeasing measing prilling, Work Type of materian Number of wood Abandonment  Orill pits must correct to the best	MAR 2 1 2008  CONSERVATION DIVISION  WICHITA. KS  Division well owner lelectric log KDWR  Cover and Haul-Off Pits ONLY:  all utilized in drilling/workover: MUD & FRESH WATER  riving pits to be utilized: 3  procedure: AIR DRY & BACKFILL  be closed within 365 days of spud date.
Emergency, Settling and Burn Pits ONLY.  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow al flow into the pit?  I hereby certify that the above state	50 feet:	Source of informeasing measing prilling, Work Type of materian Number of wood Abandonment  Orill pits must correct to the best	MAR 2 1 2008  CONSERVATION DIVISION WICHITA. KS  Division west fresh water
Emergency, Settling and Burn Pits ONLY.  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow al flow into the pit?  I hereby certify that the above state  03-20-2007	50 feet : Il spilled fluids to	Source of informeasing measing prilling, Work Type of materian Number of wood Abandonment  Orill pits must correct to the best	MAR 2 1 2008  CONSERVATION DIVISION WICHITA. KS  Division with the second secon



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

March 24, 2008

Mr. Don Graber Gra Ex, LLC PO Box 32 1603 N Walnut Kingman, KS 67068

RE: Drilling Pit Application

Koelsch Lease Well No. 2 SE/4 Sec. 11-24S-14W Stafford County, Kansas

Dear Mr. Graber:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily.

NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Department of Environmental Protection and Remediation

cc: File