

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: April 1, 2008	Spot Description:
month day year	SESWSWSec31Twp31SR11E 🗶 W
OREDATOR: Linguist 33856	(3/3/3/3/3) 330 feet from N / X S Line of Section
OPERATOR: License#	990 feet from E / X W Line of Section
Address 1: 2400 N. Woodlawn, Suite 115	Is SECTION: X Regular Irregular?
Address 2:	_
City: Wichita State: KS Zip: 67220 +	(Note: Locate well on the Section Plat on reverse side) County: Barber
Contact Person: Kenneth S. White	Lease Name: Swayden "A" Well #: 1
Phone: (316) 682-6300	Field Name:Whelan
CONTRACTOR: License# 5123	Is this a Prorated / Spaced Field?
Name: Pickrell Drilling Co., Inc.	Target Formation(s): Mississippi
	Nearest Lease or unit boundary line (in footage): 330
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 1520 EST feet MSL
Cil Chin Rec Infield Mud Rotary	Water well within one-quarter mile: Yes ▼No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal Wildcat Cable	Depth to bottom of fresh water: 150
Seismic; # of Holes Other	Depth to bottom of usable water: 180
Other:	
If OWWO: old well information as follows:	Surface Pipe by Alternate: XI
_	Length of Conductor Pipe (if any): none
Operator:	Projected Total Depth: 4450
Well Name: Original Total Depth:	Formation at Total Depth: Kinderhook
Original Completion Bate.	Water Source for Drilling Ogerations:
Directional, Deviated or Horizontal wellbore? Yes ✗ No	Well Farm Pond Other: Not known at this time
If Yes, true vertical depth:	DWB Permit #*
Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR)
MAA BUT II	
KCC DKT #:	Will Cores be taken? Yes ✗ No
KCC DKT #:	Will Cores be taken? Yes No If Yes, proposed zone:
KCC DKT #:	Will Cores be taken?
AFFII	If Yes, proposed zone: RECEIVED
AFFII	If Yes, proposed zone: RECEIVED
	If Yes, proposed zone: DAVIT RECEIVED ging of this well will comply with K.S.A. 55 ANSAS CORPORATION COMMISSION
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met:	If Yes, proposed zone: RECEIVED
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone: DAVIT RECEIVED ging of this well will comply with K.S.A. 55 KANSOS CORPORATION COMMISSION MAR 1 3 2008
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by	If Yes, proposed zone: DAVIT Ging of this well will comply with K.S.A. 55 ANSAS CORPORATION COMMISSION MAR 1 3 2008 Irilling rig; or circulating cement to the top; in all cases surface property and property a
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials.	If Yes, proposed zone: PAVIT RECEIVED Ging of this well will comply with K.S.A. 55 ANSAS CORPORATION COMMISSION MAR 1 3 2008 Irilling rig; oricculating cement to the top; in all cases surface properties on within K.S.A. 55 ANSAS CORPORATION COMMISSION WITHIN A CONSERVATION DIVISION WITHIN K.S.A. 55 ANSAS CORPORATION COMMISSION WITHIN A CONSERVATION DIVISION DIVIS
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district	If Yes, proposed zone: PAVIT RECEIVED Ging of this well will comply with K.S.A. 55 ANSAS CORPORATION COMMISSION MAR 1 3 2008 Irilling rig; oricculating cement to the top; in all cases surface properties on wich la, ks. or office on plug length and placement is necessary prior to plugging;
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged.	If Yes, proposed zone: DAVIT Ging of this well will comply with K.S.A. 55 ANSAS CORPORATION COMMISSION MAR 1 3 2008 Irilling rig; or circulating cement to the top; in all cases surface present to the top; in all cases surface present to plugging; and or production casing is cemented in;
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district	If Yes, proposed zone: DAVIT RECEIVED ging of this well will comply with K.S.A. 55 ANSAS CORPORATION COMMISSION MAR 1 3 2008 Irilling rig; recirculating cement to the top; in all cases surface prevation presion within K.S.A. 55 and an analysis of production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual pluggood it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the understand that the surface propriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for the surface propriate district office will be notified before well is either plugged 6.	If Yes, proposed zone: PAVIT RECEIVED Ging of this well will comply with K.S.A. 55 RECEIVED MAR 1 3 2008 Irilling rig; recirculating cement to the top; in all cases surface prevation presion within K.S.A. 55 anderlying formation. It office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plugging it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each did. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the did. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133	If Yes, proposed zone: PAVIT RECEIVED Ging of this well will comply with K.S.A. 55 ANSAS CORPORATION COMMISSION MAR 1 3 2008 Irilling rig; Iricinating cement to the top; in all cases surface properties on within K.S.A. 55 and the complete of the co
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the L 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #130 must be completed within 30 days of the spud date or the well shall be p	If Yes, proposed zone: PAVIT RECEIVED Ging of this well will comply with K.S.A. 55 WAR 1 3 2008 Willing rig; oriculating cement to the top; in all cases surface properties on underlying formation. It office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing laugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief.
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the L 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p	If Yes, proposed zone: PAVIT RECEIVED Ging of this well will comply with K.S.A. 55 WAR 1 3 2008 Willing rig; oriculating cement to the top; in all cases surface properties on underlying formation. It office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing laugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief.
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the L 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #130 must be completed within 30 days of the spud date or the well shall be p	If Yes, proposed zone: PAVIT RECEIVED Ging of this well will comply with K.S.A. 55 MAR 1 3 2008 Irilling rig; recirculating cement to the top; in all cases surface production commission underlying formation. It office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. President Title:
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best pate: Signature of Operator or Agent: For KCC Use ONLY	If Yes, proposed zone: PAVIT RECEIVED Ging of this well will comply with K.S.A. 55 MAR 1 3 2008 Irilling rig; recirculating cement to the top; in all cases surface previous present within Assured production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing laugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief. President Title: President
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best pate: Signature of Operator or Agent: For KCC Use ONLY	If Yes, proposed zone: PRECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the L. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best pate: Signature of Operator or Agent: For KCC Use ONLY API # 15 - OO7 - 23272-OOO	If Yes, proposed zone: PAVIT Sing of this well will comply with K.S.A. 55 ANSAS CORPORATION COMMISSION MAR 1 3 2008 Irilling rig; Irilling
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the L. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best pate: Signature of Operator or Agent: For KCC Use ONLY API # 15 - OO7 - 23272-OOO Conductor pipe required	If Yes, proposed zone: PRECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the L. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best pate: Signature of Operator or Agent: For KCC Use ONLY API # 15 - OO7 - 23272-OOO Conductor pipe required feet per ALT. I Mi	If Yes, proposed zone: PAVIT RECEIVED Ging of this well will comply with K.S.A. 55 ANSAS CORPORATION COMMISSION MAR 1 3 2008 Irilling rig; circulating cement to the top; in all cases surface production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief. President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the L. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best pate: Signature of Operator or Agent: For KCC Use ONLY API # 15 - OO7 - 23272-OOO Conductor pipe required	If Yes, proposed zone: PAVIT RECEIVED Ging of this well will comply with K.S.A. 55 ANSAS CORPORATION COMMISSION MAR 1 3 2008 Irilling rig; Coirculating cement to the top; in all cases surface provided by the circulating cement to the top; in all cases surface provided by the circulating cement to the top; in all cases surface prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief. President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the L. 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best Date: 3 //2 / 08 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OO7 - 232 72 - OOO Conductor pipe required feet Minimum surface pipe required feet per ALT. I I III Approved by: May 3 25 08 This authorization expires:	If Yes, proposed zone: PAVIT RECEIVED Ging of this well will comply with K.S.A. 55 ANSAS CORPORATION COMMISSION MAR 1 3 2008 Irilling rig; circulating cement to the top; in all cases surface production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. St of my knowledge and belief. President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the L. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best Date: 3 //2 / 08 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 007 - 23272-000 Conductor pipe required	If Yes, proposed zone: Personal Core of taken? Personal Completed (within 60 days); Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the L. 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best Date: 3 //2 / 08 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OO7 - 232 72 - OOO Conductor pipe required feet Minimum surface pipe required feet per ALT. I I III Approved by: May 3 25 08 This authorization expires:	If Yes, proposed zone: Pes No

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 007-23272-000	
Operator: WHITE EXPLORATION, INC.	Location of Well: County: Barber
Lease: Swayden "A"	330 feet from N / X S Line of Section
Well Number: 1	990 feet from E / X W Line-of Section
Field: Whelan	Sec. 31 Twp. 31 S. R. 11 E X W
Number of Acres attributable to well: SE _ SW _ SW	Is Section: 🗶 Regular or 🔝 Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE X SW


PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

				ye			
	:	:	:			:	:
	:	:			:	:	;
!					;		:
İ			•		•		•

:	:		:		•	:	:
ì	:	: :	:		•		
	;	: :			:	:	;
 .		·				·	
ł							
ī	:	;	;			:	:
	:	:	-			:	:
	:						
]							
	:	:		٠.	:		:
1	: :	: :	3	1		;	:
l	,)			
]							
J		•	1				
	:	:		:		:	
ļ	;	:				:	
-	: :	:		:	:	:	
	• • • • • • • •						
i	: :						
İ			•				
	:	:				:	
	: '	:		:	•	•	
175765 A	<i>F</i>						
190	1.w	:	•	:	:	:	
	→ () }	:		:	;		
			;		-		
	_], √	'					
	~~						



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: WHITE EXPLORATION, INC.			License Number: 33856				
Operator Address: 2400 N. Woodlawn, Suite 115			Wichita KS 67220				
Contact Person: Kenneth S. White			Phone Number: (316) 682-6300)			
Lease Name & Well No.: Swayden "	'A" 1		Pit Location (QQQQ):				
Type of Pit:	Pit is:						
Emergency Pit Burn Pit	✗ Proposed		Sec. 31 Twp. 31 R. 11 Eas	t 🗶 West			
Settling Pit	If Existing, date constructed:		330 Feet from North / Sout	h Line of Section			
Workover Pit Haul-Off Pit	Pit capacity:		990 Feet from East / West Line of Section				
(If WP Supply API No. or Year Drilled)		(bbls)	Barber County				
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:	mg/l			
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits How is the pit lined if a plastic liner is not used				
Yes No	Yes 🗶	No	Bentonite in Drilling Mud	•			
Pit dimensions (all but working pits):	0 Length (fe	eet)60	Width (feet) N/A:	Steel Pits			
Depth fro	om ground level to de	eepest point:	3 (feet) No F	Pit			
If the pit is lined give a brief description of the material, thickness and installation procedure			dures for periodic maintenance and determining	j			
material, thickness and instantation procedure		inter integrity, ii	loading any special monitoring.				
			:				
		Depth to shallo Source of infor	n to shallowest fresh waterfeet.				
32न। feet Depth of water well	67 feet		red well owner electric log	KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:				
Producing Formation:		Type of materia	al utilized in drilling/workover: Chemical Mud				
Number of producing wells on lease: Number of wor		king pits to be utilized: 3					
Barrels of fluid produced daily: Abandonmer		Abandonment	t procedure: Allow to dry and backfill				
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drill pits must t	pe closed within 365 days of spud date. RECEI				
I hereby certify that the above state	ments are true and	correct to the best	of my knowledge and belief.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
		ν	MAR 13	-			
March 12, 2008 Date		glanet s	ignature of Applicant or Agent CONSERVATIO				
KCC OFFICE USE ONLY Steel Pit RFAC RFAS							
Date Received: 3 13 08 Permit Numl	ber:	Permi	t Date:Lease Inspection:	Yes 🔙 🖜			



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

March 24, 2008

Mr. Kenneth S. White White Exploration, Inc. 2400 N. Woodlawn Ste 115 Wichita, KS 67220

RE: Drilling Pit Application

Swayden A Lease Well No. 1 SW/4 Sec. 31-31S-11W Barber County, Kansas

Dear Mr. White:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily.

NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Havnes

Department of Environmental Protection and Remediation

cc: File