For KCC Use: Effective Date: District # SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

		Widst De	approved by KCC live		
Expected Spud Date:	APRIL	11	2008	Spot Description: YAROER 44-02	
	month	day	year	NE SE SE Sec. 2 Twp. 7 S. R. 39 TE	lw l
OPERATOR: License#	33019 🍃			(O/O/O/O) 727 feet from N / X S Line of Sec	
Name: ROSEWOOD RESOL	JRCES, INC.			391 feet from E / W Line of Sec	tion
Address 1: 2711 N. HASKELI		2800, LB 22	•	Is SECTION: Regular Irregular?	
Address 2:				(Note: Locate well on the Section Plat on reverse side)	
City: DALLAS		TX Zip: _7	5204 +	County: SHERMAN	
Contact Person: STORM SA	NDS			Lease Name: YARGER Well #: 44-02	
Phone: 214-756-6606				Field Name: WILDCAT	
CONTRACTOR: License#	33532			Is this a Prorated / Spaced Field?	Nο
Name: ADVANCED DRILLING	TECHNOLOGIE	S, LLC		Target Formation(s): Niobrara, Lansing-KS City, Marmaton, Cherokee, Morrow	
Well Drilled For:	Well Clas	Ti	oo Farriamanti	Nearest Lease or unit boundary line (in footage): 391'	
_ /_			pe Equipment:	Ground Surface Elevation: 3465.4' feet M	//SL
			Mud Rotary	Water well within one-quarter mile:	No .
Gas Storage		Ext.	Air Rotary	Public water supply well within one mile;	_
Disposa Seismic; # of H			Cable	Depth to bottom of fresh water: 185 0795	·
Other:		71		Depth to bottom of usable water: 195'	
If OWWO: old well in	formation as fo	ollows:		Length of Surface Pipe Planned to be set: 250' min.	
Operator:				Length of Conductor Pipe (if any): N/A	
Well Name:				Projected Total Depth: 5,300'	
Original Completion Date):	_ Original Tota	al Depth:	Formation at Total Depth: Arbuckle	
				Water Source for Drilling Operations:	
Directional, Deviated or Horiz			☐YesXNo	Well Farm Pond Other:	
If Yes, true vertical depth:				DWR Permit #:	
Bottom Hole Location: KCC DKT #:				(Note: Apply for Permit with DWR 🚺)	
KGC DK1 #				Will Cores be taken?	No
	•			If Yes, proposed zone: RECEIVED	
			A ==4	KANSAS CORPORATION COM	IMI33IC
The undersigned hereby off	firms that the	drilling come		FIDAVIT Igging of this well will comply with K.S.A. 55 et. seq. MAR 2 5 2008	ł
It is agreed that the followin				rigging of this well will comply with N.S.A. 55 et. seq. FIMN 2.5 2000	,
•	•	•		CONSERVATION DIVIS	ON
 Notify the appropriate A copy of the approve 			_	WICHITA KS	4. ,
				by circulating cement to the top; in all cases surface pipe shall be set	
				e underlying formation.	
				rict office on plug length and placement is necessary prior to plugging;	
				ed or production casing is cemented in:	
		•	• •	d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate If cementing	
			•	plugged. In all cases, NOTIFY district office prior to any cementing.	
I hereby certify that the stat	tements made	herein are tr	ue and correct to the	est of my knowledge and belief.	
			01-	Landman	
Date: March 24, 2008	Signature	of Operator	or Agent:	Title:	
	•			Remember to:	N
For KCC Use ONLY				- File Drill Pit Application (form CDP-1) with Intent to Drill;	
API # 15 . 181-20	517-P	000		- File Completion Form ACO-1 within 120 days of spud date;	- 1
Conductor pipe required				- File acreage attribution plat according to field proration orders;	
T COLIGOROLO PIPE IEQUIRED —	Non	w_	foot		7
N	Non		_feet	- Notify appropriate district office 48 hours prior to workover or re-entry;	7
Minimum surface pipe requ	uired a	150	_feet _feet per ALT.	 Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); 	
Minimum surface pipe requ	uired 2508	150	_/_	 Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. 	7 39
Approved by: 1 3-3 This authorization expires:	uired 25.08 : 3-25.0	150 0 9	feet per ALT.	 Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); 	
Approved by: 100 3-3	uired 25.08 : 3-25.0	150 0 9	feet per ALT.	 Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. 	39
Approved by: 1 3-3 This authorization expires:	uired	09 I within 12 mont	feet per ALT.	 Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please 	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 181-20517-0000	
Operator: ROSEWOOD RESOURCES, INC.	Location of Well: County: SHERMAN
Lease: YARGER	727 feet from N / X S Line of Section
Well Number: 44-02	391 feet from X E / W Line of Section
Field: WILDCAT	Sec. 2 Twp. 7 S. R. 39 E 🔀 W
Number of Acres attributable to well: 160 QTR/QTR/QTR/QTR of acreage: NE SE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT


(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

				:		
 · :				· :	·	
		:				
		:	2 ———			
						391'
 	·				727'	Ţ
					121	

RECEIVED KANSAS CORPORATION COMMISSION

MAR 25 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: ROSEWOOD RESOL	JRCES, INC.	License Number: 33019					
Operator Address: 2711 N. HASKELL A	VE., SUITE 2800	DALLAS TX 75204					
Contact Person: STORM SANDS		Phone Number: 214-756-6606					
Lease Name & Well No.: YARGER	44-	-02	Pit Location (QQQQ):				
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water Is the bottom below ground level? Yes No Pit dimensions (all but working pits):	If Existing, date of	(bbls)	NE SE SE Sec. 2 Twp. 7 R. 39 East West 727 Feet from North / South Line of Section 391 Feet from East / West Line of Section SHERMAN County Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?				
If the pit is lined give a brief description of the material, thickness and installation procedure Distance to nearest water well within one-mile		liner integrity, is	edures for periodic maintenance and determining including any special monitoring. Deprivation: 160 70 feet.				
2286 feet Depth of water well		Type of materia	well owner electric log KDWR kover and Haul-Off Pits ONLY: al utilized in drilling/workover: Bentonite rking pits to be utilized: 1 procedure: Evaporation & Backfill				
Does the slope from the tank battery allow all flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date. RECEIVED correct to the best of my knowledge and belief. KANSAS CORPORATION COMMISS					
March 24, 2008 Date		B.	MAR 2 5 2008 Signature of Applicant or Agent CONSERVATION DIVISION WICHITA, KS				
Date Received: 3/25/08 Permit Num		OFFICE USE O	INLY Steel Pit RFAC RFAS Init Date: 3/35/08 Lease Inspection: Yes No				