#### For KCC Use: 3-31-08 Effective Date: District #

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

## **NOTICE OF INTENT TO DRILL**

Expected Spud Date: 04/22/2008		
month day year	Spot Description:  C NE SW Sec. 25 Twp. 30 S. R. 34 DE	
OPERATOR: License# 5447	feet from N / S Line of Se	
Name: OXY USA, Inc. Address 1: P O Box 2528	990 feet from ☐ E / ☒ W Line of Seins SECTION: ☒ Regular ☐ Irregular?	ction
Address 1: FORM 2020 Address 2:	<del></del>	
City: Liberal State: KS Zip: 67905 +	(Note: Locate well on the Section Plat on reverse side)  County: Haskell	
Contact Person: Jarod Powell	Lease Name: Schnellbacher "A" Well #: 4	
Phone: 620-629-4200	Field Name: Unknown	
CONTRACTOR: License#	Is this a Prorated / Spaced Field?	No
Name: Murfin Drilling Co., Inc	Target Formation(s): St Louis	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 990	
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 2956 feet Mater well within one-quarter mile:	No No
Gas Storage Pool Ext. Air Rotary		No
Disposal Wildcat Cable Seismic; # of Holes Other	Depth to bottom of fresh water: 560	
Other:	Depth to bottom of usable water: 640	
	Surface Pipe by Alternate: XI III	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 1750'	
Operator:	Length of Conductor Pipe (if any):	
Well Name:	Projected Total Depth: 5700	<del></del>
Original Completion Date: Original Total Depth:	Formation at Total Depth: St Louis	
Directional, Deviated or Horizontal wellbore?  If Yes, true vertical depth:  Bottom Hole Location:	Water Source for Drilling Operations:  Well Farm Pond Other:  DWR Permit #:  (Note: Apply for Permit with DWR )	
KCC DKT #:	Will Cores be taken?	lno
	If Yes, proposed zone:	
PRORATED & SPACED : HULDTON- PANOMA AFF	RECEIV	/ED
	IDAVIT KANSAS CORPORATIO	
The undersigned hereby affirms that the drilling, completion and eventual plug	· · · · · · · · · · · · · · · · · · ·	
It is garead that the following minimum requirements will be mot:		
It is agreed that the following minimum requirements will be met:	MAR 26	2008
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> be</li> </ol>	drilling rig;  CONSERVATION by circulating cement to the top; in all cases surface pipe shall be setWiCHITA	l DIVISION
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the distriction</li> </ol>	drilling rig;  CONSERVATION by circulating cement to the top; in all cases surface pipe shall be set ICHITA underlying formation. ict office on plug length and placement is necessary prior to plugging;	l DIVISION
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugger</li> </ol>	drilling rig;  CONSERVATION by circulating cement to the top; in all cases surface pipe shall be seWICHITA underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;	l DIVISION
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented.</li> </ol>	drilling rig;  CONSERVATION by circulating cement to the top; in all cases surface pipe shall be seWICHITA underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;	l DIVISION
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented.</li> </ol>	drilling rig;  CONSERVATION by circulating cement to the top; in all cases surface pipe shall be seWICHITA underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing	l DIVISION
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13</li> </ol>	drilling rig;  CONSERVATION by circulating cement to the top; in all cases surface pipe shall be set ICHITA underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if rom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	l DIVISION
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be</li> </ol>	drilling rig;  CONSERVATION by circulating cement to the top; in all cases surface pipe shall be set/ICHITA underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.  Capital Assets	DIVISION KS
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the beautiful or the statements.    O3/25/2008   Signature of Operator or Agent:   O3/25/2008   Operator or Agent:   Operator or Agent   Operator   Operator or Agent   Operator   Oper	drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set ICHITA underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if rom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.  Capital Assets  Remember to:	l DIVISION
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the because of the complete of the complete of the plants.  Signature of Operator or Agent:  O3/25/2008  For KCC Use ONLY	drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set/ICHITA underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 83,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.  Capital Assets  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;	DIVISION KS
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best of the complete of	drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set ICHITA underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if rom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.  Capital Assets  Remember to:	DIVISION KS
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and correct to the best of the specific of	drilling rig; by circulating cement to the top; in all cases surface pipe shall be setWiCHITA underlying formation.  Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. If sa,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  East of my knowledge and belief.  Capital Assets  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	DIVISION KS
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and correct to the best of the specific of	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set the set underlying formation.  Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  East of my knowledge and belief.  Capital Assets  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);	DIVISION KS
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best of the complete of the specific of t	drilling rig; by circulating cement to the top; in all cases surface pipe shall be setWiCHITA underlying formation.  Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. If sa,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  East of my knowledge and belief.  Capital Assets  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	DIVISION KS
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the becompleted.  Date:  Signature of Operator or Agent:  O3/25/2008  Signature of Operator or Agent:  feet  Minimum surface pipe required  Approved by:  Minimum surface pipe required  Approved by:  Minimum surface pipe required  This authorization expires:  According to spud on each and surface pipe and the surface pipe required  Approved by:  Minimum surface pipe required  This authorization expires:  Signature of Operator or Agent:	drilling rig; by circulating cement to the top; in all cases surface pipe shall be setWiCHITA underlying formation.  Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  East of my knowledge and belief.  Capital Assets  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.	DIVISION KS
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best of the complete of the specific of t	drilling rig;  by circulating cement to the top; in all cases surface pipe shall be setWiCHITA underlying formation.  ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;  if from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  East of my knowledge and belief.  Capital Assets  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired Date:	DIVISION KS
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the becompleted.  Date:  Signature of Operator or Agent:  O3/25/2008  Signature of Operator or Agent:  feet  Minimum surface pipe required  Approved by:  Minimum surface pipe required  Approved by:  Minimum surface pipe required  This authorization expires:  According to spud on each and surface pipe and the surface pipe required  Approved by:  Minimum surface pipe required  This authorization expires:  Signature of Operator or Agent:	drilling rig; by circulating cement to the top; in all cases surface pipe shall be setWiCHITA underlying formation.  Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. If sa,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  East of my knowledge and belief.  Capital Assets  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	25 30 34

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 081-21806-0000	
Operator: OXY USA, Inc.	Location of Well: County: Haskell
Lease: Schnellbacher "A"	990 feet from N / X S Line of Section
Well Number: _4	990 feet from E / X W Line of Section
Field: Unknown	Sec. <sup>25</sup> Twp. <u>30</u> S. R. <u>34</u> 🔲 E 🔀 W
Number of Acres attributable to well: 10	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show lootage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: OXY USA Inc.		License Number: 5447	
Operator Address: P. O. Box 25	28. Liberal.	KS 6790	
Contact Person: Mike Fink		Phone Number: ( 620 ) 624 - 3569	
Lease Name & Well No.: Schnellbacher A-4			Pit Location (QQQQ):
Type of Pit:	Pit is:		C NE SW SW
Emergency Pit Burn Pit  Settling Pit ✓ Drilling Pit  Workover Pit Haul-Off Pit	✓ Proposed  If Existing, date c  Pit capacity:	Existing constructed:	Sec. 15 Twp. 30S R. 34 East  West  990 Feet from North / South Line of Section  990 Feet from East / West Line of Section
(If WP Supply API No. or Year Drilled)	16,000	(bbls)	Haskell County
is the pit located in a Sensitive Ground Water	Area? Yes	7 No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?  Yes No	Artificial Liner? ☐ Yes ✓	No	How is the pit lined if a plastic liner is not used?  Bentonite & Cuttings
Pit dimensions (all but working pits):	50 Length (fo	eet)150	Width (feet) N/A: Steel Pits
		4	(feet)
Depth for the pit is lined give a brief description of the material, thickness and installation procedure		Describe proce	edures for periodic maintenance and determining necluding any special monitoring.
If the pit is lined give a brief description of the	e liner	Describe proce	edures for periodic maintenance and determining
If the pit is lined give a brief description of the	e liner e.	Describe proce liner integrity, in	edures for periodic maintenance and determining including any special monitoring.
If the pit is lined give a brief description of the material, thickness and installation procedure	e liner e. e of pit	Describe proce liner integrity, in Depth to shallo Source of infor	edures for periodic maintenance and determining including any special monitoring.
If the pit is lined give a brief description of the material, thickness and installation procedure.  Distance to nearest water well within one-mil-	e liner e. e of pit 43/feet	Describe procelliner integrity, in Depth to shallo Source of informeasu	west fresh water feet. mation: ured well owner electric log KDWR
If the pit is lined give a brief description of the material, thickness and installation procedure.  Distance to nearest water well within one-mil-	e liner e. e of pit 43/feet	Describe procelliner integrity, in Depth to shallo Source of informeasu	edures for periodic maintenance and determining nocluding any special monitoring.  west fresh water
If the pit is lined give a brief description of the material, thickness and installation procedure.  Distance to nearest water well within one-mile.  3539 feet Depth of water well  Emergency, Settling and Burn Pits ONLY:	e liner e. e of pit 43/feet	Describe procelliner integrity, in the process of information of work to be some and the process of the process	west fresh water feet. mation: well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Water Mud king pits to be utilized:
If the pit is lined give a brief description of the material, thickness and installation procedure.  Distance to nearest water well within one-mile.  Begin Depth of water well within one-mile.  Emergency, Settling and Burn Pits ONLY:  Producing Formation:	e liner e.  e of pit  43/feet	Describe procelliner integrity, in the process of information of works and the process of the pr	west fresh water feet. mation: well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Water Mud
If the pit is lined give a brief description of the material, thickness and installation procedure.  Distance to nearest water well within one-mile.  Begin Depth of water well.  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:	e liner e.  e of pit  43/feet	Describe procelliner integrity, in the process of the shalled Source of informeast.  Drilling, Work Type of material Number of work Abandonment	west fresh water
Distance to nearest water well within one-milematerial, thickness and installation procedure.  Distance to nearest water well within one-milematerial.  Depth of water well within one-milematerial.  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow allowed.	e liner e.  e of pit  43/feet :	Describe proceliner integrity, in the control of th	west fresh water
Distance to nearest water well within one-milematerial, thickness and installation procedure.  Distance to nearest water well within one-milematerial.  Depth of water well.  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow alflow into the pit?  Yes No	e liner e.  e of pit  43/feet :	Describe proceliner integrity, in liner in liner integrity, in lin	west fresh water