


15-173-03020-00-00

STATE OF KANSAS
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Biting Building
Wichita, Kansas

NORTH



Locate well correctly on above
Section Plat

Sedgwick County, Sec. 5 Twp. 26 Rge. 2 (E) (W)

Location as "NE/CNW¹/₄SW¹/₄" or footage from lines

Lease Owner J.P. Gaty

Lease Name Brewers Brooks Well No. 2

Office Address Beechcraft

Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole

Date well completed May 4 1949

Application for plugging filed May 3 1949

Application for plugging approved May 3 1949

Plugging commenced May 3 1949

Plugging completed May 4 1949

Reason for abandonment of well or producing formation Hole full of water

If a producing well is abandoned, date of last production _____ 19__

Was permission obtained from the Conservation Division or its agents before plugging was commenced? _____

Name of Conservation Agent who supervised plugging of this well D. Lilly

Producing formation Burgess Depth to top 3026 Bottom 3030 Total Depth of Well 3030 Feet

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
<u>Sand</u>				<u>6 5/8</u>	<u>2992</u>	<u>2794'</u>

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

Cemented bottom with 5 sacks mudded hole and bridged same at 200 ft.
Put 15 ft. rock bridge - 15 sacks cement on rock bridge - mudded hole
to cellar - 5 sacks cement in cellar

7-30-49

(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to _____

Address _____

STATE OF Kansas, COUNTY OF Sedgwick, ss.

_____, (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) May Howell


210 N. Edgeman (Address)

SUBSCRIBED AND SWORN TO before me this 30 day of July 19 49

12/31/53

Seward S. Greider
Notary Public.

My commission expires _____



Company: John P. Gaty
 Farm: Broers #2

Comm: March 12, 1949
 Comp: April 30, 1949
 Contractor: Max Howell

Section 5, T 26, R 2 E
 Cor. S $\frac{1}{2}$ SW
 Sedgwick County, Kansas
 Elevation: 1449' D. F.
 Cable Tools
 Total Depth: 3027'
 Dry & Abandoned

Casings: 15 $\frac{1}{2}$ " @ 52'
 10" @ 1619'
 8" @ 2645'
 6 5/8" @ 2992'

0-6	Cellar	965-990	Shale & shells
-25	Clay	-995	Lime
-35	Yellow clay	-1000	Shale
-40	Red rock	-1005	Lime
-165	Shale	-1090	Shale
-170	Lime	-1100	Red rock
-195	Shale	-1105	Lime
-205	Shale & shells	-1115	Shale
-215	Lime	-1120	Lime
-220	Shale	-1125	Red rock
-225	Lime	-1145	Shale
-230	Shale	-1150	Lime
-270	Lime shells & shale	-1170	Shale
-290	Lime	-1175	Lime
-295	Shale	-1185	Shale
-305	Lime	-1195	Lime sandy
-310	Shale	-1205	Shale & shells
-340	Lime	-1225	Shale
-350	Shale	-1230	Lime
-360	Lime	-1265	Shale
-365	Shale	-1270	Lime
-370	Red rock	-1280	Shale
-395	Shale	-1285	Lime
-405	Lime	-1320	Shale
-440	Shale	-1335	Lime
-455	Lime	-1345	Shale
-475	Shale & shells	-1352	Lime
-485	Lime	-1370	Shale
-495	Shale	-1380	Lime
-510	Lime	-1390	Shale
-520	Lime broken	-1410	Shale & shells
-530	Shale	-1425	Lime
-545	Lime	-1430	Shale
-580	Shale sandy	-1435	Lime
-605	Shale	-1450	Shale
-615	Lime	-1455	Lime
-625	Shale	-1505	Shale
-630	Lime	-1560	Lime
-635	Shale	-1565	Shale
-655	Lime	-1575	Lime
-665	Lime broken	-1600	Shale
-675	Shale	-1615	Lime
-680	Lime	-1640	Shale
-685	Shale	-1690	Lime
-695	Red rock	-1710	Shale
-705	Lime shells	-1735	Lime
-725	Shale	-1750	Lime
-735	Lime shells & shale	-1760	Shale
-760	Shale	-1770	Lime
-805	Lime	-1795	Shale
-820	Shale	-1810	Lime
-865	Lime	-1820	Shale
-875	Shale	-1835	Lime
-885	Lime	-1840	Shale
-905	Shale & shells	-1855	Lime broken
-910	Shale	-1860	Lime hard
-915	Lime	-1880	Lime
-945	Shale	-1890	Shale
-950	Lime	-1935	Lime
-965	Shale	-1940	Shale

PLUGGING
 FILE SEC 5 26 R 2 E
 BOOK PAGE 94 LINE 8

John P. Gaty - Broers #2 (cont.)

1940-1985	Lime
-1995	Shale
-2015	Lime
-2025	Shale
-2035	Shale & shells
-2045	Lime
-2175	Shale
-2185	Lime
-2215	Shale
-2235	Lime
-2300	Shale
-2470	Lime
-2515	Shale
-2520	Lime
-2530	Shale
-2560	Lime
-2569	Shale
-2630	Lime
-2640	Lime sandy
-2650	Lime
-2655	Lime sandy
-2662	Lime
-2668	Shale
-2721	Lime
-2777	Shale
-2790	Lime
-2825	Shale
-2830	Lime
-2845	Shale
-2850	Lime
-2865	Shale
-2875	Shale & shells
-2900	Lime & shale breaks
-2910	Lime
-2955	Shale
-2965	Lime hard
-3009	Shale
-3026	Sand
-3027	Chat

Total Depth @ 3027'

Tops: Kansas City	@ 2550'
Basal Pennsylvanian sandstone	@ 3009'
Mississippian	@ 3027'

80+

Water Record:	1/2 BWPL	@ 765-770
	5 BWPL	@ 1190
	1/2 BWPL	@ 2230-35
	1 BWPL	@ 2395-2400
	Show oil	@ 2569
	2 BWPL	@ 2712-15
	Show oil	@ 3026 -