


STATE OF KANSAS
STATE CORPORATION COMMISSION

Form CP-4

WELL PLUGGING RECORD

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
212 No. Market
Wichita, Kansas

NORTH



Locate well correctly on above
Section Plat

Sedgwick County. Sec. 5 Twp. 26 Rge. 2 (E) E (W)
Location as "NE/CNW/SW" or footage from lines C N/2 SE SW
Lease Owner Kathol Petroleum, Inc.
Lease Name Broers Well No. 1
Office Address 900 Sutton Place Wichita, Kansas
Character of Well (completed as Oil, Gas or Dry Hole) Oil
Date well completed Aug. 21 1948
Application for plugging filed Feb. 21 1969
Application for plugging approved Feb. 24 1969
Plugging commenced Mar 28 1969
Plugging completed Apr 1 1969
Reason for abandonment of well or producing formation Depletion Of Oil Pay

If a producing well is abandoned, date of last production 2/21 1969
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well Ted E. Dewey
Producing formation Burgess Depth to top 2540 Bottom 2555 Total Depth of Well 2973 Feet
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				8 5/8	125	125
				7	2970	500

RECEIVED
STATE CORPORATION COMMISSION
MAY 5 1969
CONSERVATION DIVISION
Wichita, Kansas

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

Placed sand from 2973ft. to 2950ft. set
plug and dump 6 sx. cement
10#x mud & 2sx hulls 220 ft. to 190 ft.
50sx cement 190 ft. to 130 ft.
5sx mud & 2sx hulls 130 ft. to 100 ft.
50sx cement 100 ft. to 60 ft.
5sx mud & 1sx hulls 60 ft. to 30 ft.
50sx cement 30 ft. to 0 ft.

(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor Ralph Comstock Pipe Pulling Inc.
Address Stafford, Kansas

STATE OF Kansas COUNTY OF Sedgwick, ss.
Homer J. Catt


(employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) Homer J. Catt

(Address)

Subscribed and sworn to before me this 2nd day of May, 1969

My commission expires June 17, 1972
Notary Public.



Well Log

Company: J. P. Gaty
Farm: Broers #1

Comm: July 13, 1948
Comp: August 21, 1948
Contractor: Earl Wentworth

Section 5, T 26 S, R 2 E
QNI SE SW
Cable Tools
Elevation: 1427'
Total Depth: 2976'
Initial P...

RECEIVED
STATE CORPORATION COMMISSION

(CORRECTED COPY)

FEB 24 1969

CONSERVATION DIVISION
Wichita, Kansas

Well Log -- Broers #1

Cellar	7	Lime	1005	Sand	3 BW	2097
Shale	110	Shale	1045	Shale		2162
Lime - 4 BW	125	Lime	1050	Lime		2175
Shells	135	Shale	1080	Shale		2190
Lime	170	Red rock	1085	Lime		2215
Shale	175	Shale	1105	Shale		2305
Lime	190	Lime	1110	Lime		2430
Shale	195	Red rock	1115	Shale		2435
Shale & lime	225	Shale	1130	Lime		2450
Lime	235	Lime	1135	Shale		2485
Shale	240	Shale	1170	Lime		2490
Lime	270	Sandy shale	1180	Shale		2520
Shale	275	3 BW	1170-1180	Lime KC		2528
Lime	285	Shale	1215	Lime broken		2533
Shale	300	Lime	1220	Lime		2627
Lime	350	Shale	1250	Shale		2633
Shale	370	Lime	1255	Lime		2690
Lime	385	Shale & shells	1305	Shale		2750
Shale	405	Lime	1340	Lime		2765
Red rock	410	Shale	1345	Shale		2780
Lime	450	Lime	1370	Lime		2805
Shale	455	Shale	1375	Shale		2818
Lime	465	Lime	1380	Lime		2850
Shale	475	Shale	1390	Shale		2860
Lime	560	Lime	1400	Lime		2882
Shale & shells	580	Shale	1415	Shale		2890
Lime	590	Lime	1420	Lime		2913
Shale	595	Shale	1440	Shale		2917
Lime	655	Lime	1450	Lime		2935
Shale	660	Shale	1455	Shale & shells		2968
Red rock	675	Lime	1470	Shale		2973
Lime	690	Shale & shells	1510	Sand		2976 oil
Shale	695	Lime	1565	Shale		2977
Lime	705	Shale	1585			
Shale & shells	750	Sand HFW	1610			
Shale	795	Shale	1630			
4 BW	770-775	Lime	1670			
Lime	810	Shale	1700			
Shale	835	Lime	1770			
Lime	845	Shale	1790			
Shale	855	Lime	1800			
Lime	865	Shale	1810			
Shale	878	Lime	1825			
Lime	885	Shale	1835			
Shale	890	Lime	1975			
Lime HFW	915	Shale	1990			
Lime	940	Lime	2010			
Shale	945	Shale	2015			
Lime	960	Lime	2020			
Shale	975	Shale	2030			
Lime	980	Lime	2035			
Shale	990	Shale	2075			

Pipe Record:

12 1/2"	- - -	925'
10"	- - -	1615
8"	- - -	2625
7"	- - -	2968

Top: Kansas City lime 2520'

Signed: Earl Wentworth
Earl Wentworth