STATE OF KANSAS STATE CORPORATION COMMISSION

Form CP-4

Give All Information Completely	
Make Required Affidavit	
Mail or Deliver Report to:	

WELL PLUGGING RECORD i or Deliver Report to:
Conservation Division
State Corporation Commission
P. O. Box 17027
Wichita, Kansas 67217

P. O. Box 17027 Wichita, Kansas 6727	ninkal Autono Londe – udalentelukraliken N. delikiri	Graham	Count	y. Sec. 13	Twp. 8S Rge	$(E)_{\underline{23}}(W)$
NORTH		"NE/CNWXSWX"	or footage from		/2 N/2 SE	to the course continue on the company of the continue of the c
	Lease Owner Lease Name		and the second second second second	LILLIIS, L		Well No1
The state of the s	Office Addre	801 Ur		er, Wichi	ta, Kansas	67202
	Character of	Well (completed	as Oil, Gas or	Dry Hole)_	Dry Hole	CONTRACTOR OF THE PROPERTY OF
	Date well or		Bangana communication, constituto de constit	(verba	May ally) May	
		for plugging filed for plugging appro		to the state of th	war was now as the contract of	
	7	nmenced		apolity o calety applicable in the filter to segment on the desired teacher and about the season.	The state of the second	29, ₁₉ 73
7779	9	mpleted			May	29, ₁₉ 73
	Reason for a	bandonment of we	ll or producing	g formation	Dry	Hole
estimates and the second secon	If a produci	ng well is abando	red date of la	et randuction		19
	B .					fore plugging was com-
Locate well correctly on above Section Plat	menced?		4 4 4 4 4 4 4	antriju, ver sambe estadoja sastensa tira en rejera ve antriprosoperotati sastens en		жим в серезописот на петантий в так от выполнений бито десь денный в селед на петаний в потобительный в селед на петаний в селе
Name of Conservation Agent who sug	pervised plugging of	and do M In a control of control of the	11 Nichol		organism to the second	e xxx 3610 xx 4
Producing formation Show depth and thickness of all water			morron	e grapher all and warfer there are quarted on recent the delenance.	_ lotsi Depth o	f Well 3010 Feet
-		area gur danisqr e				alcina proops
OIL, CAS OR WATER RECOR					Consequent Service actuals to both secretarian temperature and the Secretarian Service and Secretarian Secretaria	CASING RECORD
FORMATION	CONTENT	FROM	ТО	SIZE	PUT IN	PULLED OUT
	Annual grade for constructional systems and for market or said for the state of the	entre a series handelen entre en		and the same and the same same shows the same same same same same same same sam		And the second production to the second construction of the construction of the second construction of
		at plan ringe og glanne en at fler i fysiol på det an neger mer at til på dette flavor det ha glann og greg op de appangn		and the second control of the second control	enterestration of the State of	many garangan-ma-manganipanganipandan-pipun yapanan hara papun penganyarahan mangan
No. 1. St. 12. Sept. 101. To considerable to the september of the septembe	and the spiral of the contribution of service contribution of the service of the	and compared to the state of th		Considerate restriction of the State of the		and a second of the contract o
A AND A 1 1 TOP OF THE POPULATION AND ADDRESS OF THE POPULATION AN		and the same of th			verbere o seguine applies. Here a comment actual seguine de comment de comment de comment de comment de commen	
		- April - Apri		THE AMERICAN STREET, A SECURE OF THE STREET, AND A SECURE OF THE STREET, AS	and the transfer on the same of the same o	Segundar and Appears and our construction the resident Appears to the control of the segundar and the segund
3rd plu	ig set at 220 ig set at 40' win at 3:45 p.	w/10 cu. ft		STATI	FECEIV JUNA JUNA 197	
		the statement of the st	errinkandermelder is hayd o'nsperjakhinge einen dessentralle die gewoonjak majorde	·····································	JUN TION C	OMA
		an all has a sugar and such district and sugar and sugar and sugar sugar and sugar and sugar and sugar and a s	age about the constitution of the a Appendix and an age of the second of the con-	CONON	10>	- 11//SSION
		STEETTER TOT TO THE CONTROL OF THE C	Market very produkt to refer of the describeratives are explosively a secure polynomial to the contract of the	W	RVATION DIVIS	American mone and a process of the contract of
1857 AL AA POTTOMOGRAFIA WERE BEING BEING FOR FALL DESCRIPTION AND MAN AND MAN AND MAN AND MAN AND AND AND AND AND AND AND AND AND A				and the second s	Thita, Kansas	
	Mercent to the time the time plants to the district supervised with the providence by the time to the providence of the time to the time t	778 Materia (1787 1974 M. M. M. M. Materia (1884 Marie 1884 Marie 1884 Materia) (1884 Materia) (ittirangan nagan samakat bita dagaat dagaat dagaat ahaat ahaat ahaa sa		7533	10N
ALLER TO LINE TO THE TOTAL CONTROL OF THE TOTAL CON	чести т. — пет се пред перешения объеми пред пере се се се тере на перечаство у се перечасна на перечасна на п Пет се се се пет се			anne en	antimativa espain. Most garde som vider – 4 antiget belga primitet delity primesticates at 100 kg affarendet	6-4-75
					an Maria Maria Salve e C. C. (L. 1900) se e transcribre è activi, C. C. (Se timo tr _e public provincio de la calendario de la Companya de la calendario de la Companya del Companya del Companya de la Companya del Companya de la Companya de la Companya del Companya de la Companya del Companya del Companya de la Companya del Companya del Companya de la Companya de la Companya del Company	and the second s
	· Professional Shows Serve of controller industrial flat and an experience of the supplemental and the supplementa	Mary and the second of the sec				
	etulen 180-regies (1875) era 487 era delle elle etable eta	e gar Sartant with Asia Partura in Papala day with a region of heading producing papagas produce and a resident	an di san trada di na esperante di para sama à un princi d'albas d'an trata l'anticida.	PORTOR FLANT - 155, 4 - 177 - 1844 - 156 de 1845 de 18	angernals of Makeutus manage reported Epocolistocrature (Makeutus), describe describe describe describe describe	医沙耳氏性 电电子电子 化二氢二氢 化二氢二氢 化二氢二氢 化二氢二氢 化二氢 化二氢 化二氢 化二氢
	ментиру него подователь принега него подового драментиру на него него подовать две него подовать подовать него	belanchen de und beseichen Gebreichten met unt uns gescheit der Werter er vertrege	Operation description of the second s	anti-recommendation of the second	andron-strendingsycospherical strendingsides (SAM), befole till, ossestes attalegade	n der bilderstelsen bestille der bestille bestimmter der bestille der bestille von der der bestille be
						Brancondocum-in-Vineral como como para antidocosso Denoy na Sela londos como para se se
Name of Plugging Contractor	Abercrombie	onal description is nece Drilling,	essary, use BACK Inc.	of this sheet)		The state of the s
Address		Center, Wich		as 67202		эмистомический компониции по полительной полите
	от не быль в наменен наменен на неже пределения в наменен образователен и в подгото уделивателен на неже подго не подготов, дост и пред от 10 гг. под 10	der et a sicher ist er ver die der der Vertrieb, die der der verscher zu der versche zu der verscher zu der de Geber in Stemme vorlieben der	n schramiter ve productiv fettige optione operative i store verdredelske sakstige store i morphie i i i report til natt skille klades blev i vilge sen i somfig generalde species som stilleren av	ng yikan en menganaru-terminense adaman. Amparan beredanus apparatus Militar malamin yasin dalam kepinensi mendan dapan yinggalaksiyi baba ad	radadus virkinaliyadigi erippuis erinoviki kunan kadi yakda udaken eri virki 1986 dagiiri a kadi yak erina kunan fare eta a kudasa daki sipris virila iliya kunan dagi kasana kirki a sipr indad erikadiyota	many para karaman kata da da kata da kata kata kata kata
STATE OF <u>KANSAS</u> Jerry A. Lang	and had	00713 OF		an turum - mane anamentersturgiskujas — misjanora yakilgosjandasi		
well, being first duly sworn on oath,	Querry mid Post manife parties and service in the resemble of the Control of the	errorealester of the	employee of o	owner) or (ov	vner or operator	of the above-described
above-described well as filed and the	at the same are true	and correct. So	help me God.	mes, and mate	derein gentar	ned and the log of the
		(Signature)	ten	11/1	dan.	gellen
		a magazata tata ta famini	801 Unio	1 -	Wichita,	Kanege 67202
	_	· /		y vencer,	(Address)	Kansas 67202
Subscribed and Sworn to before	ore me this3	Blst do of	May 🥦]		73
		ong yan salah	<u>Q</u>	enely	Man	N
My commission expires February	10, 1975	er elderer stiggere i de retterdøyt familie verelgemelere		Beverly P	fann	Notary Public.

	This is to replace previous contractor's well log.											
•	4 .		~ 1		IMP	ORTAN	r	t	\cap			
KANSAS DRILLERS LOG Kans. Geo. Survey request Samples on this sall.							Θ_{\perp}	12	8 93 ¥			
										s. 13 T. 8 R. 23 X		
\neg	API No. 15	065 County		20	0,606~C	XO-0	O			Loc. N ¹ / ₂ N ¹ / ₂ SE		
	Operator	(************************************	Nun	nber				(CountyGr			
		ombie Dri		g,	Inc.	#					640 Acres N	
		ion Cente a. Kansas								160	160	
	Well No.	Lease Name							_			
	#7 Footage Location		Worc	este	er	1				-	10111	
		(N) 🔉 line	*		1370 feet	from XEX	(W) line	of SE	/4			
	Principal Contractor Abercrombie	Drilling	Tnc	Geolo	gist Iack K. W	harto	n			160	160	
	Spud Date	Dittiting,	THC:		Depth	-	B.T.D.	•		Locat	e well correctly	
	May 22, 1973 Date Completed	3	Water 1/2 Reserve		10					lev.: Gr21		
	May 29, 1973	3		1	ırchaser -					of 2125	кв2127	
					CASING	RECOR	D			etiganigi sephilinin v sers-risi sephinisere		
\supset	Report of all string	ıs set — surface, i	intermed	diate, p	roduction, et	c.						
	Purpose of string	Size hole drilled	Size cas (in O	ing set	Weight lbs/ft.	Setting o	depth	Type cer	nent	Sacks	Type and percent additives	
	Surface Csg.	12½	8-5/	/8"	2 8#	212		Common		170	2% ge1	
Surface Csg. 12½ 8-5			, = = = = = = = = = = = = = = = = = = =					*****	170	278 602		
		-										
C						,						
		D	PE			PERFORA	REFORATION RECORD					
	Top, ft.	lottom, ft.	S	Sacks cement Shots per ft.			Size	& type	Depth interval			
\neg	e:	TUBING RECO	····		(and here the same of the same		
Size Setting depth				acker se	t at							
		A	CID, F	RACTU	RE, SHOT,	CEMENT	r squee	ZE RECO	ORD			
		Amou	nt and ki	ind of m	naterial used	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					pth interval treated	
기								ST	ATE CORP	CEIVE	D	
	STATE CORPORATION COMMISSION JUN 4 1070									AMISSION		
		Nessa Nama Danis D	1 7 - 18 - 18 - 18 - 18 - 18 - 18 - 18 - 1		<u> </u>	-		.C(14/		
·						00::6=-			Wichi	ATION DIVI	Viole	
	Date of first production		Pro	-	MITIAL PR			ft, etc.)		" - vailsas	/ // ===	
		Toll			Gas		J. J	Water		10	6-4-13	
$_{\sim}$	RATE OF PRODUCTION PER 24 HOURS			bbls.		***************************************	MCF	TT GIEF		bbls.	i-oil ratio CFPB	
7	Disposition of gas (vented,	used on lease or se	old)	Producing inte				ng interval	terval (s)			
ĺ												

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 3830 So. Meridian (P.O. Box 17027), Wichita, Kansas 66217. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

Operator-	ie Drilling, Inc.			DESIGNATE TYPE OF CO	COMP.: OIL, GAS,
Well No.	Lease Name				
11	Worcester	Dry Hole			
s_13_T_8S_R	23 ¥ W				
Show all important	WELL LOG t zones of porosity and contents thereof; cored rval tested, cushion used, time tool open, flowing	intervals, and all drill and shut-in pressures,	-stem tests, in- and recoveries.	SHOW GEOLOGICAL MAI OR OTHER DESCRIPTIV	RKERS, LOGS RUN, E INFORMATION.
	TION DESCRIPTION, CONTENTS, ETC.	ТОР	воттом	NAME	DEPTH
Clay, Sand Shale Sand Shale Shale & Sand Anhydrite Shale Lime & Shale Lime Shale & Lime Rotary Tor	and ale ime	0 100 810 950 1160 1756 1787 2830 3000 3200 3355	100 810 950 1160 1756 1787 2830 3000 3200 3355 3610 3610	Anhydrite B/Anhydrite Howard Heebner Toronto Lansing B/K.C. ELTD	1758 1780 3036 3351 3376 3394 3604 3611
45". Rec. IBHP 1119# BHT 103°. DST #2 (34 30". Rec. 21-21#, II 1014#. DST #3 (35 30". Rec.	029-3043) 30" - 45" - 60" 125' mdy water. IFP 21-3 4, FFP 53-70#, FBHP 1068#. 450-3475) 15" - 45" - 30" - 61' oil specked mud. IFP BHP 1087#, FFP 31-31#, FBHP 536-3570) 10" - 30" - 30" - 4' thin mud w/heavy oil s 4, IBHP 106#, FFP 21-21#, BHT 112°.	1 <i>‡</i> .		STATE CORPORA JUN 4 CONSERVATION Wichita, Ka	19/3
	USE ADDITIONAL SHEETS, IF	NECESSARY, TO	COMPLETE WEL	L RECORD.	v,
Date Recei		Jack K. W Geologist	K-Wharton S	Ignoture	
	, i	June 1, 1	973		

Date