

15-065-00152-00-00

STATE OF KANSAS  
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD


Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
800 Bitting Building  
Wichita, Kansas

OR

FORMATION PLUGGING RECORD

Strike out upper line  
when reporting plug-  
ging off formations.

NORTH



Locate well correctly on above  
Section Plat

Graham

County. Sec. 15 Twp. 8 Rge. (E) 23 (W)

Location as "NE 1/4 NW 1/4 SW 1/4" or footage from lines NE NW

Lease Owner Harry Gore

Lease Name Legere Well No. 1

Office Address 400 Brown Bldg., Wichita, Ks.

Character of Well (completed as Oil, Gas or Dry Hole) dry hole

Date well completed 11-23-50

Application for plugging filed 11-23-50 19

Application for plugging approved 11-23-50 19

Plugging commenced 11-23-50 19

Plugging completed 11-23-50 19

Reason for abandonment of well or producing formation

If a producing well is abandoned, date of last production 19

Was permission obtained from the Conservation Division or its agents before plugging was com-  
menced? yes

Name of Conservation Agent who supervised plugging of this well Eldon Petty Hays, Ks.

Producing formation Depth to top Bottom Total Depth of Well 3915 Feet

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
				8-5/8"	332'	Cemented

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

Heavy mud from 332 to total depth. Set plug at 250' with 1 sack cotton seed hulls on top of plug. Put 15 sax cement on top of hulls. Filled hole to 40' of top. Run 10 sax cement and 1 sack of hulls.

RECEIVED  
STATE CORPORATION COMMISSION  
DEC 2 - 1950  
CONSERVATION DIVISION  
Wichita, Kansas

12-2-50

(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to Harry Gore, 400 Brown Bldg., Wichita, Ks.  
Address

STATE OF Kansas, COUNTY OF Sedgwick, ss.  
Ralph Gore (employee of owner) or (owner or operator) of the above-described well,

being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) Ralph Gore Partner

400 Brown Bldg., Wichita, Ks.  
(Address)

SUBSCRIBED AND SWORN to before me this 1st day of December, 1950

Charlotte Ketchka

Notary Public

My commission expires June 7, 1952

PLUGGING 9845-6M  
FILE SEC 15 T 8 R 23C  
PAGE 46 LINE 5

15-065-00152-00-00


KANSAS WELL LOG BUREAU --- KANSAS GEOLOGICAL SOCIETY  
508 EAST MURDOCK - WICHITA, KANSAS

COMPANY HARRY GORE - VEEDER SUPPLY & DEV. CO.

SEC. 15 T. 8 R. 23W  
LOC. NE SE NW

FARM Don LeGere NO. 1

TOTAL DEPTH 3915  
COMM. 11-12-50 COMP. 11-23-50  
SHOT OR TREATED  
CONTRACTOR Veeder Supply and Dev.  
ISSUED 12-16-50



CASING  
8 5/8" 332' cem w/220 sx.

ELEVATION  
PRODUCTION dry

FIGURES INDICATE BOTTOM OF FORMATIONS

surface soil	5
lime, shale	25
sand, shale	210
shale	580
shale, shells sdy	1090
sand, shale	1175
shale, shells	1215
shale, sand	1560
redbed, sand	1670
redbed, shale	1810
anhyd.	1850
shale, shells	2385
lime, shells, shale	2480
lime, shale	3085
lime, shells, shale	3175
lime, shale	3430
lime cherty	3610
lime	3650
shale	3667
cong.	3685
shale, lime	3790
cong.	3890
arbuckle	3915
Total depth	

Tops:

Topeka	3134
Heebner shale	3384
Lansing KC	3421
Conglomerate	3768
Arbuckle	3885

**PLUGGING**  
FILE SEC 15 T 8 R 23W  
BOOK PAGE 46 LINE 5

**RECEIVED**  
STATE CORPORATION COMMISSION  
DEC 18 1950  
CONSERVATION DIVISION  
Wichita, Kansas  
12-18-50