


STATE OF KANSAS  
STATE CORPORATION COMMISSION

Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
800 Bitting Building  
Wichita, Kansas

WELL PLUGGING RECORD

NORTH



Locate well correctly on above  
Section Plat

Graham County. Sec. 8 Twp. 8 Rge. 22 (E) W (W)  
Location as "NE/CNW/SW" or footage from lines NW NW NE  
Lease Owner Zoller Brothers & Anschutz Drilling Co., Inc.  
Lease Name Stucklick #1 Well No. 1  
Office Address 409 California Building - Denver, Colorado  
Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole  
Date well completed May 1 19 54  
Application for plugging filed May 1 19 54  
Application for plugging approved May 1 19 54  
Plugging commenced May 1 19 54  
Plugging completed May 1 19 54  
Reason for abandonment of well or producing formation Dry Hole

If a producing well is abandoned, date of last production \_\_\_\_\_ 19\_\_\_\_  
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well Eldon Petty Hays, Kansas  
Producing formation \_\_\_\_\_ Depth to top \_\_\_\_\_ Bottom \_\_\_\_\_ Total Depth of Well \_\_\_\_\_ Feet  
Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
				8 5/8"	148'	

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from \_\_\_\_\_ feet to \_\_\_\_\_ feet for each plug set.

#1 plug set @ 145' with 1/2 sack hulls, 15 sacks of cement  
#2 plug set @ 40' with 1/2 sack hulls, 10 cement

RECEIVED  
STATE CORPORATION COMMISSION  
JUN 22 1954  
CONSERVATION DIVISION  
Wichita, Kansas

(If additional description is necessary, use BACK of this sheet)  
Name of Plugging Contractor Anschutz Drilling Co., Inc.  
Address 706 Union National Bank Building

STATE OF Kansas, COUNTY OF Sedgwick, ss.  
\_\_\_\_\_  
(employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) [Signature]  
706 Union National Bank Building  
(Address)

SUBSCRIBED AND SWORN TO before me this 7th day of May, 19 54

My commission expires May 24, 1956.  
[Signature] Notary Public.

PLUGGING  
FILED SEC 8 T 8 R 22W  
BOOK PAGE 31 LINE 30

DRILLER'S LOG

Anschutz & Zeller  
 Stucklick #1  
 NW NW NE 8-8-22  
 Graham County, Kansas

TO	FROM
0	150
150	695
695	1140
1140	1325
1325	1535
1525	1725
1725	1794
1794	1827
1827	2235
2235	2370
2370	2740
2740	2840
2840	2985
2985	3110
3110	3205
3205	3399
3399	3605
3605	3760
3760	3842
	3842

Sand & Shale  
 Shale  
 Shale, Sand & Pyrite  
 Shale & Red Bed  
 Sand  
 Shale & Red Bed  
 Red Bed  
 Anhydrite  
 Shale & Shells  
 Shells & Shale  
 Shale & Lime  
 Lime & Shale  
 Shale  
 Shale & Sandy Lime  
 Shale & Lime  
 Lime & Shale  
 Lime  
 Lime & Shale  
 Lime, Shale & Chert  
 ROTARY TOTAL DEPTH  
 D & A

COMMENCED: 4-22-54  
 COMPLETED: 5-1-54

CASING RECORD:

Set 140' of 8 5/8" surface casing with 100 sacks of cement

STATE OF KANSAS  
 COUNTY OF SEDGWICK

55

I hereby affirm that the above and foregoing is a true and correct copy of the log of the Stucklick #1, located NW NW NE, 8-8-22, Graham County, Kansas.

ANSCHUTZ DRILLING CO., INC.

JUN 22, 1954

BY: E. G. Koelling  
 E. G. Koelling

Subscribed and sworn to before me this 5th day of April, 1954.

Wilma V. Shipman  
 Notary Public

My Commission Expires: May 24, 1956.

**PLUGGING**  
 FILE NO. 8-8-22-224  
 BOOK 31 LINE 30

# HARDMAN AND WELTY

CONSULTING GEOLOGISTS

HILL CITY, KANSAS  
May 3, 1954

Geological data for Anschutz Drilling Company, Inc. etal #1  
Stuchlik, NW NW NE, Section 8-83-22N, Graham County, Kansas.

Elevation ----- 2156 KB

Anhydrite ----- 1794 KB

Topoka ----- 3162 KB

There were no shows of oil throughout the Topoka line

Reebner ----- 3376 KB

Toronto ----- 3400 KB

Lansing ----- 3416 KB

3445-56 KB; finely crystalline lime; trace of dark spotted oil stain; poor porosity.

3494-3501 KB; chalky-poorly oolitic lime; faint spotted oil stain.

None of the above zones warranted drill stem testing.

3582-92KB; fossiliferous-poorly oolitic lime; spotted-fair light oil stain; no free oil; no odor.

3600-05 KB; dense lime; trace spotted oil stain; poor porosity.

DST #1 3576-3605 KB

Open 45 minutes, weak blow for 4 minutes. Shut in 15 minutes. Recovered 6' mud. BHP 1000#

There appeared to be no commercial zones throughout the Lansing-Kansas City line.

Base Kansas City ----- 3521 KB

Cherty Conglomerate ----- 3767 KB

Weathered Arbuckle ----- 3805 KB

Arbuckle ----- 3811 KB

tan-white crystalline - rhombic dolomite, fair-good porosity; no show of oil.

Total Depth ----- 3842 KB

Schlumberger Electric Log taken  
D & A

Respectfully submitted,

Roger Welty

D  
MISSION

JUN 22, 1954

15-065-00403

May 3, 1954

Anschutz Drilling Co., Inc. etal  
Elev. 2156 KB

#1 Stuchlik

NW NW NE  
Sec. 8-8S-22W  
Graham County, Kansas

TIME LOG

DEPTH	From	To	Time
3000	3010		2 3 4 4 3 2 1 2 3 4
	20		3 4 4 3 3 2 5 5 3 3
	30		4 5 3 3 4 4 5 5 4 3
	40		5 6 7 4 5 3 3 3 4 3
	50		5 4 4 3 4 3 3 3 3 3
	60		2 2 1 2 3 6 5 5 4 3
	70		1 1 1 4 5 3 3 3 3 5
	80		4 1 3 5 5 5 5 5 4 3
	90		4 4 3 3 3 3 3 3 2 2
3090	3100		3 3 4 4 4 4 4 4 5 5
	10		5 5 4 4 3 6 6 6 5 5
	20		5 4 5 5 5 3 3 2 2 5
	30		7 8 6 4 9 7 7 7 5 3
	40		6 6 5 6 6 7 5 2 3 5
	50		4 3 2 2 2 2 3 2 3 3
	60		3 3 7 4 4 5 5 4 4 5
	70		5 2 2 4 4 7 7 6 7 6
	80		7 6 4 9 5 5 5 6 8 5
	90		7 7 6 6 4 4 5 4 5 6
3190	3200		8 3 3 3 4 3 3 2 2 5
	10		6 5 7 6 4 4 3 4 4 4
	20		5 5 4 4 2 1 2 3 2 4
	30		3 1 1 1 2 1 2 2 2 3
	40		4 3 3 5 4 3 2 2 3 3
	50		2 1 2 1 2 2 3 3 3 3
	60		5 6 5 6 6 6 6 6 6 6
	70		5 4 5 5 4 4 3 2 3 2
	80		2 2 2 2 2 2 2 3 3 4
	90		6 6 6 5 3 2 2 2 3 2
3290	3300		2 1 2 2 3 3 2 5 7 7
	10		7 7 5 7 7 7 6 8 7 8
	20		5 6 6 7 7 10 5 7 4 3
			trip 3316
	30		5 7 6 3 4 8 7 3 2 2
	40		2 3 2 3 4 5 7 8 7 5
	50		7 4 3 4 3 3 2 5 3 1
	60		1 2 2 3 2 3 2 3 3 4
	70		2 3 2 1 2 3 3 2 3 4
	80		3 3 3 3 2 3 4 4 4 10
	90		13 6 7 7 7 5 5 7 6 6
3390	3400		6 7 7 7 7 8 8 7 7 8

DEPTH	From	To	Time
3400	3410		5 6 10 10 10 12 11 13 7 7
	20		6 5 7 8 6 7 13 8 9 10
	30		9 10 9 9 10 9 10 10 10 8
	40		9 10 9 8 10 10 6 10 7 8
	50		5 5 5 5 5 4 4 5 6 6 circ. 3450
	60		5 8 7 7 9 7 7 5 5 7
	70		5 6 6 9 7 6 7 8 8 10
	80		10 9 11 10 12 8 8 6 9 10
	90		6 5 6 8 9 10 13 12 8 8
3490	3500		6 7 9 7 6 6 7 6 10 10
	10		6 8 10 10 9 10 8 9 9 12
	20		13 12 10 10 10 10 7 7 8 7 trip 3516
	30		6 9 9 7 7 7 7 8 6 9
	40		8 10 9 5 4 8 9 8 6 5
	50		5 5 6 5 5 4 5 3 7 7
	60		6 7 8 6 6 9 8 7 9 7
	70		8 7 6 5 8 8 7 6 5 6
	80		5 4 4 5 8 8 7 8 8 7
	90		6 5 6 5 6 8 8 6 8 8
3590	3600		9 7 6 5 8 6 6 6 5 3
	10		3 5 5 5 4 6 6 6 6 7
			circ. 3605
	20		5 4 8 9 5 5 6 5 6 6
	30		5 6 4 4 6 6 4 4 3 3
	40		2 2 2 2 2 2 2 3 2 3
	50		3 3 4 4 5 5 6 5 6 6
	60		6 7 6 4 5 4 6 5 8 6
	70		4 4 5 6 7 3 6 6 8 7
	80		7 7 8 7 6 7 6 8 9 8
	90		7 7 6 6 10 6 6 7 10 7
3690	3700		7 9 7 7 8 8 7 5 7 8
	10		10 7 7 8 8 8 10 8 8 8
	20		10 10 10 10 11 14 14 11 11 14
	30		15 6 6 7 6 6 5 6 10 8
			trip 3721
	40		9 10 10 7 6 6 10 8 10 10
	50		9 9 7 6 8 5 7 6 7 6
	60		5 7 7 7 6 4 4 8 6 7
	70		5 6 5 4 4 5 5 4 3 3
	80		4 3 3 4 4 3 4 3 3 4
	90		4 4 4 4 4 4 4 4 4 4
3790	3800		4 3 2 4 5 4 4 4 4 4
	10		3 4 5 10 5 6 8 9 4 8
	20		9 9 6 6 7 7 6 7 6 6
	30		6 4 5 4 6 5 6 6 9 7
	40		8 6 6 7 9 7 6 5 7 6
	50		6 5
			Circ. 3842