

DISTRICT CONSERVATION AGENT'S REPORT

To

State Corporation Commission,
Conservation Division,
800 Bitting Building,
Wichita, Kansas.

Rcv'd 6-10-37

File No. 92-18

Location SE

Sec. 13 Twp. 27 Rge. 2 E

I have today completed supervision of plugging of:

Well No. 1 Lease Smith

Operator Cameron D. Schneider GERBRAND-PULSE DRILG. Co.

Field Wildcat County Bedford

Total Depth 3273 P19 to 2390 Feet.

PLUGGING
FILE SEC 1-3T-27R2E
BOOK PAGE 72 LINE 18

(Describe briefly the manner in which the well was plugged)

Show oil 2791-75. Filled with mud to 2345
Bridge at 215, 20 Sx Cement to 190'
Heavy mud to top. 5 Sx Cement Cap

McSmith
District Conservation Agent

Date 6/3/37

Wichita Ks

Cement & Plug v 385

5 Cuttings
3 Bags

44 sack lead wood

3 sack cutting

18' plug

5 sacks cement

plus cutting

15 sack cement

To
State Corporation Commission
Conservation Division
800 Bitting Building
Wichita, Kansas

rec'd
6-10-37

File No. _____

Location 8m 8E 8E

Sec. 13 Twp. 27 Rge. 2

I have today completed supervision of plugging of:

Well No. 1 Lease Smith

Operator _____

Field _____ County Sedg

Total Depth 3273 Feet.

(Describe briefly the manner in which well was plugged)

PLUGGING
FILE SEC --- T --- R ---
BOOK PAGE --- LINE ---

Show top K.G. 2371-73

water 40-50

5" cement + mud to top bit 2820

1 Jan lead + Blue mud 2732

Rock + mud - 4 sack cement 2592 Bridge 2483

Expense Incurred as follows:

Date _____ *Day _____ Mileage _____

Date _____ *Day _____ Mileage _____

Date _____ *Day _____ Mileage _____

Hotel, meals, etc. \$ _____

*Show as 1/4, 2/4, 3/4, or 4/4.

Mud + Rock to 2450 2437' Dump 15 sack cement 2473

8 sack cement 2412

Rock to 2403

10" peng 2403

Rock + mud 2395 + 150 lbs lead mud - hard plug at 2400

Conservation Agent

P.O. _____ Date _____