For KCC Use: Effective Date: 4-2-09 District # Voc VNo

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Was be approved by NOO We	o (o) days prior to commence by	
Expected Spud Date: 03/24/2008	Spot Description:	
month day year	NW NE _ NW _ SE Sec. 33 Twp. 28	S. R. 22 X E ₩
OPERATOR: License# 6766	(0/0/0/0) 2,475 feet from	/ / X S Line of Section
Name: N & W Enterprises, Inc	1,815 feet from x E	E / W Line of Section
Address 1: 1111 S Margrave	is SECTION: X Regular Irregular?	
Address 2:	(Note: Locate well on the Section Plat on	roversa sidal
City: Fort Scott State: KS Zip: 66701 +	County: Crawford	ieveise side)
Contact Person: Tom Norris	Lease Name: Meyer	Mail #: 28
Phone: 620-223-6559	Field Name: Walnut SE	vveii #:
33734		
CONTRACTOR: License# 33734 / Name: Hat Drilling, LLC	Is this a Prorated / Spaced Field?	Yes X No
Name: 1 rat Drilling, ELO	Target Formation(s): Bartlesville	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 165	
KOII Enh Rec KInfield KMud Rotary ✓ Mud Rotary	Ground Surface Elevation:	feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	Yes No
Disposal Wildcat Cable	Public water supply well within one mile:	Yes [★No
Seismic ; # of Holes Other	Depth to bottom of fresh water: 1000'+	120000000000000000000000000000000000000
Other:	Depth to bottom of usable water:	
	Surface Pipe by Alternate:	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'	
	Length of Conductor Pipe (if any): NA	
Operator:	Projected Total Depth: 430	
Well Name;	Formation at Total Depth: Bartlesville	
Original Completion Date: Original Total Depth:	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes ✗ No		
If Yes, true vertical depth:	Well X Farm Pond Other:	
Bottom Hole Location:	DWR Permit #:	
KCC DKT #:	(Note: Apply for Permit with DWR	
NOU DATE #.	Will Cores be taken?	Yes X No
	If Yes, proposed zone:	
		RECEIVED
-		ANSAS CORPORATION COMMISSIO
The undersigned hereby affirms that the drilling, completion and eventual plu	ugging of this well will comply with K.S.A. 55 et. seq.	0 7 0000
It is agreed that the following minimum requirements will be met:		MAR 2 7 2008
 Notify the appropriate district office prior to spudding of well; 		
2. A copy of the approved notice of intent to drill shall be posted on each	n drilling rig;	CONSERVATION DIVISION
3. The minimum amount of surface pipe as specified below shall be set		shall be stattCHITA, KS
through all unconsolidated materials plus a minimum of 20 feet into the	e underlying formation.	
4. If the well is dry hole, an agreement between the operator and the dist		ior to plugging;
The appropriate district office will be notified before well is either pluggeIf an ALTERNATE II COMPLETION, production pipe shall be cemente	ged or production casing is certiented in;	VS of could date
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1	133 891-C. which applies to the KCC District 3 area, alter	rnate II cementing
must be completed within 30 days of the spud date or the well shall be	e plugged. In all cases, NOTIFY district office prior to a	any cementing.
I hereby certify that the statements made herein are true and correct to the b		•
Thereby certify that the statements made herein are tide and correct to the t	Jest of my knowledge and Delief.	
Date: 3/15/08 Signature of Operator or Agent:	mis flow Tille: pu	v.
Olynature or Operator of Agents		
	Remember to:	ြိ
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to E	
API # 15 . 037 - 22 003 -0000	- File Completion Form ACO-1 within 120 days of spur	d date;
1 Alasa	 File acreage attribution plat according to field proration 	on orders;
Conductor pige required Nove feet	· · · · · · · · · · · · · · · · · · ·	dravas as an action :
30	- Notify appropriate district office 48 hours prior to wor	
Minimum surface pipe required 20 feet per ALT.	Notify appropriate district office 48 hours prior to wor Submit plugging report (CP-4) after plugging is comp	nleted (within 60 days):
Minimum surface pipe required 20 feet per ALT. I Mil Approved by: L+3-28-08	Notify appropriate district office 48 hours prior to wor Submit plugging report (CP-4) after plugging is comp Obtain written approval before disposing or injecting	oleted (within 60 days); salt water.
Minimum surface pipe required 20 feet per ALT.	Notify appropriate district office 48 hours prior to wor Submit plugging report (CP-4) after plugging is comp Obtain written approval before disposing or injecting If this permit has expired (See: authorized expiration)	pleted (within 60 days); salt water. date) please
Minimum surface pipe required 20 feet per ALT. I Mill Approved by: L+3-21-01	 Notify appropriate district office 48 hours prior to wor Submit plugging report (CP-4) after plugging is comp Obtain written approval before disposing or injecting If this permit has expired (See: authorized expiration check the box below and return to the address below 	oleted (within 60 days); salt water. date) please
Minimum surface pipe required 30 feet per ALT. I Mill Approved by: L+3-2+0+ This authorization expires: 3-2+09	Notify appropriate district office 48 hours prior to wor Submit plugging report (CP-4) after plugging is comp Obtain written approval before disposing or injecting If this permit has expired (See: authorized expiration check the box below and return to the address below Well Not Drilled - Permit Expired Date:	pleted (within 60 days); salt water. date) please
Minimum surface pipe required 30 feet per ALT. I Mile Approved by: L+3-2+0+ This authorization expires: 3-2+09	 Notify appropriate district office 48 hours prior to wor Submit plugging report (CP-4) after plugging is comp Obtain written approval before disposing or injecting If this permit has expired (See: authorized expiration check the box below and return to the address below 	pleted (within 60 days); salt water. date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the torm. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 03	7-22	003-	0000	<u> </u>				
Operator: N & W En	terprises,	Inc						Well: County: Crawford
Lease: Meyer							2,475	feet from N / K S Line of Section
Well Number: 28	.						1,815	feet from 🗶 E / 🔲 W Line of Section
Field: Walnut SE					·	_ Se	oc. <u>33</u>	1√wp. 28 S. R. 22 🔀 E 🔲 W
Number of Acres attr QTR/QTR/QTR/QTR		· · · · · · · · · · · · · · · · · · ·	NW	- SE		- ls	Section:	Regular or Irregular
							Section is ection corne	er used: NE NW SE SW
) ; ;	value to delivery and received to the contract of the contract	(Show lo			d shade at			or prorated or spaced wells.) pundary line.) 2475
		:		******			:	RECEIVED KANSAS CORPORATION COMMISSION
	:		: 		: :	·	:	MAR 2 7 2008
	:					:	:	CONSERVATION DIVISION WICHITA, KS
	:		<i>5</i>	E/4_	<u>:</u> :	:	:	EXAMPLE
								1980
	:	: :	: :		: :	:	: :	3390,

SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: N & W Enterprises	s, Inc	License Number: 6766				
Operator Address: 1111 S Margi	rave	Fort Scott KS 66701				
Contact Person: Tom Norris	1 1 1 1	Phone Number: 620-223-6559				
Lease Name & Well No.: Meyer	28	J. U	Pit Location (QQQQ):			
Type of Pit:	Pit is:		NE NW SE			
Emergency Pit Burn Pit	✗ Proposed [Existing	Sec. 33 Twp. 28 R. 22 X East West			
Settling Pit	If Existing, date co	onstructed:	2,475 Feet from North / X South Line of Section			
Workover Pit Haul-Off Pit	Pit capacity:	 	1,815 Feet from X East / West Line of Section			
(If WP Supply API No. or Year Drilled)		(bbls)	Crawford County			
Is the pit located in a Sensitive Ground Water	Area? Yes 🗶]No	Chloride concentration: mg/l			
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?			
Yes No	Yes X	No	Mud			
Pit dimensions (all but working pits):	5 Length (fe	et)5	Width (feet) N/A: Steel Pits			
	rom ground level to de		4 (feet) No Pit			
If the pit is lined give a brief description of the		Describe proce	edures for periodic maintenance and determining RECEIVED			
material, thickness and installation procedure.		liner integrity, including any special monitoring. KANSAS CORPORATION COMMISSION				
			MAR 2 7 2008			
Distance to nearest water well within one-mile	e of pit	Depth to shallo	MAR 2 7 2008 CONSERVATION DIVISE WICHITA, KS			
1000 N/4	1 000	Source of info	CONSERVATION DIVISION DIVISIONI DIVISI			
1000 N/A Depth of water well	1,000 _{feet}	Source of info	CONSERVATION DIVISION DIVISIONI			
1000 N/A feet Depth of water well Emergency, Settling and Burn Pits ONLY:	1,000 _{feet}	Source of informeasu	CONSERVATION DIVISION DIVISIONI DIVISI			
1000 N/A Depth of water well	1,000 _{feet}	Source of informease Drilling, Work Type of materi	CONSERVATION DIVISION DIVISIONI			
1000 N/A feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation:	1,000 _{feet}	Source of informease Drilling, Work Type of materi Number of work	CONSERVATION DIVISION DIVISIONI DIVI	8 15037-22		
1000 N/A- feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease:	1,000 _{feet}	Drilling, Work Type of materi Number of work Abandonment	CONSERVATION DIVISION DIVISIONI DIVI	8 15037-22		
1000 N/A- feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily:	1,000 _{feet}	Drilling, Work Type of materi Number of work Abandonment	CONSERVATION DIVISION DIVISIONI DIVI	8 15037-22		
1000 N/A- feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all	1,000 feet	Drilling, Work Type of materi Number of work Abandonment Drill pits must	CONSERVATION DIVISION DIVISIONI DIVI	8 15037-22		
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state	1,000 feet	Drilling, Work Type of materi Number of work Abandonment Drill pits must	conservation division west fresh water feet. mation: ured well owner electric log KDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover; which it is electric log KDWR Water Water which it is electric log KDWR cover and Haul-Off Pits ONLY: all utilized in drilling/workover; be closed within 365 days of spud date. t of my knowledge and belief.			
1000 N/A- feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No	1,000 feet	Drilling, Work Type of materi Number of work Abandonment Drill pits must	CONSERVATION DIVISION DIVISIONI DIVI	8 15037-22		
The state of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Number of producing that the above state of the slope from the tank battery allow all flow into the pit? Does the slope from the tank battery allow all flow into the pit? No	1,000 feet I spilled fluids to ements are true and c	Drilling, Work Type of materi Number of wor Abandonment Drill pits must	conservation division was fresh water feet. Tration: Irred well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: king pits to be utilized: 2 procedure: Fill with earth be closed within 365 days of spud date. It of my knowledge and belief.	8 15037-22		
The state of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Number of producing that the above state of the slope from the tank battery allow all flow into the pit? Does the slope from the tank battery allow all flow into the pit? No	1,000 feet I spilled fluids to ements are true and contents.	Drilling, Work Type of materi Number of wor Abandonment Drill pits must	conservation division was fresh water feet. Tradion: Irred well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: king pits to be utilized: procedure: Fill with earth be closed within 365 days of spud date. It of my knowledge and belief.	8 15037-22		