For KCC Use: Effective Date: District

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: 03/24/2008 month day year	
manage days	Spot Description:
month day year	NE - NW - SE - Sec. 33 Twp. 28 S. R. 22 X E W
OPERATOR: Licenset 6766 V	(2/0/0/0) 2,310 teet from N / X S Line of Section
OPERATOR: License# Name: N & W Enterprises, Inc	1,650 feet from X E / W Line of Section
Address 1: 1111 S Margrave	is SECTION: 🕱 Regular 🔲 Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Fort Scott State: KS Zip: 66701 +	County: Crawford
Contact Person: Tom Norris	Lease Name; Meyer Well #: Inj 10
Phone: 620-223-6559	Field Name: Walnut SE
CONTRACTOR: License# 33734 V	Is this a Prorated / Spaced Field?
Name: Hat Drilling, LLC	Target Formation(s): Bartlesville
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 330
Oil X Enh Rec Infield X Mud Rotary	Ground Surface Elevation:feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 1000'+
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: X II
III CAAAAC. Old wall Information as follows.	Length of Surface Pipe Planned to be set: 20'
Operator:	Length of Conductor Pipe (if any): NA Projected Total Depth: 430
Well Name;	Formation at Total Depth: Bartlesville
Original Completion Date: Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	DAVIT
	ANSAS CORPORATION A
The undersigned hereby affirms that the drilling, completion and eventual plug	iging of this well will comply with K.S.A. 55 et. seq.
the undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	ging of this well will comply with N.S.A. 33 et. 364.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	MAR 2 7 20
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	MAR 2 7 20
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by	MAR 2 7 20 drilling rig; y circulating cement to the top; in all cases surface pipe shall conservation pro
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the	drilling rig; y circulating cement to the top; in all cases surface pipe shall conservation DIV underlying formation.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugges.	drilling rig; y circulating cement to the top; in all cases surface pipe shall be server to the top; in all cases surface pipe shall be server. WCHITA, KS ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	drilling rig; y circulating cement to the top; in all cases surface pipe shall be servation DIV underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.
 It is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 	drilling rig; y circulating cement to the top; in all cases surface pipe shall be SERVATION DIV with construction of the production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	drilling rig; y circulating cement to the top; in all cases surface pipe shall be servation DIV underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the be	drilling rig; y circulating cement to the top; in all cases surface pipe shall be servation DIV with the work of the constant
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the beside of the statements.	drilling rig; y circulating cement to the top; in all cases surface pipe shall be servation DIV underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the beson the statements.	drilling rig; y circulating cement to the top; in all cases surface pipe shall be servation DIV winderlying formation. It office on plug length and placement is necessary prior to plugging; of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate It cementing plugged. In all cases, NOTIFY district office prior to any cementing. 11 set of my knowledge and belief. President
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the beside of the statements.	drilling rig; y circulating cement to the top; in all cases surface pipe shall be servation DIN WICHITA, KS underlying formation. Let office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Its of my knowledge and belief. President Remember to:
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the contract to the contract to the between the contract to t	drilling rig; y circulating cement to the top; in all cases surface pipe shall be servation by underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 set of my knowledge and belief. President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of soud date:
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best of the specific of the specific to the best of the specific to the specific tor the specific to the specific to the specific to the specific to	drilling rig; y circulating cement to the top; in all cases surface pipe shall be servation DIV underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate It cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 set of my knowledge and belief. 16 President 17 File Drill Pit Application (form CDP-1) with Intent to Drill; 18 File Completion Form ACO-1 within 120 days of spud date; 19 File acreage attribution plat according to field proration orders;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best of the specific	drilling rig; y circulating cement to the top; in all cases surface pipe shall be servation DIV underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate It cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 set of my knowledge and belief. President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the best of the specific of the specific surface of Operator or Agent: Date: 03/15/2008	drilling rig; y circulating cement to the top; in all cases surface pipe shall be servation DIN WCHITA, KS underlying formation. to office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 In the completion of the completion form CDP-1) with Intent to Drill; 16 File Drill Pit Application (form CDP-1) with Intent to Drill; 17 File acreage attribution plat according to field proration orders; 18 Notify appropriate district office 48 hours prior to workover or re-entry; 29 Submit plugging report (CP-4) after plugging is completed (within 60 days):
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the best conductor pipe required. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 037 - 2199 5 - 0000 Conductor pipe required	drilling rig; y circulating cement to the top; in all cases surface pipe shall be servation DIV with the working formation. It office on plug length and placement is necessary prior to plugging; of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 est of my knowledge and belief. President File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the constant of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the constant of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the constant of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the constant of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the constant of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the constant of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the constant of the spud date or the well shall be 1 hereby certify that the statements a surface property of the spud date or the well shall be 1 hereby certified the statement of the surface property of the spud date or the statement of the spud date or the statement of the	drilling rig; y circulating cement to the top; in all cases surface pipe shall be servation DIV underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It is to fmy knowledge and belief. President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. It this permit has expired (See: authorized expiration date) please though the box hellow and return to the address below.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the completed within 30 days of Operator or Agent: O3/15/2008	drilling rig; y circulating cement to the top; in all cases surface pipe shall be servation DIN WICHITA, KS underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. I3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Ist of my knowledge and belief. President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the constant of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the constant of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the constant of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the constant of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the constant of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the constant of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the constant of the spud date or the well shall be 1 hereby certify that the statements a surface property of the spud date or the well shall be 1 hereby certified the statement of the surface property of the spud date or the statement of the spud date or the statement of the	drilling rig; y circulating cement to the top; in all cases surface pipe shall be servation DIV underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It is to fmy knowledge and belief. President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. It this permit has expired (See: authorized expiration date) please though the box hellow and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 037-21995-0000

Location of Well: County: Crawford

SEWARD CO.

Lease: INICYGI	2,310 feet from N / X S Line of Section
Well Number: Inj 10	1,650 feet from 🔀 E / W Line of Section
Field: Walnut SE	Sec. 33 Twp. 28 S. R. 22 X E W
Number of Acres attributable to well:	Is Section: Regular or Imregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
P	PLAT
(Show location of the well and shade attrib	ibutable acreage for prorated or spaced wells.) est lease or unit boundary line.)
(510W 100 lage to the Heale	
	RECEIVED KANSAS CORPORATION COMMISSION
	2310
t t	MAR 2 7 2008
	CONSERVATION DIVISION WICHITA, KS
SE/4	EXAMPLE
	1980
	3390'
	3330

In plotting the proposed location of the well, you must show:

Operator: N & W Enterprises, Inc

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Committee Name and Calabi Tale				
Operator Name: N & W Enterprise:	s, Inc		License Number: 6766	
Operator Address: 1111 S Marg	rave		Fort Scott	KS 66701
Contact Person: Tom Norris		Phone Number: 620-223-6559		
Lease Name & Well No.: Meyer	Inj	10	Pit Location (QQQQ):	
Type of Pit:	Pit is:		NE NW SE	
Emergency Pit Burn Pit	X Proposed	Existing	Sec. 33 Twp. 28 R. 22	East West
Settling Pit Drilling Pit	If Existing, date co	onstructed:	2,310 Feet from North /	South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		1,650 Feet from X East /	
(If WP Supply API No. or Year Drilled)		(bbis)	Crawford	County
ls the pit located in a Sensitive Ground Water	Area? Yes 🗶]No	Chloride concentration:	mg/l
Is the bottom below ground level?	Artificial Liner?	<u>.</u>	(For Emergency Pits and Settling How is the pit lined if a plastic liner is not a	
Yes No	Yes X	No	Mud	useu :
Pit dimensions (all but working pits):	5 Length (fe-	. _{et)} 5	Width (feet)	N/A: Steel Pits
- · · · · · · · · · · · · · · · · · · ·	rom ground level to de	-		No Pit
				KANSAS CORPORATION
				MAR 2 7 2
Distance to nearest water well within one-mil		Depth to shallo Source of infor measu	west fresh waterfeet, mation:	MAR 2.7.2
1000 A A feet Depth of water well	1,000 feet	Source of informeasu	west fresh waterfeet, mation:	MAR 2.7.2
1000 A A Feet Depth of water well	1,000 feet	Source of informeasu Drilling, Work	west fresh waterfeet, mation: ired well owner electric log over and Haul-Off Pits ONLY: at utilized in drilling/workover: Water	MAR 2.7.2
1000 A A Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation:	1,000 feet	Source of informeasu Drilling, Work Type of materia Number of wor	west fresh waterfeet, mation: ired well owner electric log over and Haul-Off Pits ONLY: al utilized in drilling/workover: king pits to be utilized: 2	MAR 2.7.2
1000 N feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation:	1,000 feet	Source of informeasu Drilling, Work Type of materia Number of wor	west fresh waterfeet, mation: ared well owner electric log bover and Haul-Off Pits ONLY: at utilized in drilling/workover: Water	MAR 2.7.2
1000 A feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow allowed.	1,000 feet	Drilling, Work Type of materia Number of wor Abandonment	west fresh waterfeet, mation: ired well owner electric log over and Haul-Off Pits ONLY: al utilized in drilling/workover: king pits to be utilized: 2	MAR 2.7.2 CONSERVATION WICHITA, P
1000 A feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation:	1,000 feet:	Drilling, Work Type of materia Number of wor Abandonment Drill pits must	west fresh waterfeet, mation: ared well owner electric log over and Haul-Off Pits ONLY: al utilized in drilling/workover: Water king pits to be utilized: 2 procedure: Fill with earth one closed within 365 days of spud date.	MAR 2.7.2 CONSERVATION WICHITA, P
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow al flow into the pit? Yes No	1,000 feet:	Drilling, Work Type of materia Number of wor Abandonment Drill pits must	west fresh waterfeet, mation: ared well owner electric log over and Haul-Off Pits ONLY: al utilized in drilling/workover: Water king pits to be utilized: 2 procedure: Fill with earth one closed within 365 days of spud date.	MAR 2.7.2
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow alflow into the pit? I hereby certify that the above state 03/15/208	1,000 feet : If spilled fluids to ements are true and c	Drilling, Work Type of materia Number of wor Abandonment Drill pits must	west fresh water	MAR 2.7.2 CONSERVATION WICHITA, P



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.