For KCC Use: Effective Date: District # 3 SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: April 1, 2008	Spot Description:	_
,	- N2 - N2 - NW Sec. 29 Twp. 31 S. R. 17 XE	
OPERATOR: License# 33365 ✓	feet from X N / S Line of Section	
Name: Layne Energy Operating, LLC	leet not a	on
Address 1: 1900 Shawnee Mission Parkway	ls SECTION: Regular Irregular?	
Address 2:	(Note: Locate well on the Section Plat on reverse side)	
City: Mission Woods State: No Zip: 00203 + 2001 Contact Person: Timothy H. Wright	County: Montgomery	
Phone: 913-748-3960 /	Lease Name: Plumley Well #: 4-29	_
/	Field Name: Cherokee Basin Coal	—
CONTRACTOR: License# 33606 Name: _Thornton Air	Is this a Prorated / Spaced Field?	0
Name	Target Formation(s): Cherokee Coals	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 355' Ground Surface Elevation: 809 feet MS	
Oil Enh Rec Infield Infield Mud Rotary		
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: Public water supply well within one mile: Yes XN Yes XN	-
Disposal Wildcat Cable	Depth to bottom of fresh water: 150'	10
Seismic; # of Holes Other	Depth to bottom of usable water: 150'	_
Other:	Surface Pipe by Alternate:	_
if OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'	
Occupan	Length of Conductor Pipe (if any): None	
Operator:	Projected Total Depth: 1200'	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippian	
/	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:	_
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR)	
VCC DVT #	<u> </u>	
KCC DKT #:	Will Cores be taken?	lo
KCC DKT #:	Will Cores be taken? Yes XN If Yes, proposed zone:	lo —
	If Yes, proposed zone:	lo —
AFF	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMIS	
AFF The undersigned hereby affirms that the drilling, completion and eventual plug	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMIS ging of this well will comply with K.S.A. 55 et. seq.	
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMIS	
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMIS Ging of this well will comply with K.S.A. 55 et. seq. MAR 2 7 2008	
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	If Yes, proposed zone: IDAVIT RECEIVED	
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone: IDAVIT RECEIVED	
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri	If Yes, proposed zone: RECEIVED RANSAS CORPORATION COMMIS	
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugger.	If Yes, proposed zone: IDAVIT RECEIVED	
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMIS ging of this well will comply with K.S.A. 55 et. seq. MAR 2 7 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shawiching KS underlying formation. to office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing	
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMIS ging of this well will comply with K.S.A. 55 et. seq. MAR 2 7 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shawiching KS underlying formation. to office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing	
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15	IDAVIT RECEIVED KANSAS CORPORATION COMMIS ging of this well will comply with K.S.A. 55 et. seq. MAR 2 7 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shawing in K.S. underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements made herein are true and correct to the beautiful and the statements are true and correct to the beautiful and the statements are true and correct to the statements are true	IDAVIT RECEIVED KANSAS CORPORATION COMMIS ging of this well will comply with K.S.A. 55 et. seq. MAR 2 7 2008 drilling rig: y circulating cement to the top; in all cases surface pipe shaking fix KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	IDAVIT KANSAS CORPORATION COMMISSION Gring of this well will comply with K.S.A. 55 et. seq. MAR 2 7 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shawlenge, ks underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Est of my knowledge and belief. Agent Title: Agent	SHON
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrest the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and correct to the best materials. March 25, 2008 Signature of Operator or Agent:	IDAVIT RECEIVED KANSAS CORPORATION COMMIS ging of this well will comply with K.S.A. 55 et. seq. MAR 2 7 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shawichite KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Est of my knowledge and belief. Agent Title: Agent	
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be it hereby certify that the statements made herein are true and correct to the best part of the complete of the spud date. March 25, 2008 Signature of Operator or Agent: For KCC Use ONLY	IDAVIT RECEIVED KANSAS CORPORATION COMMIS ging of this well will comply with K.S.A. 55 et. seq. MAR 2 7 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shawichiffe KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Agent Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;	SHON
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the statements of the operator of Agents. March 25, 2008 Signature of Operator of Agents.	IDAVIT RECEIVED KANSAS CORPORATION COMMIS ging of this well will comply with K.S.A. 55 et. seq. MAR 2 7 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shawiching KS underlying formation. Ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 est of my knowledge and belief. Agent Title: Agent File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	SION 29
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and correct to the best bate: March 25, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - /25 - 3/584 - ODO Conductor pipe required feet	IDAVIT RECEIVED KANSAS CORPORATION COMMIS ging of this well will comply with K.S.A. 55 et. seq. MAR 2 7 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shawichiffe KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Agent Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;	SHON
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the. 4. If the well is dry hole, an agreement between the operator and the distr. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the best pater. March 25, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - /2 5 - 3/584 - OOO Conductor pipe required	IDAVIT RECEIVED KANSAS CORPORATION COMMIS ging of this well will comply with K.S.A. 55 et. seq. MAR 2 7 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shawlenise KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 est of my knowledge and belief. Agent Title: Agent File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	29 31
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the. 4. If the well is dry hole, an agreement between the operator and the distr. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the best pater. March 25, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - /2 5 - 3/584 - OOO Conductor pipe required	IDAVIT RECEIVED KANSAS CORPORATION COMMIS ging of this well will comply with K.S.A. 55 et. seq. MAR 2 7 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shawlenise KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 est of my knowledge and belief. Agent Title: Agent File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	SION 29
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the because. March 25, 2008 Signature of Operator or Agent For KCC Use ONLY API # 15 - /25 - 3/584 - OOO Conductor pipe required	IDAVIT RECEIVED KANSAS CORPORATION COMMIS ging of this well will comply with K.S.A. 55 et. seq. MAR 2 7 2008 drilling rig; y circulating cement to the top; in all cases surface pipe shallering KS underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Agent Title: Agent File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	29 31
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and correct to the best plate: March 25, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - /25 - 3/584 - COOO Conductor pipe required Minimum surface pipe required Approved by: March 25, 2008	IDAVIT RECEIVED KANSAS CORPORATION COMMIS drilling rig; y circulating cement to the top; in all cases surface pipe shawlering ks underlying formation. ct office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Agent Title: Agent File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	29 31
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best marked. Signature of Operator or Agent: For KCC Use ONLY API #15 - /25 - 3/584 - COO Conductor pipe required Minimum surface pipe required Approved by: March 25, 2008 This authorization expires: 3-2409 (This authorization void if drilling not started within 12 months of approval date.)	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. MAR 2 7 2008 drilling rig; Voirculating cement to the top; in all cases surface pipe shawing fig. (so or poduction casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 1919 est of my knowledge and belief. Agent Title: Agent Agent Title: Agent File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Date:	29 31 17
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the. 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the because. March 25, 2008 Signature of Operator or Agent. For KCC Use ONLY API # 15 - /25 - 3/584 - OOO Conductor pipe required Minimum surface pipe required Approved by: March 25, 2008 This authorization expires: 3-2409	IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. MAR 2 7 2008 drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shawlenging; sunderlying formation. Ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 est of my knowledge and belief. Agent Title: Agent Title: Agent Title: Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	29 31 17 X

IN ALL CASES PLOTTHE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 125-31584-0000	
Operator: Layne Energy Operating, LLC	Location of Well: County: Montgomery
Lease: Plumley	432 feet from N / S Line of Section
Well Number: 4-29	1,267 feet from E / W Line of Section
Field: Cherokee Basin Coal	Sec. 29 Twp. 31 S. R. 17 X E W
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR/QTR/QTR of acreage: N2 - N2 - NW	
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW


PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

		432'				
1967	0		 		,	
			 	•••••		
			'			
	11411111		 			
		:	 		,	

RECEIVED KANSAS CORPORATION COMMISSION

MAR 27 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells: CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Layne Energy Operating, LLC		License Number: 33365			
Operator Address: 1900 Shawnee Mission Parkway		Mission Woods KS 66205			
Contact Person: Timothy H. Wright		Phone Number: 913-748-3960			
Lease Name & Well No.: Plumley			Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>N2 N2 NW</u>		
Emergency Pit Burn Pit	Proposed Existing		Sec. 29 Twp. 31 R. 17 East West		
Settling Pit Drilling Pit	If Existing, date constructed:		432 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		1,267 Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)		(bbls)	Montgomery		
Is the pit located in a Sensitive Ground Water	Area? Yes X	No	Chloride concentration: mg/l		
		-	(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used? self-sealing		
Pit dimensions (all but working pits):	BO Length (fe	eet)20	Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de	eepest point:	3 (feet) No Pit		
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.			•		
Distance to nearest water well within one-mile of pit Depth to shallo Source of info		owest fresh waterfeet.			
none feet Depth of water wellfeet		measu	red well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY: Drilling, Wor		_	rkover and Haul-Off Pits ONLY:		
Producing Formation: Type of mate		Type of materia	of material utilized in drilling/workover: fresh water mud		
		rking pits to be utilized: 2			
Barrels of fluid produced daily: Abandonment pro		procedure: Let evaporate until dry, then backfill and restore			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits m		Drill pits must	ts must be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
March 25, 2008 Date		Sold Sold Sold Sold Sold Sold Sold Sold	MAR 2 7 2008 CONSERVATION DIVISION Agriculta KS		
KCC OFFICE USE ONLY Steel Pit RFAC RFAS					
Date Received: 3/27/08 Permit Num	poec	Parm	it Date 3/27/08 Lease inspection Yes KNo		