For KCC Use:	4-5-20
Effective Date:	_/30
District #	<u>,</u>
SGA2 DVan	No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

month day year		
		≣ [_]w
33344 /	(a/a/a/a) 2,859 feet from N / X S Line o	f Section
OPERATOR: License#	119 teet from E / W Line o	Section
Address 1: 210 W. Park Ave., Suite 2750	is SECTION: Regular Irregular?	
Address 2:	(Note: Locate well on the Section Plat on reverse side)	
City: Oklahoma City State: OK Zip: 73102 +	County: Neosho	
Contact Person: Richard Marlin	Lease Name: Beachner Bros SWD Well #: 13-1	
Phone: 405-702-7480	Field Name: Cherokee Basin CBM	
CONTRACTOR: License# 33837 or another Licensed by KCC	Is this a Prorated / Spaced Field?	Nio
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 119 (SWD)	
<u> </u>		eet MSL
Oil Enh Rec X Infield Mud Rotary Gas Storage Pool Ext. X Air Rotary	Water well within one-quarter mile:	⊠ _{No} ∕
Gas Storage Pool Ext. Air Rotary Disposa Wildcat Cable	Public water supply well within one mile:	X No T
Seismic : # of Holes Other	Depth to bottom of fresh water: 100	
Other:	Depth to bottom of usable water: 150	
	Surface Pipe by Alternate: IIIIII	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25	
Operator:	Length of Conductor Pipe (if any):	
Weil Name:	Projected Total Depth: 1600	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other: Air	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR)	<u></u>
KCC DKT #:	Will Cores be taken?	⊠ No
	If Yes, proposed zone:RECEIVE	n
	KANSAS CORPORATION	
·	DAVII	
	iging of this well will comply with K.S.A. 55 et. seq.	008
It is agreed that the following minimum requirements will be met:	iging of this well will comply with K.S.A. 55 et. seq. MAR 3 1 2	008
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	MAK 3 1 ZI	
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	MAK 3 1 ZI CONSERVATION D	IVISION
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by	MAK 3 1 20 CONSERVATION D WICHITA, KI y circulating cement to the top; in all cases surface pipe <i>shall be set</i>	IVISION
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the	CONSERVATION D drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation.	IVISION
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugger.	drilling rig; conservation D wichtta, K y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in;	IVISION
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.	IVISION S
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	drilling rig; conservation D wichita, K y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementin	IVISION S
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementin plugged. In all cases, NOTIFY district office prior to any cementing.	IVISION S
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementin plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.	IVISION S
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the lace.	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate it cementin plugged. In all cases, NOTIFY district office prior to any cementing. 15 of my knowledge and belief. Vice President	IVISION S
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the lace.	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate il cementin plugged. In all cases, NOTIFY district office prior to any cementing. 15 of my knowledge and belief. Title: Vice President	IVISION S
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 5. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the lace. March 27, 2008 Signature of Operator or Agent:	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementin plugged. In all cases, NOTIFY district office prior to any cementing. 15 of my knowledge and belief. Title: Vice President Remember to:	IVISION S
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the completed within 30 feet into the lateral production of the spud date or the well shall be statements. Signature of Operator or Agent: March 27, 2008	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: Vice President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;	IVISION S
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the lace. March 27, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - /33 - 2743 7-DODD	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: **Vice President** **Remember to:* - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;	g 13
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the before the set of the spud date or the well shall be the statements made herein are true and correct to the lateral material statements. For KCC Use ONLY API #15 - /33 - 2743 7-0000 Conductor pipe required feet	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate il cementin plugged. In all cases, NOTIFY district office prior to any cementing. 15 In the completion of the complete of the completion form CDP-1) with Intent to Drill; 16 File Completion Form ACO-1 within 120 days of spud date; 17 File acreage attribution plat according to field proration orders;	IVISION S
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge for an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be it hereby certify that the statements made herein are true and correct to the between the control of the set	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: **Vice President** **Remember to:* - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;	g 13 29
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the conductor pipe required Signature of Operator or Agent: For KCC Use ONLY API # 15 - /33 - 2743 7-000 Conductor pipe required Minimum surface pipe required feet per ALT.	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate il cementin plugged. In all cases, NOTIFY district office prior to any cementing. 15 In the Drill Pit Application (form CDP-1) with Intent to Drill; 16 File Completion Form ACO-1 within 120 days of spud date; 17 File acreage attribution plat according to field proration orders; 18 Notify appropriate district office 48 hours prior to workover or re-entry;	ivision 5
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the lace. March 27, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - / 33 - 2743 7-0000 Conductor pipe required Minimum surface pipe required Approved by: March 3-31-OP	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate il cementin plugged. In all cases, NOTIFY district office prior to any cementing. 15 of my knowledge and belief. Wice President Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 d Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	g 13 29
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the late. Date: March 27, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - / 33 - 27437-0000 Conductor pipe required	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; do or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: Vice President File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 december 1).	g 13 29
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the lace. March 27, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - / 33 - 2743 7-0000 Conductor pipe required Minimum surface pipe required Approved by: March 3-31-OP	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. In the prior of my knowledge and belief. Wice President Title: Remember to: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 decent of this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Orilled - Permit Expired Date:	g 13 29
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the late. Date: March 27, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - / 33 - 27437-0000 Conductor pipe required	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: Vice President Vice President	13 29 18 ×


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 133-27437-0000	
Operator: Quest Cherokee, LLC	Location of Well: County: Neosho
Lease: Beachner Bros SWD	2,859 feet from N / X S Line of Section
Well Number: 13-1	119 feet from X E / W Line of Section
Field: Cherokee Basin CBM	Sec. 13 Twp. 29 S. R. 18 X E W
Number of Acres attributable to well: SE SE NE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee, LLC			License Number: 33344	
Operator Address: 210 W. Park Ave., Suite 2750			Oklahoma City OK 73102	
Contact Person: Richard Marlin		Phone Number: 405-702-7480		
Lease Name & Well No.: Beachner Bros SWD 13-1		Pit Location (QQQQ):		
Type of Pit:	Pit is:		SE SE NE	
Emergency Pit Burn Pit	Proposed Existing		Sec. 13 Twp. 29 R. 18 East West	
Settling Pit Drilling Pit	If Existing, date constructed:		2,859 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		119 Feet from East / West Line of Section	
(II VVI Gupply 74 T No. of Teal Difficult	300	(bbls)	Neosho County	
Is the pit located in a Sensitive Ground Water Area? Yes No		Chloride concentration: mg/l		
is the bottom below ground level?	Artificial Liner? Yes No		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?	
Yes No			Air Drilling Well	
Pit dimensions (all but working pits): 30 Length (feet) 10 Width (feet) N/A: Steel Pits				
Depth fr	om ground level to de	eepest point:	10 (feet) No Pit	
t mane base mass dura elemente			edures for periodic maintenance and determining ncluding any special monitoring.	
' '		Well is beir	Well is being air drilled with operations lasting approx.	
		3 days	3 days	
			73	
Distance to nearest water well within one-mile	e of pit	Depth to shallo Source of infor	owest fresh waterfeet.	
			rmation: ured well owner electric log kbwr	
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:		
		Type of materia	Type of material utilized in drilling/workover: Air Drilled	
, ,		Number of working pits to be utilized: 1		
Barrels of fluid produced daily: Aba		Abandonment	Abandonment procedure: All Diy, Dack IIII and Cover.	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits		Drill pits must	RECEIVED be closed within 365 days of spud dateansas CORPORATION COMMISSION	
1 hereby certify that the above statements are true and correct to the best of my knowledge and belief. MAR 3 1 2008				
Moreh 26, 2008 Conservation division Wichita, KS				
Date March 26, 2008 Signature of Applicant or Agent March 26, 2008 Signature of Applicant or Agent				
KCC OFFICE USE ONLY Steel Pit RFAC RFAS				
Date Received: 3/31/08 Permit Num	nber:	Perm	ilt Date: 3/3। ০১ Lease Inspection: Yes ম্ No	



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.