For KCC Use:	4-5-08
District #	3
SGA? Yes	No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

## NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: March 31, 2008	Spot Description:
month day year	
33344	(0/0/0/0) 1,980
OPERATOR: License#	660 feet from KE / W Line of Section
Name: Quest Orieto Nate, CLCO	Is SECTION: Regular Irregular?
Address 1: _210 W. Park Ave., Suite 2750	
Address 2:  City: Oklahoma City State: OK Zip: 73102 +	(Note: Locate well on the Section Plat on reverse side)
City: State: State: Significant	County: Neosho
	Lease Name: Burress Farms Inc. Well #: 7-1
Tilone.	Field Name: Chelipkee Basin CBM
CONTRACTOR: License# 33837 or another Licensed by KCC	Is this a Prorated Spaced Field?
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals
Well Class Time Equipment	Nearest Lease or unit boundary line (in footage): 2/0 • 660 7 3-31-08
	Ground Surface Elevation: 874 feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal Wildcat Cable	Depth to bottom of fresh water: 100
Seismic ; # of Holes Other	Depth to bottom of usable water: 150
Other: Coalbed Methane	
If OWWO: old well information as follows:	Surface Pipe by Alternate: 1 XIII
If OWWO: old well information as follows.	Length of Surface Pipe Planned to be set: 25
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth: 1500
Original Completion Date: Original Total Depth:	Formation at Total Depth: Cherokee Coals
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Weil Farm Pond Other: Air
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes X No
	If Yes, proposed zone: RECEIVED
	DECENTED.
	If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION
AFF	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  IDAVIT
AFF The undersigned hereby affirms that the drilling, completion and eventual plug	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  IDAVIT
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  IDAVIT  gging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DIVISION
AFF  The undersigned hereby affirms that the drilling, completion and eventual plug  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  BY THE PROPOSED BY THE PROPOS
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  BY ANSAS CORPORATION COMMISSION  BY ANSAS CORPORATION COMMISSION  CONSERVATION DIVISION  WICHITA, KS
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  BY ARRIVED STATE OF THE STATE O
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> b through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  BY ARRIVED STATE OF THE STATE O
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> b through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugger.	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  Gring of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DIVISION  WICHITA, KS  drilling rig; by circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE IL COMPLETION, production pipe shall be cemented.	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  Gring of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DIVISION  WICHITA, KS  drilling rig; by circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Fastern Kansas surface casing order #15	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  Gring of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DIVISION  WICHITA, KS  drilling rig; by circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> b through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  Gring of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DIVISION  WICHITA, KS  drilling rig; by circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Fastern Kansas surface casing order #15	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  Gring of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DIVISION  WICHITA, KS  dy circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in;  If rom below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the contract to the best of the spud date.	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  Gring of this well will comply with K.S.A. 55 et. seq.  MAR 3 1 2008  CONSERVATION DIVISION  WICHITA, KS  drilling rig; by circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> b through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  Grant of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DIVISION  WICHITA, KS  dy circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in;  I from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Title:  Vice President
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the contract to the best of the spud date.	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  Gring of this well will comply with K.S.A. 55 et. seq.  MAR 3 1 2008  CONSERVATION DIVISION  WICHITA, KS  drilling rig; by circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the completed within 30 days of Operator or Agent:  March 25, 2008  Signature of Operator or Agent:	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  Grant of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DIVISION  WICHITA, KS  dy circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in;  I from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Title:  Vice President  Title:
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between March 25, 2008  Signature of Operator or Agent:  For KCC Use ONLY	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  Grant of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DIVISION  WICHITA, KS  dy circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in;  If rom below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Title:  Vice President  Title:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the complete	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  Grant of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DIVISION  WICHITA, KS  dy circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;  If rom below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Vice President  Title:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete of the complete of the between the complete of the compl	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  Gring of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DIVISION  WICHITA, KS  drilling rig; by circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in;  I from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Vice President  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the correct to the corre	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  CONSERVATION DIVISION  WICHITA, KS  drillling rig; by circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;  If rom below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Vice President  Title:  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 5. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the completed within 30 days of the spud date or the well shall be shall be shall be approved by:    March 25, 2008	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  CONSERVATION DIVISION  WICHITA, KS  drilling rig; by circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;  If rom below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Vice President  Title:  Remember to:  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be.  I hereby certify that the statements made herein are true and porrect to the because.  March 25, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - / 33 - 2 7439-0000  Conductor pipe required	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  CONSERVATION DIVISION  WICHITA, KS  drilling rig; by circulating cement to the top; in all cases surface pipe shall be set  underlying formation.  If to on plug length and placement is necessary prior to plugging; and or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Set of my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 5. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the completed within 30 days of the spud date or the well shall be shall be shall be approved by:    March 25, 2008	IDAVIT  ging of this well will comply with K.S.A. 55 et. seq.  MAR 3 1 2008  CONSERVATION DIVISION WICHITA, KS  drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ict office on plug length and placement is necessary prior to plugging; ict office on plug length and placement is necessary prior to plugging; ict of or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Vice President  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be.  I hereby certify that the statements made herein are true and porrect to the because.  March 25, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - / 33 - 2 7439-0000  Conductor pipe required	IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  MAR 3 1 2008  CONSERVATION DIVISION WICHITA, KS  drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  File Drill Pit Application (form CDP-1) with intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired Date:
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and porrect to the because.  March 25, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - / 33 - 2 7439-0000  Conductor pipe required	IDAVIT  ging of this well will comply with K.S.A. 55 et. seq.  MAR 3 1 2008  CONSERVATION DIVISION WICHITA, KS  drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ict office on plug length and placement is necessary prior to plugging; ict office on plug length and placement is necessary prior to plugging; ict of or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Vice President  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.


#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 133-27439-000	
Operator: Quest Cherokee, LLC	Location of Well: County: Neosho
Lease: Burress Farms Inc.	1,980 feet from N / X S Line of Section
Well Number: 7-1	660 feet from X E / W Line of Section
Field: Cherokee Basin CBM	Sec. 7 Twp. 29 S. R. 20 X E W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee, LLC			License Number: 33344		
Operator Address: 210 W. Park Ave., Suite 2750			Oklahoma City OK 73102		
Contact Person: Richard Marlin		Phone Number: 405-702-7480			
Lease Name & Well No.: Burress Farms Inc. 7-1			Pit Location (QQQQ):		
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	Proposed Existing		Sec. 7 Twp. 29 R. 20 East West		
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section		
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section		
	300	(bbls)	Neosho County		
Is the pit located in a Sensitive Ground Water Area? Yes No		Chloride concentration: mg/l			
			(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?  Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?  Air Drilling Well		
		40			
Pit dimensions (all but working pits).	Length (le	:et)	Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de	epest point:	10 (feet) No Pit		
			edures for periodic maintenance and determining ncluding any special monitoring.		
		Well is bein	Well is being air drilled with operations lasting approx.		
1		3 days			
		-	<u> </u>		
		Daniel de aballa	- Cost		
		Source of info	owest fresh waterfeet.		
NA feet Depth of water wellfeet		meası	ured we'll owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	Drilling, Workover and Haul-Off Pits ONLY:		
		Type of materi	ype of material utilized in drilling/workover: Air Drilled		
Number of producing wells on lease: Numb		Number of wor	Number of working pits to be utilized:1		
Barrels of fluid produced daily: Abar		Abandonment	Abandonment procedure: Air Dry, Back fill and cover.		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must	be closed within 365 days of spud date.		
			KANSAS CORPORATION COMMISSA		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
$\mathcal{L}_{\mathcal{P}_{-}} > \mathcal{N}_{\mathcal{P}_{-}} \rangle \qquad \qquad MAR 3 1 2008 $					
March 25, 2008  Date	<del>//</del>	1 Jaco	CONSERVATION DIVISION Signature of Applicant or Agent WICHITA, KS		
The state of the s					
KCC OFFICE USE ONLY Steel Pit RFAC RFAS					
Date Received: 3/31/d8 Permit Num	nber:	Perm	nit Date: 3 عرا ه الله الله الله الله الله الله الله		