# For KCC Use: Effective Date:

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

## NOTICE OF INTENT TO DRILL

Must be approved by KCC five (	•	
Expected Spud Date: March 31, 2008	Spot Description:	
month day year	<u>SW</u> - <u>NE</u> <u>Sec. 5</u> Twp. <u>35</u> S. R. <u>18</u> $\times$ E	w
OPERATOR: License#	(0/0/0/0) 1,980 feet from X N / S Line of Sect	
Name: Quest Cherokee, LLC	1,980 feet from E / W Line of Section	on
Address 1: 210 W. Park Ave., Suite 2750	Is SECTION: Regular Irregular?	
Address 2:	(Note: Locate well on the Section Plat on reverse side)	
City: Oklahoma City State: OK Zip: 73102 +	County: Labette	_
Contact Person: Richard Marlin	Lease Name: Madron Rev. Trust Well #: 5-2	
Phone: 405-702-7480	Field Name: Cherokee Basin CBM	
CONTRACTOR: License# 33837 or another Licensed by KCC	Is this a Prorated / Spaced Field?	lo
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 660	
	Ground Surface Elevation: 820 feet M	
	Water well within one-quarter mile:	VO
Gas Storage Pool Ext. X Air Rotary Disposal Wildcat Cable	, cone trace, supply treatment and	No
Seismic: # of Holes Other	Depth to bottom of fresh water: 100	
X Other: Coalbed Methane	Depth to bottom of usable water:	<del></del>
	Surface Pipe by Alternate:	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25	<del></del>
Operator:	Length of Conductor Pipe (if any):	
Well Name:	Projected Total Depth: 1500	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Cherokee Coals	<del></del>
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other: Air	
If Yes, true vertical depth:	DWR Permit #:	<del>_</del> .
Bottom Hole Location:	(Note: Apply for Permit with DWR	
KCC DKT #:	Will Cores be taken?	No n
KCC DK1 #:	#Von proposed rope: RFCEIVE	Ď
	If Yes, proposed zone: RECEIVE KANSAS CORPORATION	Ď
AFFI	If Yes, proposed zone: RECEIVE  KANSAS CORPORATION I	D Commissio
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug	If Yes, proposed zone: RECEIVE  KANSAS CORPORATION I	D Commissio
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	If Yes, proposed zone: RECEIVE  KANSAS CORPORATION I	D COMMISSIO 108
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone:  RECEIVE  KANSAS CORPORATION OF  BAVIT  ging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION D  WICHITA, K	D COMMISSIO 108 IVISION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of the approved notic	If Yes, proposed zone:  RECEIVE  KANSAS CORPORATION O  BY THE CONSERVATION D  WICHITA, KI	D COMMISSIO 108 IVISION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by	If Yes, proposed zone:    RECEIVE	D COMMISSIO 108 IVISION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone:    RECEIVE	D COMMISSIO 108 IVISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the same amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the set of the same appropriate district office will be notified before well is either plugge	If Yes, proposed zone:    RECEIVE	D COMMISSIO 108 IVISION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE IL COMPLETION, production pipe shall be cemented.	If Yes, proposed zone:    RECEIVE     KANSAS CORPORATION	D COMMISSIO 108 IVISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the set of the set	If Yes, proposed zone:    RECEIVE     KANSAS CORPORATION	D COMMISSIO 108 IVISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the distriction of the the appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the set of the s	DAVIT ging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION D WICHITA, KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	D COMMISSIO 108 IVISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	DAVIT ging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION D WICHITA, Ki y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief.	D COMMISSIO 108 IVISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugges.  5. The appropriate district office will be notified before well is either plugges.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed.	DAVIT ging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION D WICHITA, KS y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	D COMMISSIO 108 IVISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of the standard of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard of the standard of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed to the standard of the s	DAVIT ging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION of WICHITA, King of the complete of	D COMMISSIO 108 IVISION S
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed.  I hereby certify that the statements made herein are true and correct to the beautiful that the statements made herein are true and correct to the beautiful that the statements made herein are true and correct to the beautiful that the statements made herein are true and correct to the beautiful that the statements made herein are true and correct to the beautiful that the statements made herein are true and correct to the beautiful that the statements made herein are true and correct to the beautiful that the statements made herein are true and correct to the beautiful that the statements made herein are true and correct to the beautiful that the statements made herein are true and correct to the beautiful that the statements made herein are true and correct to the beautiful that the statements made herein are true and correct to the beautiful that the statements made herein are true and correct to the beautiful that the statements made herein are true and correct to the beautiful that the statements made herein are true and correct to the statements a	DAVIT ging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION D WICHITA, KI drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief.  Title:  Vice President	D COMMISSIO 108 IVISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of the standar	DAVIT ging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION of WICHITA, King of the complete of	D COMMISSIO 108 IVISION S
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate:    I hereby certify that the statements made herein are true and correct to the between the control of the plate.   March 25, 2008   Signature of Operator or Agent:   For KCC Use ONLY   API # 15 - O99 - 24335   OCCOO	DAVIT ging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION of WICHITA, King of the set of the s	DOMMISSION SIVISION S
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the distriction of the the appropriate district office will be notified before well is either plugge of an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed that the statements made herein are true and correct to the best march 25, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - O99 - 24335 ODD  Conductor pipe required 1909 feet	DAVIT ging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION D WICHITA, King of the set of the se	D COMMISSIO 108 IVISION S
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the state of the posted of each of the state	DAVIT ging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION of WICHITA, King of the set of the s	DOMMISSIO DOMMISSIO DOS IVISION S
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the state of the posted on each of the state	DAVIT ging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION D WICHITA, Ki y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief.  Vice President  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	DOMMISSION SIVISION S
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge of the superior of the district of the well is either plugge of the national properties of the plugge of the spud date or the well shall be plugged of the spud date or the well shall	DAVIT ging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION D WICHITA, Ki drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief.  Vice President  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please	DOMMISSION S  5
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the statement of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the statement between the operator and the distriction of the surface before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the bed and the statement of the	DAVIT ging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION D WICHITA, Ki y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief.  Title:  Vice President  Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.	DOMMISSION S  5
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard that the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge of the surface of the well is either plugge of the national properties of the district office will be notified before well is either plugge of the national properties of the district of the well shall be placed or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed or the well	DAVIT ging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION D WICHITA, Ki drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drillied - Permit Expired Date:	DOMMISSION S  5
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the statement of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the statement between the operator and the distriction of the surface before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and correct to the bed and the statement of the	DAVIT ging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION D WICHITA, Ki drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief.  Vice President  Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	DCOMMISSION 008 IVISION 5 18  X


#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 099-24335-0000	
Operator: Quest Cherokee, LLC	Location of Well; County: Labette
Lease: Madron Rev. Trust	1,980 feet from X N / S Line of Section
Well Number: 5-2	1,980 feet from X E / W Line of Section
Field: Cherokee Basin CBM	Sec. 5 Twp. 35 S. R. 18 X E W
Number of Acres attributable to well: SW _ NE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee, LLC		License Number: 33344	
Operator Address: 210 W. Park Av		0	Oklahoma City OK 73102
Contact Person: Richard Marlin		Phone Number: 405-702-7480	
Lease Name & Well No.: Madron Rev. Trust 5-2		Pit Location (QQQQ):	
Type of Pit:	Pit is:		<u>SW</u> . <u>NE</u>
Emergency Pit Burn Pit	Proposed [	Existing	Sec. 5 Twp. 35 R. 18 East West
Settling Pit  Drilling Pit	If Existing, date constructed:		1,980 Feet from North / South Line of Section
☐ Workover Pit ☐ Haul-Off Pit			1,980 Feet from East / West Line of Section
(if WP Supply API No. or Year Drilled)	Pit capacity: 300	(bbls)	Labette County
Is the pit located in a Sensitive Ground Water	Area? Yes X	No	Chloride concentration:mg/l
to the product in a construction			(For Emergency Pits and Settling Pits only)
is the bottom below ground level?  Yes No	Artificial Liner?	No	How is the pit fined if a plastic liner is not used?  Air Drilling Well
Pit dimensions (all but working pits): 30 Length (feet) 10 Width (feet) N/A: Steel Pits			
Depth from ground level to deepest point:10 No Pit			
		edures for periodic maintenance and determining including any special monitoring.	
		ng air drilled with operations lasting approx.	
		owest fresh waterfeet.	
NAfeet Depth of water wellfeet			well owner electric log KDWR  kover and Haul-Off Pits ONLY:
		cover and Haul-Off Pits ONLY:	
1			
I		rking pits to be utilized:1	
, -		procedure: Air Dry, Back fill and cover.	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date. RECEIVED  KANSAS CORPORATION COMMISSION	
I hereby certify that the above stat	ements are true and	correct to the bes	st of my knowledge and belief.
MAR 3 1 2008			
March 25, 2008	<u></u>	1 chard	CONSERVATION DIVISION Signeture of Applicant or Agent WICHITA, KS
Date			Signature of Applicant or Agent WICHITA, KS
KCC OFFICE USE ONLY Steel Pit RFAC RFAS			
Date Received: 3/31/08 Permit Nur	mber:	Pern	nit Date: 3/3//08 Lease Inspection: Yes ANO