For KCC Use: Effective Date:

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

must be approved by KCC tive	
Expected Spud Date: 4-1-08 month day year	Spot Description: the northwest of the southwest of the southwest
	<u>nw se sw sw Sec. 17 Twp. 5</u> S. R. 21 ☐ E W W
OPERATOR: License#	(0/0/0/0) 415 feet from N / X S Line of Section
Name: Clipper Energy, LLC	feet from E / W Line of Section
Address 1: 3838 Oak Lawn #1310	ls SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Dallas State: TX Zip: 75219 +	County: Norton
Contact Person: Bill Robinson Phone: 214-220-1080	Lease Name: Pakkebier Well #; 1
	Field Name: NA
CONTRACTOR: License#33724	Is this a Prorated / Spaced Field?
Name: Warren Drlg., LLC	Target Formation(s): Reagan
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 415
☑Oil ☐ Enh Rec ☐ Infield ☑ Mud Rotary	Ground Surface Elevation: 2198 feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal X Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 150
Other:	Depth to bottom of usable water: 1100-/300
I CHARACO, and wall information on full acceptance	Surface Pipe by Alternate: I XII
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200
Operator:	Length of Conductor Pipe (if any): na
Well Name:	Projected Total Depth: 3900
Original Completion Date: Original Total Depth:	Formation at Total Depth: Reagan
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations;
If Yes, true vertical depth:	Well Farm Pond Other: truck
Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR 1)
KCC DKT #:	
	Will Cores be taken?Yes
	If Yes, proposed zone:
AEE	RECEIVED RECEIVED KANSAS CORPORATION COMMISSION
	IDAVIT KANSAS CORPORATION COMMISSIONANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug	IDAVIT KANSAS CORPORATION COMMISSIOMINSAS CORPORATION COMMISSION of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	IDAVIT KANSAS CORPORATION COMMISSIONANSAS CORPORATION COMMISSIONAN COMMISSIONAN COMPANDA CO
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	IDAVIT KANSAS CORPORATION COMMISSIOMANSAS CORPORATION COMMISSION GRAPH STATE OF THE PROPERTY O
The undersigned hereby affirms that the drilling, completion and eventual plug lit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	IDAVIT KANSAS CORPORATION COMMISSIOMANSAS CORPORATION COMMISSION DIVISION CONSERVATION DIVISION CONSERVATION DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plug lit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	IDAVIT KANSAS CORPORATION COMMISSIOMANSAS CORPORATION COMMISSION Grid of this well will comply with K.S.A. 55 et. seq. MAR 3 1 2008 MAR 2 4 2008 drilling rig; CONSERVATION DIVISION CONSERVATION DIVISION by circulating cement to the top; Wightest's surface pipe shall be Wightest K.S.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the districtions.	ANSAS CORPORATION COMMISSIONANSAS CORPORATION COMPISSIONANSAS CORPORATION COMPISSIONANSAS CORPORATION COMPISSIONANSAS CORPORATION COMPISSIONAN
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger	ANSAS CORPORATION COMMISSIONANSAS CORPORATION COMPISSIONANSAS CORPORATION COMPISSIONANSAS CORPORATION COMPISSIONAN
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	ANSAS CORPORATION COMMISSIONANSAS CORPORATION COMMISSIONAN
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	ANSAS CORPORATION COMMISSIONANSAS CORPORATIONANSAS CORPORATION COMMISSIONANSAS CORPORATION COMMISSIONANSAS CORPORA
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	ANSAS CORPORATION COMMISSIONANSAS CORPORATION COMMISSION OF THE PROPERTY OF TH
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to the through all unconsolidated materials plus a minimum of 20 feet into the set of the set is described. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be comented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and correct to the before the set of t	ANSAS CORPORATION COMMISSIONNISS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be it hereby certify that the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements are true and corr	ANSAS CORPORATION COMMISSIONANSAS CORPORATION COMMISSIONAN
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be increby certify that the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the best and the statements made herein are true and correct to the statements made herein are true and correct to the statements are true and correct to the s	ANSAS CORPORATION COMMISSIONANSAS COMMISSIONANSAS CORPORATION COMMISSIONANSAS CORPORATIONANSAS CORPORATIONANS
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be comented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best and the statements are true and correct to the best and the statements are true and correct to the best and the statements are true and correct to the best and the statements are true and correct to the best and the statements are true and correct to the best and the statements are true and correct to the best and the statements are true and correct to the best and the statements are true and correct to the best and the statements are true and correct to the best and the statements are true and correct to the best and the statements are true and correct to the best and the statements are true and correct to the best and the statements are true and correct to the best and the statements are true and correct to the best and the statements are true and correct to the statements are true and corre	ANSAS CORPORATION COMMISSIONANSAS CORPORATION COMMISSIONAL PROPERTY OF THE PRO
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be comented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best and the statements are true and correct to the best and the statements are true and correct to the best and the statements are true and correct to the best and the statements are true and correct to the best and the statements are true and correct to the best and the statements are true and correct to the best and the statements are true and correct to the best and the statements are true and correct to the best and the statements are true and correct to the best and the statements are true and correct to the best and the statements are true and correct to the best and the statements are true and correct to the best and the statements are true and correct to the best and the statements are true and correct to the best and the statements are true and correct to the statements are true and corre	ANSAS CORPORATION COMMISSIONANSAS COMMISSIONANS COMMISSIONANS COMMISSIONANS ASSOCIATE COMMISSIONANS COMMISSIONANS COMMISSIONAN
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be comented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the best and the statements of the operator of Agent: For KCC Use ONLY API # 15 - 137-20481-0000	ANSAS CORPORATION COMMISSIONANSAS CORPORATIONANSAS CARPORATIONANSAS CORPORATIONANSAS CORPORATIONANSAS CORPORATIONANS CORPORATIONANSAS CORPORATIONANSAS CORPORATIONANS C
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the beginning of the spud state of the statements of the polaries. For KCC Use ONLY API # 15 - 13 7 - 2048 1 - 0000 Conductor pipe required	ANSAS CORPORATION COMMISSIONANSAS CORPORATIONANS COMMISSIONANS COMMISSIO
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best and the statements are true and correct to the best and the statements are true and correct to the best and the statements are true and correct to the best and the statements are true and correct to the best and the statements are true and correct to the best and the statements are true and correct to the best and the statements are true and correct to the best and the statements are true and correct to the best and the statements are true and correct to the best and the statements are true and correct to the best and the statements are true and correct to the best and the statements are true and correct to the best and the statements are true and correct to the best and the statements are true and correct to the best and the statements are true and correct to the best and the statements are true and correct to the best and the statements are true and correct to the best and the statements are true and correct to the best and the statements are true and correct to the statements are true and correct to the statements are true and correct to the statements are true and correct are true and correct are true and correct are true and co	ANSAS CORPORATION COMMISSIONANSAS CORPORATION COMMISSIONANSAS CORPORATION COMMISSION piging of this well will comply with K.S.A. 55 et. seq. MAR 3 1 2008 MAR 2 4 2008 drilling rig; CONSERVATION DIVISION CONSERVATION DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be in hereby certify that the statements made herein are true and correct to the best of the statements. For KCC Use ONLY API # 15 - 137-20481-0000 Conductor pipe required	ANSAS CORPORATION COMMISSIONANSAS CORPORATION COMMISSIONAL Diging of this well will comply with K.S.A. 55 et. seq. MAR 3 1 2008 MAR 2 4 2008 drilling rig; CONSERVATION DIVISION C
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the beat statements. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 137-20481-0000 Conductor pipe required	ANSAS CORPORATION COMMISSIONANSAS CORPORATION COMMISSION aging of this well will comply with K.S.A. 55 et. seq. MAR 3 1 2008 MAR 2 4 2008 drilling rig; CONSERVATION DIVISION CONS
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be comented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be it hereby certify that the statements made herein are true and correct to the because of the statements of the operator of Agent: For KCC Use ONLY API # 15 - 137-20481-0000 Conductor pipe required	ANSAS CORPORATION COMMISSIONANSAS CORPORATION COMMISSION aging of this well will comply with K.S.A. 55 et. seq. MAR 3 1 2008 MAR 2 4 2008 drilling rig; CONSERVATION DIVISION CONSERVATION CONSERVATION DIVISION CONSERVATION DIVISION CONSERVATION
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be if hereby certify that the statements made herein are true and correct to the best signature of Operator or Agent: Signature of Operator or Agent: Signature of Operator or A	ANSAS CORPORATION COMMISSIONANSAS CORPORATION COMMISSION or gring of this well will comply with K.S.A. 55 et. seq. MAR 3 1 2008 MAR 2 4 2008 ANAR 2 4 200

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 137-20481-0000	
Operator: Clipper Energy, LLC	Location of Well: County: Norton
Lease: Pakkebier	415 feet from N / X S Line of Section
Well Number: 1	feet from N / X S Line of Section 725 feet from E / X W Line of Section
Field: NA	Sec. <u>17</u> Twp. <u>5</u> S. R. <u>21</u> E W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

1				: .		-	
1		•		l .		:	-
1	:			1 .		:	
1	:					•	
1	:			1		7	
1	:			1 .		:	
1							•
1	:			1 2		:	
1		•					
1				;			
				1			
1							
1	•	•	•	, -		•	-
1	•	•	•	, .		•	•
1	-		•	,		•	•
	•		•			•	•
	•	•	•			•	•
1	•	•	•			•	•
	•		•	, .		•	•
	•		•			•	•
1							
1							
						•	
!			•				•
1	•		•				•
1	-		•			•	
1		•	•				•
1		•					
1							-
1							
1							•
1	-	- '		1		-	
1				l			
1							
1	_						
1	:	•				:	
1	:	•				•	:
1	:					•	-
1	•	•		1 :		•	
1	1	-				:	:
1	•	•				•	Ī
1	•	•					:
1	:	•		_		•	:
1	-	•	. , -	7		•	-
1				, ,			
1	:	: :		:			
	:	:		:			
	:						
	:						
	:						
	:						
	•						
	:						
			********		•••••		
	***************************************		*********				••••


715							
715							
715.							
715							
715.	-6						
715	:0						
715.	Ą						
715.	P						
715	9						
715.	O HIE						
715	6						
715	् भार						
715	9						

NOTE: In all cases locate the spot of the proposed drilling locaton.

RECEIVED KANSAS CORPORATION COMMISSION

MAR 3 1 2008

CONSERVATION DIVISION WICHITA, KS



RECEIVED KANSAS CORPORATION COMMISSION

MAR 24 2008

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, CONSERVATION DIVISION 4 sections, etc.

 WICHITA, KS
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



Fall & Associates

Stake and Elevation Service 719 W. 5" Street P.O. Bex 404 Concordia, KS. 66901 1-800-536-2821 RECEIVED KANSAS CORPORATION COMM SSION


MAR 3 1 2008

CONSERVATION DIVISIO WICHITA, KS

Date 3-6-08

Invoice Number 0227081B Pakkebier CLIPPER ENERGY Farm Name Number Operator 415'FSL 725'FWL $\frac{17}{S}$ $\frac{5s}{T}$ $\frac{21w}{R}$ Norton-KS Location County-State Elevation 2198 Gr. Clipper Energy Ordered By: Bill Two Turtle Creek 3838 Oak Lawn Suite 1310 Dallas, TX 75219 Scale 1"=1000' Set 5' Iron rod & 4' wood stake on old leveled location approx 40' SW of old mixing pits. RECEIVED KANSAS CORPORATION COMM SSION MAR 24 2008 CONSERVATION DIVISIO WICHITA, KS

15-137-20481-0000



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Clipper Energy, LLC			License Number: 33979			
Operator Address: 3838 Oak Lawn #1310			Dallas	TX 75219		
Contact Person: Bill Robinson			Phone Number: 214-220-1080			
Lease Name & Well No.: Pakkebier 1			Pit Location (QQQQ):			
Type of Pit:	Pit is:	· · · · · · · · · · · · · · · · · · ·	nw se sw sw			
Emergency Pit Burn Pit	Proposed	Existing	Sec. 17 Twp. 5 R. 21	East West		
Settling Pit Drilling Pit	☑ Drilling Pit If Existing, date constructed:		415 Feet from North / South Line of Section			
Workover Pit Haul-Off Pit	Pit capacity:		725 Feet from East /	West Line of Section		
(If WP Supply API No. or Year Drilled)		(bbls)	Norton	County		
Is the pit located in a Sensitive Ground Water Ar	ea? Yes X	No	Chloride concentration:	mg/l		
La tha hadden halou and halou 10	A-4:6-:-11:0		(For Emergency Pits and Settlin	· · · · · · · · · · · · · · · · · · ·		
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not	used?		
Pit dimensions (all but working pits):	Length (fe	eet)80	Width (feet)	N/A: Steel Pits		
Depth from	n ground level to de	epest point:	6 (feet)	No Pit		
If the pit is lined give a brief description of the lin	ner	Describe proce	dures for periodic maintenance and detect	RECEIVED INVISION COMMIS		
material, thickness and installation procedure.		iner integrity, ii	ncluding any special monitoring.	MAR 3 1 2008		
				•		
				CONSERVATION DIVI SION WICHITA, KS		
Distance to nearest water well within one-mile or	f pit		west fresh water	9		
369/ feet Depth of water well	25 feet	Source of informeasu		ng KDWR 037-204		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:			
Producing Formation:	.	Type of materia	al utilized in drilling/workover: chemical mu	ıd 🕏		
Number of producing wells on lease: Number of world		working pits to be utilized: 3				
Barrels of fluid produced daily: Abandonment		procedure: back fill after evapora	tion			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must t		t be closed within 365 days of spud date.				
I hereby certify that the above stateme	ents are true and o	correct to the best	t of my knowledge and belief.	NSAS CORPORATION COMMISS		
				MAR 2 4 2008		
3-10-08	χ			CONSERVATION DIVISION		
Date	 	S	ignature of Applicant or Agent	WICHITA, KS		
	KCC	OFFICE USE OI	NLY Steel Pit RFAC	— . —		
Date Received: 3/31/05 Permit Numbe	r:	Permi	it Date: 3 31 68 Lease Inspection	Norma (-		