For KCC Use: Effective Date: District

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed

| MUSE DE ADDIOVEU DV NCC INVE | (5) days prior to commencing well | |
|---|--|--|
| April 12 2008 | Spot Description: | |
| pected Spud Date: April 12 2000 month day year | SE_NE_SE_Sec. 22 Twp. 26 S. | p 18 VETW |
| 5488 🗸 | (QQQQQ) 1,376 Set. 1WD. 5. | |
| ERAIOR: License# | 275 feet from ∇E | W Line of Section |
| TWM PRODUCTION COMPANY | Is SECTION: X Regular Inregular? | L IV LIND OF GOODION |
| dress 1: 1150 HIGHWAY 39 | , | |
| dress 2: r. CHANUTE State: KS. Zip: 66720 + | (Note: Locate well on the Section Plat on reve | erse side) |
| ntact Person: MICHAEL J. OR JENNIFER WIMSETT | County: ALLEN | 55 |
| ne: 620-431-4137 | Lease Name: CANNON A Field Name: HUMBOLDT/CHANUTE | Well #: 35 |
| | | |
| NTRACTOR: License#5491 ne: _W & W PRODUCTION COMPANY | Is this a Prorated / Spaced Field? | Yes No |
| ne: Was as Ekopoci lok comit yes | Target Formation(s): BARTLESVILLE | ET LINE |
| Well Drijled For: Well Class: Type Equipment: | Nearest Lease or unit boundary line (in footage): 275' EAS | |
| Oil Enh Rec Infield Mud Rotary | Ground Surface Elevation: | feet MSL |
| Gas Storage X Pool Ext. Air Rotary | Water well within one-quarter mile: | Yes No |
| Disposal Wildcat Cable | Public water supply well within one mile: | Yes No |
| Seismic ; # of Holes Other | Depth to bottom of fresh water: 100+ | |
| Other: | Depth to bottom of usable water: | , |
| | Surface Pipe by Alternate: | |
| If OWWO: old well information as follows: | | |
| Operator: | Longitt of Conductor i po (ii dily). | |
| Well Name: | Projected Total Depth: 900' | |
| Original Completion Date: Original Total Depth: | Formation at Total Depth: BARTLESVILLE | |
| | Water Source for Drilling Operations: | |
| ectional, Deviated or Horizontal wellbore? | Well Farm Pond Other: | |
| es, true vertical depth: | DWR Permit #: | <u></u> |
| ttom Hole Location: | (Note: Apply for Permit with DWR | |
| C DKT #: | Will Cores be taken? | Yes No |
| | If Yes, proposed zone: | |
| | | |
| | | RECEIVED |
| | | RECEIVED USAS CORPORATION COMM |
| | | ISAS CORPORATION COMM |
| e undersigned hereby affirms that the drilling, completion and eventual plug | | |
| e undersigned hereby affirms that the drilling, completion and eventual plug | | ISAS CORPORATION COMM |
| e undersigned hereby affirms that the drilling, completion and eventual plug agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each | gging of this well will comply with K.S.A. 55 et. seq. drilling rig; | APR 0.2.2008 OWNERVATION DIVISION |
| e undersigned hereby affirms that the drilling, completion and eventual plugs agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugges. | gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe sl underlying formation. ict office on plug length and placement is necessary prior ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternation | APR 0 2 2008 ONSERVATION DIVISION THE BEST OF THE PROPERTY OF THE PROPERTY OF SPUT DESCRIPTION OF SPUT DE |
| e undersigned hereby affirms that the drilling, completion and eventual plugs agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE If COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be | gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe sl underlying formation. ict office on piug length and placement is necessary prior ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any | APR 0 2 2008 ONSERVATION DIVISION THE BEST OF THE PROPERTY OF THE PROPERTY OF SPUT DESCRIPTION OF SPUT DE |
| e undersigned hereby affirms that the drilling, completion and eventual plug agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distribution of the d | gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe sl underlying formation. ict office on piug length and placement is necessary prior ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any | APR 0 2 2008 CONSERVATION DIVISION THE BEST OF THE PROPERTY OF SPECIAL CONTRACT OF SP |
| e undersigned hereby affirms that the drilling, completion and eventual plug agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office of intent to drill <i>shall be</i> posted on each and the district office well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be preby certify that the statements made herein are true and correct to the best of the many control of the production of the production of the well shall be provided by the statements and the district of the production of the well shall be provided by the statements and the district of the production of the well shall be provided by the statements and the district of the production of the well shall be provided by the statements and the district of the production of the well shall be provided by the statements and the district of the production of the statements and the district of the production of the statements and the district of the production of the statements and the district of the production of the statements and the district of the production of the statements and the district of the production of the statements and the district of the production of the statements are true and correct to the best production of the statements and the district of the production of the statements are true and correct to the production of the statements are true and correct to the statements are true and correct to the statements are true and the statements are t | drilling rig; by circulating cement to the top; in all cases surface pipe sl underlying formation. ict office on plug length and placement is necessary prior el or production casing is cemented in; I from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternately plugged. In all cases, NOTIFY district office prior to any est of my knowledge and belief. Secretary | APR 0 2 2008 CONSERVATION DIVISION THE BEST CHIEFE TO SERVATION DIVISION THE BEST CHIEFE TO SERVE THE BEST CONSERVATION DIVISION THE BEST CONSERVATION DIVISION THE BEST CONSERVATION OF SPUE DIVISION THE BEST CONSERVATION OF SPUE DIVISION THE BEST CONSERVATION OF SPUE DIVISION |
| e undersigned hereby affirms that the drilling, completion and eventual plug agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be preby certify that the statements made herein are true and correct to the best march 29, 2008 Signature of Operator or Agent: For KCC Use ONLY | drilling rig; by circulating cement to the top; in all cases surface pipe st underlying formation. ict office on plug length and placement is necessary prior ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any est of my knowledge and belief. Title: Secretary Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; | APR 0 2 2008 APR 0 2 2008 CONSERVATION DIVISION THE BEST OF THE |
| e undersigned hereby affirms that the drilling, completion and eventual plug agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the office will be defore well is either plugged. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be ereby certify that the statements made herein are true and correct to the best of the complete of the complete of the operator of Agent: March 29, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 | drilling rig; by circulating cement to the top; in all cases surface pipe silunderlying formation. ict office on plug length and placement is necessary priored or production casing is cemented in; I from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternated plugged. In all cases, NOTIFY district office prior to any lest of my knowledge and belief. Title: Secretary Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud despectives. | APR 0 2 2008 APR 0 2 2008 CONSERVATION DIVISION THE SHEET CHEET A. KS to plugging; of spud date. the III cementing cementing. |
| e undersigned hereby affirms that the drilling, completion and eventual plugs agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be ereby certify that the statements made herein are true and correct to the best terms. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 201 - 29734-0000 | drilling rig; by circulating cement to the top; in all cases surface pipe silunderlying formation. ict office on plug length and placement is necessary priored or production casing is cemented in; I from below any usable water to surface within 120 DAYS. 33,891-C, which applies to the KCC District 3 area, alternated plugged. In all cases, NOTIFY district office prior to any lest of my knowledge and belief. Title: Secretary Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud delented. | APR 0 2 2008 APR 0 2 2008 CONSERVATION DIVISION THE PROPERTY AND PRO |
| e undersigned hereby affirms that the drilling, completion and eventual plugs agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE If COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be ereby certify that the statements made herein are true and correct to the better. Signature of Operator or Agent: For KCC Use ONLY API # 15 | drilling rig; by circulating cement to the top; in all cases surface pipe silunderlying formation. ict office on plug length and placement is necessary priored or production casing is cemented in; I from below any usable water to surface within 120 DAYS. 33,891-C, which applies to the KCC District 3 area, alternated plugged. In all cases, NOTIFY district office prior to any lest of my knowledge and belief. Title: Secretary File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud deserted. Notify appropriate district office 48 hours prior to workov | APR 0 2 2008 APR 0 2 2008 CONSERVATION DIVISION THE PROPERTY AND PRO |
| e undersigned hereby affirms that the drilling, completion and eventual plugs agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE If COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be ereby certify that the statements made herein are true and correct to the better. Signature of Operator or Agent: For KCC Use ONLY API # 15 | drilling rig; by circulating cement to the top; in all cases surface pipe silunderlying formation. ict office on plug length and placement is necessary priored or production casing is cemented in; I from below any usable water to surface within 120 DAYS: 33,891-C, which applies to the KCC District 3 area, alternated plugged. In all cases, NOTIFY district office prior to any lest of my knowledge and belief. Title: Secretary File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud deserted in the properties of the plugging to the plugging is completed. | APR 0 2 2008 APR 0 2 2008 CONSERVATION DIVISION rail be self-CHTTA KS Ito plugging; of spud date. te II cementing cementing. Alte; orders; er or re-entry; ed (within 60 days); |
| e undersigned hereby affirms that the drilling, completion and eventual plugs agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be ereby certify that the statements made herein are true and correct to the best term. Signature of Operator or Agent: For KCC Use ONLY API # 15 | drilling rig; by circulating cement to the top; in all cases surface pipe silunderlying formation. ict office on plug length and placement is necessary priored or production casing is cemented in; I from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternated plugged. In all cases, NOTIFY district office prior to any lest of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud deserted. Notify appropriate district office 48 hours prior to workow. Submit plugging report (CP-4) after plugging is complete. Obtain written approval before disposing or injecting salt. | APR 0 2 2008 CONSERVATION DIVISION THE PROPERTY AND DIVISION THE PROPERTY AND DIVISION THE PROPERTY AND THE |
| e undersigned hereby affirms that the drilling, completion and eventual plugs agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of intents as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the strongh all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate of the spud date or the well shall be ereby certify that the statements made herein are true and correct to the best ereby certify that the statements made herein are true and correct to the best ereby certify that the statements made herein are true and correct to the best ereby certify that the statements made herein are true and correct to the best ereby certify that the statements made herein are true and correct to the best ereby certify that the statements made herein are true and correct to the best ereby certify that the statements made herein are true and correct to the best ereby certify that the statements made herein are true and correct to the best ereby certify that the statements made herein are true and correct to the best ereby certify that the statements are true and correct to the best ereby certify that the statement ereby ereb | drilling rig; by circulating cement to the top; in all cases surface pipe silunderlying formation. ict office on plug length and placement is necessary priored or production casing is cemented in; I from below any usable water to surface within 120 DAYS: 33,891-C, which applies to the KCC District 3 area, alternated plugged. In all cases, NOTIFY district office prior to any lest of my knowledge and belief. Title: Secretary File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud deserted in the properties of the plugging to the plugging is completed. | APR 0 2 2008 CONSERVATION DIVISION THE PROPERTY AND DIVISION THE PROPERTY AND DIVISION THE PROPERTY AND THE |
| e undersigned hereby affirms that the drilling, completion and eventual plugs agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be ereby certify that the statements made herein are true and correct to the best ereby certify that the statements made herein are true and correct to the best ereby certify that the statements of Operator or Agent: Signature of Operator or Agent: For KCC Use ONLY API # 15 | drilling rig; by circulating cement to the top; in all cases surface pipe silunderlying formation. ict office on plug length and placement is necessary priored or production casing is cemented in; I from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternationary plugged. In all cases, NOTIFY district office prior to any lest of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud defined according to field proration of the Notify appropriate district office 48 hours prior to workow Submit plugging report (CP-4) after plugging is complete Obtain written approval before disposing or injecting salt. If this permit has expired (See: authorized expiration dat check the box below and return to the address below. | APR 0 2 2008 APR 0 2 2008 CONSERVATION DIVISION thall be self-CHITALKS to plugging; of spud date. te II cementing cementing. / ate; orders; er or re-entry; ed (within 60 days); water. e) please |
| the undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be dereby certify that the statements made herein are true and correct to the best state. March 29, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 | drilling rig; by circulating cement to the top; in all cases surface pipe sign underlying formation. ict office on plug length and placement is necessary priored or production casing is cemented in; I from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any lest of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud defined area are attribution plat according to field proration of the Notify appropriate district office 48 hours prior to workow Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting salt. If this permit has expired (See: authorized expiration date.) | APR 0 2 2008 APR 0 2 2008 CONSERVATION DIVISION thall be self-CHITALKS to plugging; of spud date. te II cementing cementing. / ate; orders; er or re-entry; ed (within 60 days); water. e) please |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

| API No. 15 - 001-29734-0000 | |
|---|--|
| Operator: TWM PRODUCTION COMPANY | Location of Well: County: ALLEN |
| Lease: CANNON A | 1,376 feet from N / X S Line of Section |
| Well Number: 55 | 275 feet from X E / W Line of Section |
| Field: HUMBOLDT/CHANUTE | Sec. <u>22 Twp</u> . <u>26</u> S. R. <u>18</u> E W |
| Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: SE | Is Section: Regular or Irregular |
| | If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW |

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

in plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: TWM PRODUCTION COMPANY | | License Number: 5488 | | |
|---|--------------------------------|--|---|--|
| Operator Address: 1150 HIGHWAY 39 | | CHANUTE KS. 66720 | | |
| | | Phone Number: 620-431-4137 | | |
| Contact Person: MICHAEL J. OR JENNIFER WIMSETT | | The second secon | | |
| Lease Name & Well No.: CANNON A | : CANNON A 55 | | Pit Location (QQQQ): | |
| Type of Pit: | Pit is: | | SE4 SE NE SE | |
| Emergency Pit Burn Pit | Proposed Existing | | Sec. 22 Twp. 26 R. 18 East West | |
| Settling Pit Drilling Pit | If Existing, date constructed: | | 1,376 Feet from North / South Line of Section | |
| Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) | Pit capacity: | | Feet from East / West Line of Section | |
| | | (bbis) | ALLEN County | |
| Is the pit located in a Sensitive Ground Water | Area? Yes | No | Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) | |
| Is the bottom below ground level? | Artificial Liner? | | How is the pit lined if a plastic liner is not used? | |
| Yes No | Yes XI | | N/A | |
| Pit dimensions (all but working pits): | | | Width (feet) N/A: Steel Pits | |
| Depth fr | om ground level to de | epest point: | 4 (feet) No Pit | |
| | | edures for periodic maintenance and determining ncluding any special monitoring. | | |
| material, interness and matamatori procedure. | | | RECEIVED KANSAS CORPORATION CO | |
| | | | APR 0 2 200 | |
| | | | | |
| | | CONSERVATION DIV | | |
| Source of information of water well feet Depth of water well feet | | | | |
| | | | | |
| | | | Illing, Workover and Haul-Off Pits ONLY: e of material utilized in drilling/workover: FRESH WATER | |
| 1 | | king pits to be utilized: | | |
| <u> </u> | | procedure: EVAPORATION AND REFILL W/TOP | | |
| Does the slope from the tank battery allow all spilled fluids to | | | SOIL | |
| | | pe closed within 365 days of spud date. | | |
| I hereby certify that the above state | ments are true and c | correct to the best | of my knowledge and belief. | |
| | | · · · | 1.1.4 | |
| March 29, 2008 Date | | Dennif | consture of Applicant or Agent | |
| Signature or Applicant or Agent | | | | |
| KCC OFFICE USE ONLY Steel Pit RFAC RFAS | | | | |
| Date Received: 4/2/38 Permit Numl | ber: | | t Date: 4/2/08 Lease Inspection: Yes No | |