For KCC Use: 46-08 Effective Date: 50 OIL & GAS CONSERVATION DIVISION District # 50 OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed

Spot Description: Spot	SGA? Yes No	Form must be Signed All blanks must be Filled			
OPERATOR: Licenses 32218 Sec. Twp, 15 S. P. S. P. Sec. Twp, 15	Expansed Smild Date: 2 4	/2	QP .	Spot Description	20
OBERTATOR: Licented 32218 Section No. Section No. No. Section No.	month	 	year		15 c n 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1,980	32218 -				
Name Dev Contraction The Address 1207 N 1st Street East Address 1207 N 1st Street East Address 207 N 1st Street East Address 207 N 1st Street East Address 207 N 2007 N 2st Street 2st Address 207 N 2st Street 2st Address 2st 207 N 2st Street 2st Address 2st 2st Address 2st 2st Address 2st 2st Address 2st	OPERATOR: License#				
Address 2: (Note: Locate well on the Section Plat on reverse side) Contact Person: Lori Driskell Lease Name: Leefer Kalb				ieet from	K E / W Line of Section
Counts Person. Loft Driskell Phone. 913-406-4236 Country Coun	· · · · · · · · · · · · · · · · · · ·			is SECTION: Kegular Inregular?	
County Person. 1913-064-2736 County Person. 1913-064-2736		KS 7in 660!	53 .	(Note: Locate well on the Section Plan	at on reverse side)
Pilode P	Contact Person: Lori Driskell	Zip			1.40
CONTRACTOR: Licenses	Phone: 913-406-4236			Lease Name: Lester Kalb	Well #: 1-16
Trown Oilleid Service, Inc. Well Drilled For: Well Class: Searce Pool Ext. Mud Rotary	The second secon				
Well Drilled For Well Class: Type Equipment: Sirrage Sir	Nome: Town Oilfield Service Inc				∐Yes X No
Ground Surface Elevation: Get MSL Ground Surface	Name:			Target Formation(s): Squirrei	2001
Water well within one-quarter mile: Yes No No No No No No No N	Well Drilled For: Well Clas	s: Type E	quipment:	Nearest Lease or unit boundary line (in footage):	200 -
Disposal	Oil X Enh Rec X Infiel	la III N	lud Rotary		
Seismic # of Holes Other Depth to bottom of fresh water. 100 Depth to bottom of fresh water. 100 Depth to bottom of usable water. 200 Depth to bottom of usable	Gas Storage Pool	Ext. XA	ir Rotary	· ·	
Depth to bottom of usable water: Soff Surface Pipe by Alternate: Surface Pi	DisposalWilde	cat 🔲 C	able	***	Yes X No
Gowword of well information as follows: Operator:	Seismic ; # of Holes Othe	•r		Depth to bottom of fresh water: 100	
Compression:	Other:			Depth to bottom of usable water:	
Operator: Well Name: Original Completion Date: Original Total Depth:: Directional, Deviated or Horizontal wellbore? Water Source for Drilling Operations: Well Name: Water Source for Drilling Operations: Well Farm Pond Original Total Depth:: Water Source for Drilling Operations: Well Farm Pond Original Total Depth:: Water Source for Drilling Operations: Well Farm Pond Original Total Depth:: Water Source for Drilling Operations: Well Farm Pond Original Total Depth:: Water Source for Drilling Operations: Well Farm Pond Original Total Depth:: Water Source for Drilling Operations: Well Farm Pond Original Total Depth:: Water Source for Drilling Operations: Well Farm Pond Original Total Depth:: Water Source for Drilling Operations: Well Farm Pond Original Total Depth:: Water Source for Drilling Operation: Well Farm Pond Original Total Depth:: Water Source for Drilling Operation: Well Farm Pond Original Total Depth:: Water Source for Drilling Operation: Well Farm Pond Original Total Depth:: Water Source for Drilling Operation: Well Farm Pond Original Total Depth:: Water Source for Drilling Operation: Well Farm Pond Original Total Depth:: Water Source for Drilling Operation: Well Farm Pond Original Total Depth:: Water Source for Drilling Operation: Well Farm Pond Original Total Depth:: Water Source for Drilling Operation: Well Farm Pond Original Total Depth:: Water Source for Drilling Operation: Well Farm Pond Original Total Depth:: Water Source for Drilling Operation: Well Farm Pond Original Total Depth:: Water Source for Drilling Operation or Drilling Operation or Source water Source for Source fo	If OWANO: ald well information as fo	llows:		Surface Pipe by Alternate: X II	40 1
Well Name: Original Completion Date: Original Total Depth:: Original Completion Date: Original C	_			Length of Surface Pipe Planned to be set:	70
Directional, Deviated or Horizontal wellbore? Yes No	Operator:				
Water Source for Drilling Operations: West Wes					
Directional, Deviated or Horizontal wellbore? Yes No	Original Completion Date:	Original Total D	epth:		,
If Yes, true vertical depth: Bottom Hole Location: CNOTE #: CNOTE	Dispetional Deviated or Harizontal wellbards	2			
Bottom Hole Location:			☐ res ☑ INO		
AFFIDAVIT RECEIVED The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. ***ANBAS CORPORATION COMMISSION** It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office **prior* to spudding of well; 2. A copy of the approved notice of intent to drill **shall** be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below **shall** be set by circulating cement to the top; in all cases surface pipe**ONSTANDIONINISION** through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within **120 DAYS** of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order **#133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In **all cases, NOTIFY district office** prior to any cementing. 1 hereby certify that the statements made herein are true and correct to the best-d_my kngwledge and belief. Approved by: **August 10 Appendix "B" - Eastern Kansas surface as a surface pipe required					nua 🗔
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. SANSAS CORPORATION COMMISSION It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe SASSINAUGNDIVISION through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. 1 hereby certify that the statements made herein are true and correct to the best-off my knowledge and belief. Approved by: Approved					
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. SANSAS CORPORATION COMMISSION It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe SASSINADODIVISION WICHTA, KS 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. 1 hereby certify that the statements made herein are true and correct to the best-of, my knowledge and belief. 2 plus area gea attribution plat according to field proration orders; 3/28/08 Signature of Operator or Agent: 4 private of Operator or Agent: 5 plus proprieted district office at hours prior to workover or re-entry; 5 Submit plugging report (CP-4) after plugging is completed (within 60 days); 6 plus authorization void if drilling not started within 12 months of approval date.) 6 plus proprieted district office authorized case authorized expiration date) please check the box below and return to the address below. 7 plus proprieted permit Expired Date: 8 plus proprieted permit Expired Date: 8 plus proprieted permit Expired Date: 9 plus proprieted permit Expired Date: 9 plus pr					☐ fes INO
For KCC Use ONLY API # 15 - 045 - 2/1403 - 000 Conductor pipe required	It is agreed that the following minimum re 1. Notify the appropriate district office 2. A copy of the approved notice of in: 3. The minimum amount of surface pi through all unconsolidated material 4. If the well is dry hole, an agreemen 5. The appropriate district office will b 6. If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - East must be completed within 30 days of the surface	equirements will to prior to spudding tent to drill shall ipe as specified less plus a minimunt between the openotified before N, production pipern Kansas surfof the spud date	on and eventual pluce met: ng of well; I be posted on each below shall be set m of 20 feet into the perator and the dist well is either plugge shall be cemented for the well shall be or the well shall be	agging of this well will comply with K.S.A. 55 et. seq. of drilling rig; by circulating cement to the top; in all cases surface a underlying formation. The complete on plug length and placement is necessarized or production casing is cemented in; deform below any usable water to surface within 120, 33,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior	APR 0 3 2008 pipensenation division Wichita, ks y prior to plugging; DAYS of spud date. alternate II cementing
For KCC Use ONLY API # 15 - 045 - 2/1403 - 000 Conductor pipe required	3/28/08		\mathcal{A}	1) l- 00 Age	ent
For KCC Use ONLY API # 15 - 045-21403-000 Conductor pipe required	Date: Signature	of Operator or A	Agent:/	Title: Ag	×114
API # 15 - 045-21403-000 Conductor pipe required	f			Remember to:	->
Conductor pipe required Mond feet Minimum surface pipe required Approved by: Mul 4-7-09 This authorization expires: (This authorization void if drilling not started within 12 months of approval date.) File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent:		わっつつ			
Notify appropriate district office 48 hours prior to workover or re-entry; Minimum surface pipe required	API# 15			I '	
Minimum surface pipe required	Conductor pipe required XO	re fer	et	1	
Approved by: 144 4-7-08 This authorization expires: 4-7-09 (This authorization void if drilling not started within 12 months of approval date.) - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Date:	1			1	**
This authorization expires: 4-7-09 (This authorization void if drilling not started within 12 months of approval date.) If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Date:		let	الگا اليا. A per Aci	1	cting salt water
This authorization expires: 7 / Control of the second of t	//-7 /	.0		,,	ation date) please
Well Not Drilled - Permit Expired Date:		Ludebin 42 manta	of approval data		
Signature of Operator or Agent:	(i nis autnorization void it drilling not started	within 12 months	ur approvar date.)	Well Not Drilled - Permit Expired Date:	
Opus date	Spirid date: Agent:			· —	
	Agent.				\


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 045-21403-0000		
Operator: TDR Construction, Inc.	Location of Well: County: Douglas	
Lease: Lester Kalb	660 feet from N / X S Line of Section	
Well Number: I-16		
Field: Baldwin	Sec. 1 Twp. 15 S. R. 24 ⊠ E □ W	
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: C _ SW _ SE _ = SW _ FR _ SW _ SE _ SW _ SW _ SW _ SW _ SW _ SW	Is Section: Regular or Irregular	
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW	

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: TDR Construction	. Inc.	License Number: 32218				
Operator Address: 1207 N. 1st S		Louisburg KS 66053				
Contact Person: Lori Driskell	THOU EAST	Phone Number: 913-406-4236				
Lease Name & Well No.: Lester Kal	b I-1	Pit Location (QQQQ):				
Type of Pit:	Pit is:		C SW SE SW			
Emergency Pit Burn Pit	Proposed	Existing	Sec. 1 Twp. 15 R. East West			
Settling Pit	If Existing, date of	onstructed:	660 Feet from North / South Line of Section			
Workover Pit Haul-Off Pit	Pit capacity:		1,980 Feet from East / West Line of Section			
(If WP Supply API No. or Year Drilled)	100	(bbls)	Douglas County			
Is the pit located in a Sensitive Ground Water	Area? Yes	 { No	Chloride concentration:mg/l			
			(For Emergency Pits and Settling Pits only)			
Is the bottom below ground level? Yes No	Artificial Liner? Yes No		How is the pit lined if a plastic liner is not used?			
Pit dimensions (all but working pits): 8 Length (feet) 12 Width (feet) X N/A: Steel Pit						
Depth fr	om ground level to de	eepest point:	5 (feet) No Pit			
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining			
material, trickliess and installation procedure	.	liner integrity, including any special monitoring. RECEIVED KANSAS CORPORATION COMMISS				
			APR 0 3 2008			
Distance to nearest water well within one-mile	e of pit		west fresh waterfeetfwitchitta, KS			
	50 feet	Source of information: measured well owner electric log KDWR				
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:				
Producing Formation:		Type of material utilized in drilling/workover: Fresh Water				
Number of producing wells on lease:		Number of working pits to be utilized:				
Barrels of fluid produced daily:		Abandonment procedure: Pits filled as soon as well is completed				
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drill pits must be closed within 365 days of spud date.				
t hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
		-¥				
3/28/08	<u></u>	1)riskell				
Date Signature of Applicant or Agent						
KCC OFFICE USE ONLY Steel Pit RFAC RFAS						
Date Received: 4/3/08 Permit Num	nber:	Perm	it Date: 4/4/08 Lease Inspection: Yes No			

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202



NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.