For KCC Use: Effective Date: District # SGA? Tyes Tho

Form C-1 October 2007 Form must be Typed Form must be Signed

Must be approved by KCC five	e (5) days prior to commencing well	
Expected Spud Date: 2 4 /2 OP	Spot Description:	20
month day year	C S SW SE Sec. 1 Twp. 15	C Day
32218 /	(a/a/a/a) 330 sec. 1Wb. 10	
PERATOR: License#	1,980 feet from	
ddress 1: _1207 N. 1st Street East	Is SECTION: Regular Irregular?	_ / L_] ** Line of Section
ddress 2:		
ity: Louisburg State: KS Zip: 66053 +	(Note: Locate well on the Section Plat on County:	reverse side)
ontact Person: Lori Driskell	Lease Name: Lester Kalb	Mell #- I-18
hone: 913-406-4236	Field Name: Baldwin	ΨΨΟΠ #
ONTRACTOR: License# 33715	Is this a Prorated / Spaced Field?	Yes X No
ame: _Town Oilfield Service, Inc.	Target Formation(s): Squirrel	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 200'	<u> </u>
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:	feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	Yes No —
Disposal Wildcat Cable	Public water supply well within one mile:	Yes X No
Seismic ; # of Holes Other	Depth to bottom of fresh water: 100'	
Other:	Depth to bottom of usable water:	
If OWWO: old well information as follows:	Surface Pipe by Alternate: I XIII	2'
	Length of Surface Pipe Planned to be set: 29 40	<u></u>
Operator:	Length of Conductor Pipe (if any): None Projected Total Depth: 900'	
Well Name:Original Total Depth:	Formation at Total Depth: Squirrel	
Original Completion Date: Original Total Depth:	Water Source for Drilling Operations:	
rectional, Deviated or Horizontal wellbore?	Well Farm Pond Other: X	
es, true vertical depth:	DWR Permit #:	
ottom Hole Location:	(Note: Apply for Permit with DWR	
CC DKT #;	Will Cores be taken?	Yes No
	If Yes, proposed zone:	
		RECEIVED
		(ANSAS CORPORATION COMMIS
e undersigned hereby affirms that the drilling, completion and eventual plu	laging of this well will comply with K.S.A. 55 et. seg.	
	againg or this work this terripity man thou is out out.	1 DD 0 0 0000
s agreed that the following minimum requirements will be met:	33 · 3 · 1 · 1 · 1 · 1 · 1 · 1 · 1 · 1 ·	APR 0 3 2008
Notify the appropriate district office <i>prior</i> to spudding of well;		
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each 	drilling rig;	CONSERVATION DIVISION
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> to 	drilling rig; by circulating cement to the top; in all cases surface pipe	CONSERVATION DIVISION
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 	drilling rig; by circulating cement to the top; in all cases surface pipe a underlying formation.	CONSERVATION DIVISION shall be selection, KS
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg 	odrilling rig; by circulating cement to the top; in all cases surface pipe e underlying formation. rict office on plug length and placement is necessary pr led or production casing is cemented in;	CONSERVATION DIVISION shall be selection, KS
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented 	o drilling rig; by circulating cement to the top; in all cases surface pipe e underlying formation. rict office on plug length and placement is necessary pr led or production casing is cemented in; d from below any usable water to surface within 120 DA	CONSERVATION DIVISION a shall be stated that it is shall be stated that it is shall be stated to shall be shall be shall be stated to shall be stated to shall be s
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1. 	drilling rig; by circulating cement to the top; in all cases surface pipele underlying formation. rict office on plug length and placement is necessary presented or production casing is cemented in; d from below any usable water to surface within 120 DA 33,891-C, which applies to the KCC District 3 area, alte	CONSERVATION DIVISION a shall be stated that it is shall be stated that it is shall be stated to be stated to be shall be stated to be shall be sha
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 	o drilling rig; by circulating cement to the top; in all cases surface pipe e underlying formation. rict office on plug length and placement is necessary pr jed or production casing is cemented in; d from below any usable water to surface within 120 DA 33,891-C, which applies to the KCC District 3 area, alte plugged. In all cases, NOTIFY district office prior to a	CONSERVATION DIVISION a shall be stated that it is shall be stated that it is shall be stated to be stated to be shall be stated to be shall be sha
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be ereby certify that the statements made herein are true and correct to the broad of the statements made herein are true and correct to the broad of the statements made herein are true and correct to the broad of the statements made herein are true and correct to the broad of the statements made herein are true and correct to the broad of the statements made herein are true and correct to the broad of the statements made herein are true and correct to the broad of the statements made herein are true and correct to the broad of the statements made herein are true and correct to the broad of the statements made herein are true and correct to the broad of the statements made herein are true and correct to the broad of the statements made herein are true and correct to the statements made herein are true and correct to the statements made herein are true and correct to the statements. 	drilling rig; by circulating cement to the top; in all cases surface pipele underlying formation. rict office on plug length and placement is necessary presed or production casing is cemented in; defrom below any usable water to surface within 120 DA' 33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to a lest of my knowledge and belief.	CONSERVATION DIVISION a shall be selected. KS ior to plugging; YS of spud date. mate II cementing any cementing.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be ereby certify that the statements made herein are true and correct to the branch of the statements made herein are true and correct to the branch of the statements made herein are true and correct to the branch of the statements made herein are true and correct to the branch of the statements made herein are true and correct to the branch of the statements made herein are true and correct to the branch of the statements made herein are true and correct to the branch of the statements made herein are true and correct to the branch of the statements made herein are true and correct to the branch of the statements made herein are true and correct to the branch of the statements made herein are true and correct to the statements. 	o drilling rig; by circulating cement to the top; in all cases surface pipe e underlying formation. rict office on plug length and placement is necessary pr jed or production casing is cemented in; d from below any usable water to surface within 120 DA 33,891-C, which applies to the KCC District 3 area, alte plugged. In all cases, NOTIFY district office prior to a	CONSERVATION DIVISION a shall be self-CHITA, KS ior to plugging; YS of spud date. The commenting any cementing.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be ereby certify that the statements made herein are true and correct to the brackets. 	drilling rig; by circulating cement to the top; in all cases surface pipele underlying formation. rict office on plug length and placement is necessary presed or production casing is cemented in; defrom below any usable water to surface within 120 DA' 33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to a lest of my knowledge and belief.	CONSERVATION DIVISION a shall be self-CHITA, KS ior to plugging; YS of spud date. The commenting any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the set to the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg for an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be ereby certify that the statements made herein are true and correct to the butter. Signature of Operator or Agent: For KCC Use ONLY	drilling rig; by circulating cement to the top; in all cases surface pipele underlying formation. rict office on plug length and placement is necessary presented or production casing is cemented in; d from below any usable water to surface within 120 DA 33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to a seet of my knowledge and belief. Title: Agent	CONSERVATION DIVISION of shall be self-CHITA, KS for to plugging; VS of spud date. The shall be self-chita, KS The shall be self-
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be ereby certify that the statements made herein are true and correct to the brate. 3/28/08 Signature of Operator or Agent:	d drilling rig; by circulating cement to the top; in all cases surface pipele underlying formation. rict office on plug length and placement is necessary presed or production casing is cemented in; d from below any usable water to surface within 120 DA 33,891-C, which applies to the KCC District 3 area, alteresplugged. In all cases, NOTIFY district office prior to a seet of my knowledge and belief. Title: Agent	CONSERVATION DIVISION a shall be self-CHITA, KS for to plugging; YS of spud date. mate II cementing any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be dereby certify that the statements made herein are true and correct to the base. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 21405-2000	drilling rig; by circulating cement to the top; in all cases surface pipe e underlying formation. rict office on plug length and placement is necessary presed or production casing is cemented in; defrom below any usable water to surface within 120 DA 33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to a seet of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Defile Completion Form ACO-1 within 120 days of spure File acreage attribution plat according to field proration.	CONSERVATION DIVISION of shall be selected. KS if or to plugging; YS of spud date, reate II comenting any cementing. brill; d date; on orders;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. 6. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be dereby certify that the statements made herein are true and correct to the base. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 045 - 21405 - 000 Conductor pipe required feet	drilling rig; by circulating cement to the top; in all cases surface pipele underlying formation. rict office on plug length and placement is necessary presed or production casing is cemented in; d from below any usable water to surface within 120 DA 33,891-C, which applies to the KCC District 3 area, after plugged. In all cases, NOTIFY district office prior to a seet of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Defile Completion Form ACO-1 within 120 days of spure File acreage attribution plat according to field proration.	CONSERVATION DIVISION of shall be selected. KS if or to plugging; VS of spud date, reate II comenting any cementing. brill; d date; on orders; kover or re-entry;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be ereby certify that the statements made herein are true and correct to the base. Signature of Operator or Agent: For KCC Use ONLY API # 15 - USS - 21405 - OOO Conductor pipe required feet Minimum surface pipe required feet per ALT. I File Times - The provided of the statement of the provided of the statement of the provided of the statement of the statemen	drilling rig; by circulating cement to the top; in all cases surface pipe e underlying formation. rict office on plug length and placement is necessary presed or production casing is cemented in; defrom below any usable water to surface within 120 DA 33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to a seet of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Defile Completion Form ACO-1 within 120 days of spure File acreage attribution plat according to field proration.	CONSERVATION DIVISION of shall be self-CHITA, KS for to plugging; YS of spud date. The shall be self-CHITA, KS for to plugging; YS of spud date. The shall be self-CHITA, KS for to plugging; YS of spud date. The shall be self-CHITA, KS for to plugging; The shall be self-CHITA, KS for to plug
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the base. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 21405-2000 Conductor pipe required feet	drilling rig; by circulating cement to the top; in all cases surface pipe e underlying formation. rict office on plug length and placement is necessary preset of production casing is cemented in; defrom below any usable water to surface within 120 DA 33,891-C, which applies to the KCC District 3 area, after plugged. In all cases, NOTIFY district office prior to a set of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to E File Completion Form ACO-1 within 120 days of spure File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to work. Submit plugging report (CP-4) after plugging is company of the provided of the provided provided approval before disposing or injecting	CONSERVATION DIVISION of shall be selected. KS ior to plugging; VS of spud date. reate II cementing any cementing. brill; d date; on orders; kover or re-entry; leted (within 60 days); salt water.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be dereby certify that the statements made herein are true and correct to the base. Signature of Operator or Agent: For KCC Use ONLY API # 15 - O45 - 21405 - 000 Conductor pipe required feet Minimum surface pipe required feet per ALT. I Fill Approved by: Material Surface of Conductor pipe required feet per ALT. This authorization expires:	drilling rig; by circulating cement to the top; in all cases surface pipe e underlying formation. rict office on plug length and placement is necessary presed or production casing is cemented in; defrom below any usable water to surface within 120 DA 33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to a seet of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Defile Completion Form ACO-1 within 120 days of spure File acreage attribution plat according to field proration.	CONSERVATION DIVISION of shall be self-CHITA, KS for to plugging; VS of spud date. In at a li cementing any cementing. In a date; In orders; In o
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be dereby certify that the statements made herein are true and correct to the base. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 2/40 5 - 2000 Conductor pipe required feet Minimum surface pipe required feet per ALT. I Fill Approved by: Market 15 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -	drilling rig; by circulating cement to the top; in all cases surface pipe e underlying formation. rict office on plug length and placement is necessary preset or production casing is cemented in; defrom below any usable water to surface within 120 DA 33,891-C, which applies to the KCC District 3 area, after plugged. In all cases, NOTIFY district office prior to a seet of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Defile Completion Form ACO-1 within 120 days of spure File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to word Submit plugging report (CP-4) after plugging is compared. Obtain written approval before disposing or injecting If this permit has expired (See: authorized expiration check the box below and return to the address below.	CONSERVATION DIVISION of shall be self-CHITA, KS for to plugging; VS of spud date. In at a li cementing any cementing. In a date; In orders; In o
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be dereby certify that the statements made herein are true and correct to the base. Signature of Operator or Agent: For KCC Use ONLY API # 15 - O45 - 21405 - 000 Conductor pipe required feet Minimum surface pipe required feet per ALT. This authorization expires: 4-7-09	drilling rig; by circulating cement to the top; in all cases surface pipe e underlying formation. rict office on plug length and placement is necessary presed or production casing is cemented in; defrom below any usable water to surface within 120 DA 33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to a seet of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Defile Completion Form ACO-1 within 120 days of spure File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to work Submit plugging report (CP-4) after plugging is composition of this permit has expired (See: authorized expiration).	CONSERVATION DIVISION of shall be self-CHITA, KS for to plugging; VS of spud date. In at a li cementing any cementing. In a date; In orders; In o

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 045-21405-0000	
Operator: TDR Construction, Inc.	Location of Well: County: Douglas
Lease: Lester Kalb	330 feet from N / X S Line of Section
Well Number: I-18	1,980 feet from X E / W Line of Section
Field: Baldwin	Sec. 1 Twp. 15 S. R. → X E W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: _ C SW SE	Is Section: Regular or Irregular
5/2	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

	* * * * * * * * * * * * * * * * * * *	:			:	:	:	
		·			· · · · · · · · · · · · · · · · · · · ·	· ·	· · · · · · · · · · · · · · · · · · ·	
								RECEIVED KANSAS CORPORATION COMMISS:
								APR 0 3 2008
•••••					·	· !	·	CONSERVATION DIVISION WICHITA, KS
								EXAMPLE
				l		:	•	
•••••	······						·	1980
	· :	:			: :	:	: :	3390'
						: : :	:	
				4	∆ ←- }	<u> </u>	:	339 SEWARD CO.
NOTE: In	all cases	locate the	spot of t	he propol	ed drillin	g locaton	<u>:</u>	339 SEWARD CO.

In plotting the proposed location of the well, you must show

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1
April 2004
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: TDR Construction, Inc.	License Number: 32218				
Operator Address: 1207 N. 1st Street East	•	Louisburg KS 66053			
Contact Person: Lori Driskell	Phone Number: 913-406-4236				
Lease Name & Well No.: Lester Kalb I-	Pit Location (QQQQ):				
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit If Existing, date		C SW SE SW Sec. 1 Twp. 15 R. 21 East West			
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Pit capacity: 100	(bbls)	Feet from North / South Line of Section 1,980 Feet from East / West Line of Section Douglas County			
Is the pit located in a Sensitive Ground Water Area? Yes	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)				
Is the bottom below ground level? Artificial Liner? Yes Yes					
Pit dimensions (all but working pits): 8 Length	(feet) 12	Width (feet) X N/A: Steel Pits			
Depth from ground level to	deepest point:	5 (feet) No Pit			
If the pit is lined give a brief description of the liner material, thickness and installation procedure.		edures for periodic maintenance and determining including any special monitoring. RECEIVED KANSAS CORPORATION COMMISSI APR 0 3 2008			
Distance to nearest water well within one-mile of pit 2660 feet Depth of water well 50 feet	Source of infor				
feet Depth of water well feet Emergency, Settling and Burn Pits ONLY:	Drilling Work	ured well owner electric log KDWR			
Producing Formation:	<u> </u>	ype of material utilized in drilling/workover: Fresh Water			
Number of producing wells on lease:	Number of wor	Number of working pits to be utilized:2			
Barrels of fluid produced daily: Abandonme		procedure: Pits filled as soon as well is completed			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No	Drill pits must	procedure: Pits filled as soon as well is completed be closed within 365 days of spud date. It of my knowledge and belief.			
I hereby certify that the above statements are true and	d correct to the bes	it of my knowledge and belief.			
3/28/08 Date Signature of Applicant or Agent					
	OFFICE USE O	DIST			

Mall to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202



NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.