# For KCC Use: 412-08 Effective Date: 412-08 District # 12-08

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

# NOTICE OF INTENT TO DRILL

Expected Spud Date: 04 08 2008	Spot Description:	
month day year	N/2 _ S/2 _ SE _ NW Sec. 32 Twp. 29 S. F	R4 <b>⊠</b> E □ W
33638	(0/0/0/0) 3,135 feet from N /	S Line of Section
OPERATOR: License#	1,980 feet from E /	W Line of Section
D.O. Boy 801724	Is SECTION: Regular Irregular?	شا
	<del></del>	
Address 2:	(Note: Locate well on the Section Plat on rever	se side)
Contact Person: Jeff Steinke or Robert Pfannenstiel	County: Butler	1 22
Phone: 918-438-7971 and 918-493-2880	Lease Name: Rock	Well #: 1-32
	Field Name: Dunn's Mill	
CONTRACTOR: License# 33549 / Name: Landmark Drilling, LLC	Is this a Prorated / Spaced Field? Target Formation(s): Kansas City, Mississippian, Arbuckle	Yes No
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 495	
	Ground Surface Elevation: 1170	feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:	Yes No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	Yes X No
Disposal Wildcat Cable	Depth to bottom of fresh water: 120	
Seismic; # of Holes Other	459-170	
Other:	· · · · · · · · · · · · · · · · · · ·	
If OWWO: old well information as follows:	Surface Pipe by Alternate: XI III	
III OVATAO. OID WEII INIOTHIAMON AS IOIIOWS.	Length of Surface Pipe Planned to be set: 250	
Operator:	Length of Conductor Pipe (if any):	
Well Name:	Projected Total Depth:	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other: Walnut River	
Yes, true vertical depth:	DWR Permit #:	
Sottom Hole Location:	( <b>Note:</b> Apply for Permit with DWR 🔀)	_
(CC DKT #:	Will Cores be taken?	Yes X No
	If Yes, proposed zone:	
	ii 103, proposed 20110.	PECEIVED
AFFI		RECEIVED
	DAVIT	RECEIVED ANSAS CORPORATION COMMISS
he undersigned hereby affirms that the drilling, completion and eventual plug-	DAVIT	ANSAS CORPORATION COMMIS
he undersigned hereby affirms that the drilling, completion and eventual plug-	DAVIT ging of this well will comply with K.S.A. 55 et. seq.	RECEIVED ANSAS CORPORATION COMMISS MAR 1 7 2008
The undersigned hereby affirms that the drilling, completion and eventual plugatis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	DAVIT ging of this well will comply with K.S.A. 55 et. seq.	MAR 1 7 2008
The undersigned hereby affirms that the drilling, completion and eventual plugic is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of	DAVIT ging of this well will comply with K.S.A. 55 et. seq.	MAR 1 7 2008
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by	DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe sh	MAR 1 7 2008
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the termination.	DAVIT ging of this well will comply with K.S.A. 55 et. seq.  drilling rig; y circulating cement to the top; in all cases surface pipe should be sh	MAR 1.7.2008  CONSERVATION DIVISION All be set WICHITA, KS
The undersigned hereby affirms that the drilling, completion and eventual plugates agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unit.	DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe shunderlying formation. ct office on plug length and placement is necessary prior to	MAR 1.7.2008  CONSERVATION DIVISION All be set WICHITA, KS
he undersigned hereby affirms that the drilling, completion and eventual pluging is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unit.  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugges.	DAVIT ging of this well will comply with K.S.A. 55 et. seq.  drilling rig; y circulating cement to the top; in all cases surface pipe shounderlying formation. ct office on plug length and placement is necessary prior to do or production casing is cemented in;	MAR 1.7.2008  CONSERVATION DIVISION all be set WICHITA, KS o plugging;
he undersigned hereby affirms that the drilling, completion and eventual pluging is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	DAVIT ging of this well will comply with K.S.A. 55 et. seq.  drilling rig; y circulating cement to the top; in all cases surface pipe shounderlying formation. ct office on plug length and placement is necessary prior to do r production casing is cemented in; from below any usable water to surface within 120 DAYS of	MAR 1.7.2008  CONSERVATION DIVISION all be set WICHITA, KS o plugging; f spud date.
he undersigned hereby affirms that the drilling, completion and eventual plugic is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13:	DAVIT ging of this well will comply with K.S.A. 55 et. seq.  drilling rig; y circulating cement to the top; in all cases surface pipe should be sufficied on plug length and placement is necessary prior to do reproduction casing is cemented in; from below any usable water to surface within 120 DAYS of 3,891-C, which applies to the KCC District 3 area, alternated.	MAR 1 7 2008  CONSERVATION DIVISION all be set WICHITA, KS o plugging; If spud date. e II cementing
The undersigned hereby affirms that the drilling, completion and eventual plugic is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the united that the surface properties district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the surface of the well shall be provided to the surface of the well shall be provided to the surface of the well shall be provided to the surface of the well shall be provided to the surface of the well shall be provided to the surface of the well shall be provided to the surface of the well shall be provided to the surface of the well shall be provided to the surface of the surface	DAVIT ging of this well will comply with K.S.A. 55 et. seq.  drilling rig; y circulating cement to the top; in all cases surface pipe shounderlying formation. ct office on plug length and placement is necessary prior to dor production casing is cemented in; from below any usable water to surface within 120 DAYS of 3,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any of	MAR 1 7 2008  CONSERVATION DIVISION all be set WICHITA, KS o plugging; If spud date. e II cementing
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office that the district office will be notified before well is either plugge.  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13:	pavit ging of this well will comply with K.S.A. 55 et. seq.  drilling rig; y circulating cement to the top; in all cases surface pipe shounderlying formation. ct office on plug length and placement is necessary prior to dor production casing is cemented in; from below any usable water to surface within 120 DAYS of 3,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any of st of my knowledge and belief.	MAR 1 7 2008  CONSERVATION DIVISION all be set WICHITA, KS  o plugging; If spud date, all cementing cementing.
he undersigned hereby affirms that the drilling, completion and eventual plugic is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention o	pavit ging of this well will comply with K.S.A. 55 et. seq.  drilling rig; y circulating cement to the top; in all cases surface pipe shounderlying formation. ct office on plug length and placement is necessary prior to dor production casing is cemented in; from below any usable water to surface within 120 DAYS of 3,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any of st of my knowledge and belief.	MAR 1 7 2008  CONSERVATION DIVISION all be set WICHITA, KS o plugging; If spud date, all cementing cementing.
he undersigned hereby affirms that the drilling, completion and eventual plugic is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention o	pavit ging of this well will comply with K.S.A. 55 et. seq.  drilling rig; y circulating cement to the top; in all cases surface pipe shounderlying formation. ct office on plug length and placement is necessary prior to dor production casing is cemented in; from below any usable water to surface within 120 DAYS of 3,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any of st of my knowledge and belief.	MAR 1 7 2008  CONSERVATION DIVISION all be set WICHITA, KS o plugging; if spud date, all cementing cementing.
he undersigned hereby affirms that the drilling, completion and eventual plugic is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention o	DAVIT ging of this well will comply with K.S.A. 55 et. seq.  drilling rig; y circulating cement to the top; in all cases surface pipe shounderlying formation. ct office on plug length and placement is necessary prior to dor production casing is cemented in; from below any usable water to surface within 120 DAYS of 3,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any of	MAR 1 7 2008  CONSERVATION DIVISION all be set WICHITA, KS o plugging; if spud date, all cementing cementing.  Legal and all all all all all all all all all al
he undersigned hereby affirms that the drilling, completion and eventual plugic is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the uniform of the intention of	drilling rig; y circulating cement to the top; in all cases surface pipe shounderlying formation. ct office on plug length and placement is necessary prior to dor production casing is cemented in; from below any usable water to surface within 120 DAYS of 3,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any of st of my knowledge and belief.	MAR 1 7 2008  CONSERVATION DIVISION all be set WICHITA, KS o plugging; If spud date, all cementing cementing.
the undersigned hereby affirms that the drilling, completion and eventual plugic is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be particularly that the statements made herein are true and correct to the best pate:  14 Maruh 2008 Signature of Operator or Agent:  For KCC Use ONLY	ging of this well will comply with K.S.A. 55 et. seq.  drilling rig; y circulating cement to the top; in all cases surface pipe shounderlying formation.  d or production casing is cemented in; from below any usable water to surface within 120 DAYS of 3,891-C, which applies to the KCC District 3 area, alternate blugged. In all cases, NOTIFY district office prior to any of st of my knowledge and belief.  Title: Dissufar,  Title: Dissufar,  Title: Dissufar,	MAR 1 7 2008  CONSERVATION DIVISION all be set WICHITA, KS or plugging; If spud date. all cementing cementing.  Legal and Affairs  Affairs
the undersigned hereby affirms that the drilling, completion and eventual plugic is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention	drilling rig; y circulating cement to the top; in all cases surface pipe shounderlying formation. ct office on plug length and placement is necessary prior to do reproduction casing is cemented in; from below any usable water to surface within 120 DAYS of 3,891-C, which applies to the KCC District 3 area, alternate oblugged. In all cases, NOTIFY district office prior to any of story to the top of the top	MAR 17 2008  CONSERVATION DIVISION all be set WICHITA, KS or plugging; If spud date, all cementing cementing.  Legal and Affairs  18 16 17 18 18 18 18 18 18 18 18 18 18 18 18 18
the undersigned hereby affirms that the drilling, completion and eventual plugic is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention	drilling rig; y circulating cement to the top; in all cases surface pipe shounderlying formation. ct office on plug length and placement is necessary prior to dor production casing is cemented in; from below any usable water to surface within 120 DAYS or 3,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any of st of my knowledge and belief.  Title: Drive for the Completion File Drill: File Completion Form ACO-1 within 120 days of spud date.	MAR 17 2008  CONSERVATION DIVISION all be set WICHITA, KS o plugging; if spud date, all cementing cementing.  Legal and Affairs 32  le; dets;
the undersigned hereby affirms that the drilling, completion and eventual plugic is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the appropriate district office pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unit of the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugged.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided that the statements made herein are true and correct to the best of the confidence	drilling rig; y circulating cement to the top; in all cases surface pipe shounderlying formation. ct office on plug length and placement is necessary prior to dor production casing is cemented in; from below any usable water to surface within 120 DAYS or 3,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any of st of my knowledge and belief.  Title: Driver of the Completion File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud dat File acreage attribution plat according to field proration of	MAR 1 7 2008  CONSERVATION DIVISION all be set WICHITA, KS to pluggling: If spud date, all cementing tementing.  Legal and Affairs  at (within 60 days):
the undersigned hereby affirms that the drilling, completion and eventual plugic is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the appropriate district office pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unit of the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugged.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided that the statements made herein are true and correct to the best of the confidence	drilling rig; y circulating cement to the top; in all cases surface pipe shounderlying formation. ct office on plug length and placement is necessary prior to dor production casing is cemented in; from below any usable water to surface within 120 DAYS or 3,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any of st of my knowledge and belief.  Title: Driver of the Completion Form ACO-1 within 120 days of spud data. File acreage attribution plat according to field proration or Notify appropriate district office 48 hours prior to workover.	MAR 1 7 2008  CONSERVATION DIVISION all be set WICHITA, KS o plugging; if spud date, all cementing cementing.  Leggl
the undersigned hereby affirms that the drilling, completion and eventual plugic is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the total the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided that the statements made herein are true and correct to the best pate:  For KCC Use ONLY  API # 15 - OIS - 23 - 7 - 72 - 0000  Conductor pipe required	drilling rig; y circulating cement to the top; in all cases surface pipe shounderlying formation. ct office on plug length and placement is necessary prior to do reproduction casing is cemented in; from below any usable water to surface within 120 DAYS of 3,891-C, which applies to the KCC District 3 area, alternate olugged. In all cases, NOTIFY district office prior to any of st of my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date. Notify appropriate district office 48 hours prior to workove. Submit plugging report (CP-4) after plugging is complete. Obtain written approval before disposing or injecting salt. If this permit has expired (See: authorized expiration date.	MAR 1 7 2008  CONSERVATION DIVISION all be set WICHITA, KS o plugging; if spud date, all cementing cementing.  Leggland  Affairs  22  23  26  26  27  28  29  29  20  20  20  20  20  20  20  20
he undersigned hereby affirms that the drilling, completion and eventual plugic is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either plugge.  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be presented by that the statements made herein are true and correct to the best pate:  1. **Marria 2008** Signature of Operator or Agent:  1. **For KCC Use ONLY**  API # 15 - OIS - 23 7 72 - OOOO  Conductor pipe required	drilling rig; y circulating cement to the top; in all cases surface pipe shounderlying formation. ct office on plug length and placement is necessary prior to dor production casing is cemented in; from below any usable water to surface within 120 DAYS of 3,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any of st of my knowledge and belief.  Title: Driverto.  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud dat File acreage attribution plat according to field proration of Notify appropriate district office 48 hours prior to workove. Submit plugging report (CP-4) after plugging is completer. Obtain written approval before disposing or injecting salt	MAR 1 7 2008  CONSERVATION DIVISION all be set WICHITA, KS o plugging; if spud date, all cementing cementing.  Leggland  Affairs  22  23  26  26  27  28  29  29  20  20  20  20  20  20  20  20
the undersigned hereby affirms that the drilling, completion and eventual plugic is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the total the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided that the statements made herein are true and correct to the best pate:  For KCC Use ONLY  API # 15 - OIS - 23 - 7 - 72 - 0000  Conductor pipe required	drilling rig; y circulating cement to the top; in all cases surface pipe shounderlying formation. ct office on plug length and placement is necessary prior to do reproduction casing is cemented in; from below any usable water to surface within 120 DAYS of 3,891-C, which applies to the KCC District 3 area, alternate olugged. In all cases, NOTIFY district office prior to any of st of my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date. Notify appropriate district office 48 hours prior to workove. Submit plugging report (CP-4) after plugging is complete. Obtain written approval before disposing or injecting salt. If this permit has expired (See: authorized expiration date.	MAR 1 7 2008  CONSERVATION DIVISION all be set WICHITA, KS o plugging; if spud date, all cementing cementing.  Leggland  Affairs  22  23  26  26  27  28  29  29  20  20  20  20  20  20  20  20
the undersigned hereby affirms that the drilling, completion and eventual plugic is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either plugge.  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13: must be completed within 30 days of the spud date or the well shall be provided that the statements made herein are true and correct to the best part of the conductor pipe required.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - OIS - 23 7 72 - OOOO  Conductor pipe required feet  Minimum surface pipe required feet  Approved by: With 4-7-OP  This authorization expires: 4-7-OP	drilling rig; y circulating cement to the top; in all cases surface pipe shounderlying formation. ct office on plug length and placement is necessary prior to dor production casing is cemented in; from below any usable water to surface within 120 DAYS or 3,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any of st of my knowledge and belief.  Title: Driver Prior to the Completion File Completion Form ACO-1 within 120 days of spud data. File acreage attribution plat according to field proration or Notify appropriate district office 48 hours prior to workove. Submit plugging report (CP-4) after plugging is complete. Obtain written approval before disposing or injecting salt. If this permit has expired (See: authorized expiration data check the box below and return to the address below.	MAR 1 7 2008  CONSERVATION DIVISION all be set WICHITA, KS o plugging; if spud date, all cementing cementing.  Leggl

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15-015-23772-0000	
Operator: Metro Energy Group, Inc.	Location of Well: County: Butler
Lease: Rock	3,135 feet from N / X S Line of Section
Well Number: 1-32	1,980 feet from E / X W Line of Section
Field: Dunn's Mill	Sec. 32 Twp. 29 S. R. 4 X E W
Number of Acres attributable to well:  QTR/QTR/QTR/QTR of acreage:  N/2 - S/2 - SE - NW	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

## In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

		·		
Operator Name: Metro Energy Group, Inc.		License Number: 33638		
Operator Address: P.O. Box 69173	34		Tulsa OK 74169	
Contact Person: Jeff Steinke or Robert Pfannenstiel		Phone Number: 918-438-7971 and 918-493-2880		
Lease Name & Well No.: Rock	1-3	32	Pit Location (QQQQ):	
Type of Pit:	Pit is:		N/2 _ S/2 _ SE _ NW	
Emergency Pit Burn Pit	Proposed	Existing	Sec. 32 Twp. 29 R. 4 East West	
Settling Pit Drilling Pit	If Existing, date co	onstructed:	3,135 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		1,980 Feet from East / West Line of Section	
(If WP Supply API No. or Year Drilled)	10,000	(bbls)	Butler County	
s the pit located in a Sensitive Ground Water	Area? Kes	No	Chloride concentration: 500 mg/l	
	ب د	<u> </u>	(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?  Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	20 Length (fe	et) 120	Width (feet) N/A: Steel Pits	
	om ground level to de	epest point:	4 (feet) No Pit	
material, thickness and installation procedure	<b>9</b> .	liner integrity, i	RECEIVEL KANSAS CORPORATION C	
Distance to nearest water well within one-mile of pit  1689 2640 feet Depth of water well 80 feet Depth of water well 80 feet				
<u> </u>			g, Workover and Haul-Off Pits ONLY:	
Producing Formation: Type of		Type of materia	Type of material utilized in drilling/workover: Fresh Water Mud	
		king pits to be utilized: 2		
Barrels of fluid produced daily:		Abandonment	procedure: Evaporation and Backfill	
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drill pits must l	be closed within 365 days of spud date.	
I hereby certify that the above state	ements are true and o	correct to the bes	t of my knowledge and belief.	
14 March Zio 8 Date		ş	ignature of Applicant or Agent	
And the second s	KCC	OFFICE USE O	NLY Steel Pit RFAC RFAS	
Date Received: 3/17/08 Permit Num	ıber:	Perm	7 → it Date:	



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Michael C. Moffet, Commissioner Joseph F. Harkins, Commissioner

April 3, 2008

Mr. Jeff Steinke Metro Energy Group, Inc. PO Box 691734 Tulsa, OK 74169

Re: I

Drilling Pit Application Rock Lease Well No. 1-32 NW/4 Sec. 32-29S-04E Butler County, Kansas

Dear Mr. Steinke:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit within 72 hours of drilling completion.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely.

Kathy Haynes

**Environmental Protection and Remediation Department** 

cc: File