For KCC Use: SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL.

Form C-1 October 2007 Form must be Typed Form must be Signed

Expected Spud Da	ate May	9	2008	Spot Description:					
. ,	month	day	уеаг	NE SW	SE Se	c 32 T	wp. 31	S Rng. 3	E 🛛 w
OPERATOR: Lice	ense # 5003			990		feet from	□N/	XS Line	of Section
Name:	McCoy Petroleum Corp	oration		1650		feet from	ΣE/		of Section
Address 1:	8080 E. Central, Suite #				tegular	Irregula			
Address 2:	OOOO L. Central, Cuite #							n reverse sid	del
City:	Wichita State:	KS Zip: 67	7206-2366	County:	Localo Won	_	mner		,
Contact Person:	Scott Hampel			Lease Name:	F	RSKINE		Well #:	3-32
Phone	316-636-2737 x 104		*****	Field Name:			kine No		
	/			Is this a Prorated / Spi	aced Field?			· · · · ·	Yes No
CONTRACTOR; L	License # 5822			Target Information(s):			Missis:	sippian 🗸	
	nergy, Inc.			Nearest Lease or unit		in footage):		990'	
			 	Ground Surface Eleva	= :	,,	1253'		feet MSL
Well Drille	ed For: Well Class:	Type Equip	oment:	Water well within one-		e [,]			Yes No
	Enh Rec Infield	Mud R		Public water supply w	•			-	Yes X No
		Air Ro	-	Depth to bottom of fre				100'	
X Gas [Cable	•	Depth to bottom of usa				230'	
Colomia		Cable		Surface Pipe by Altern		A			
Seismic:	# of Holes Other			Length of Surface Pipe	- L		•	250'	
Other:				Length of Conductor F		-		None	
If OWWO	: old well information as follows:			Projected Total Depth			40		
Operator:				Formation at Total De			Missis		
Well Name:				Water Source for Drilli		one:	14110010	эррия	
Original Comp	oletion Date: O	riginal Total Depti	h:			Other:		Haul	/
		Г	Yes No		m Pona	Other.		Haui	
	ted or Horizontal wellbore?	L.		DWR Permit #:	(Nate: Ann	ly for Permi	t with DM/	P 17	
IL ABS TUID NOUIVO								VI 17	
					(14010. 1100	,			Type Mino
Bottom Hole Locat				Will Cores be taken?		,			Yes No
Bottom Hole Locat	dia a								
Bottom Hole Locat	dia a			Will Cores be taken?					RECEIVED
Bottom Hole Locat KCC DKT #:	ition:		AFF	Will Cores be taken? If Yes, proposed zone	:	<u>.</u>			
Bottom Hole Local KCC DKT #: — The undersigned h	ntion:	ompletion and eve	AFF	Will Cores be taken? If Yes, proposed zone	:	<u>.</u>		KANSAS CO	RECEIVED PRPORATION COM
Bottom Hole Local KCC DKT #: The undersigned hat the	ntion: thereby affirms that the drilling, or the following minimum requirement	ompletion and events will be met:	AFF	Will Cores be taken? If Yes, proposed zone	:	<u>.</u>		KANSAS CO	RECEIVED
Bottom Hole Local KCC DKT #: The undersigned h It is agreed that the 1. Notify the al 2. A copy of th	hereby affirms that the drilling, or the following minimum requirement appropriate district office <i>prior</i> to the approyed notice of intent to di	ompletion and events will be met: spudding of well; rill shall be poste	AFF entual plugging of	Will Cores be taken? If Yes, proposed zone IDAVIT this well will comply with kering;	: (.S.A. 55 el	t. seq.	Manada akun 19 da wasa Awa	KANSAS CO	RECEIVED PROPARATION COMP
Bottom Hole Local KCC DKT #: The undersigned h It is agreed that the 1. Notify the al 2. A copy of th 3. The minimu	hereby affirms that the drilling, or the following minimum requirement appropriate district office <i>prior</i> to the approved notice of intent to dium amount of surface pipe as sp	ompletion and events will be met: spudding of well; rill shall be poste	AFF entual plugging of d on each drilling	Will Cores be taken? If Yes, proposed zone IDAVIT this well will comply with kerig; ating cement to the top, in	: (.S.A. 55 el	t. seq.	Manada akun 19 da wasa Awa	KANSAS CO	RECEIVED PRPORATION COM
Bottom Hole Local KCC DKT #: The undersigned h It is agreed that the 1. Notify the ai 2. A copy of th 3. The minimu through all to 4. If the well is	thereby affirms that the drilling, on the following minimum requirement appropriate district office <i>prior</i> to the approved notice of intent to dium amount of surface pipe as spunconsolidated materials plus as	ompletion and events will be met: spudding of well; rill shall be poste ecified below sha minimum of 20 fe	AFF entual plugging of d on each drilling all be set by circul eet into the underly d the district office	Will Cores be taken? If Yes, proposed zone IDAVIT this well will comply with he rig; ating cement to the top, in ying formation. e on plug length and place	: C.S.A. 55 et all cases s	t. seq. surface pipe cessary <i>prio</i>	shall be :	KANSAS CO AF CONS	RECEIVED DRPORATION COMP PR 0 7 2008 SERVATION DIVISION
Bottom Hole Local KCC DKT #: The undersigned h t is agreed that the 1. Notify the a 2. A copy of th 3. The minimu through all u 4. If the well is 5. The approp	thereby affirms that the drilling, or the following minimum requirement appropriate district office <i>prior</i> to the approved notice of intent to dium amount of surface pipe as sp unconsolidated materials plus a so dry hole, an agreement betwee	ompletion and events will be met: spudding of well; rill shall be poste ecified below shaminimum of 20 feen the operator and before well is eit	AFF entual plugging of d on each drilling alf be set by circul set into the underly alt the district office	Will Cores be taken? If Yes, proposed zone IDAVIT this well will comply with he rig; ating cement to the top, in ying formation. e on plug length and place oduction casing is cement	C.S.A. 55 et all cases s	t. seq. surface pipe cessary <i>pric</i>	shall be s	KANSAS CO AF CONS ging;	RECEIVED DRPORATION COMP PR 0 7 2008 SERVATION DIVISION
Sottom Hole Local CCC DKT #: The undersigned h t is agreed that the 1. Notify the al 2. A copy of th 3. The minimu through all t 4. If the well is 5. The approp 6. If an ALTEF Or pursuant	thereby affirms that the drilling, or be following minimum requirement appropriate district office <i>prior</i> to be approved notice of intent to drum amount of surface pipe as spunconsolidated materials plus as dry hole, an agreement between the surface district office will be notified RNATE II COMPLETION, product to Appendix "B" - Eastern Kans	ompletion and events will be met: spudding of well; rill shall be poste weighed below sha minimum of 20 fe en the operator and before well is eit ction pipe shall be sas surface casin	AFF entual plugging of id on each drilling all be set by circul set into the underly ind the district office ther plugged or pre e cemented from b g order #133.891-	Will Cores be taken? If Yes, proposed zone IDAVIT this well will comply with k rig; ating cement to the top, in ving formation. e on plug length and place oduction casing is cement elow any unable water to C, which applies to the KO	C.S.A. 55 et all cases s ment is ned ed in; surface with C District S	t. seq. surface pipe cessary <i>pric</i> hin <i>120 day</i> 3 area, alteri	shall be sor to pluggers of plug on nate II cen	KANSAS COAF	RECEIVED DRPORATION COMP PR 0 7 2008 SERVATION DIVISION
Bottom Hole Local KCC DKT #: The undersigned h t is agreed that the 1. Notify the al 2. A copy of th 3. The minimu through all the well is 5. The approp 6. If an ALTEF Or pursuant	thereby affirms that the drilling, or the following minimum requirement appropriate district office <i>prior</i> to the approved notice of intent to dium amount of surface pipe as spunconsolidated materials plus a sodry hote, an agreement betwee	ompletion and events will be met: spudding of well; rill shall be poste weighed below sha minimum of 20 fe en the operator and before well is eit ction pipe shall be sas surface casin	AFF entual plugging of id on each drilling all be set by circul set into the underly ind the district office ther plugged or pre e cemented from b g order #133.891-	Will Cores be taken? If Yes, proposed zone IDAVIT this well will comply with k rig; ating cement to the top, in ving formation. e on plug length and place oduction casing is cement elow any unable water to C, which applies to the KO	C.S.A. 55 et all cases s ment is ned ed in; surface with C District S	t. seq. surface pipe cessary <i>pric</i> hin <i>120 day</i> 3 area, alteri	shall be sor to pluggers of plug on nate II cen	KANSAS COAF	RECEIVED DRPORATION COMP PR 0 7 2008 SERVATION DIVISION
Bottom Hole Local KCC DKT #: The undersigned h It is agreed that the 1. Notify the approper of the selection of the selectio	thereby affirms that the drilling, come following minimum requirement appropriate district office <i>prior</i> to the approved notice of intent to dium amount of surface pipe as spunconsolidated materials plus as dry hole, an agreement between the two district office will be notified RNATE II COMPLETION, product to Appendix "B" - Eastern Kansimpleted within 30 days of the sp	ompletion and events will be met: spudding of well; rill shall be poste lectified below sha minimum of 20 fe an the operator an d before well is eit ction pipe shall be sas surface casing and date or the we	AFF entual plugging of d on each drilling all be set by circul- et into the underly d the district office ther plugged or pre- e cemented from b g order #133,891- ell shall be plugged	Will Cores be taken? If Yes, proposed zone IDAVIT this well will comply with he rig; ating cement to the top, in ving formation. In on plug length and place oduction casing is cement velow any unable water to C, which applies to the KC of in all cases, NOTIFY of	C.S.A. 55 et all cases s ment is ned ed in; surface with C District S	t. seq. surface pipe cessary <i>pric</i> hin <i>120 day</i> 3 area, alteri	shall be sor to pluggers of plug on nate II cen	KANSAS COAF	RECEIVED DRIPORATION COMP PR 0 7 2008 SERVATION DIVISION
Bottom Hole Local KCC DKT #: The undersigned h It is agreed that the 1. Notify the approper of the selection of the selectio	thereby affirms that the drilling, or the following minimum requirement appropriate district office <i>prior</i> to the approved notice of intent to drum amount of surface pipe as spunconsolidated materials plus as the district office will be notified RNATE II COMPLETION, product to Appendix "B" - Eastern Kans	ompletion and events will be met: spudding of well; rill shall be poste lectified below sha minimum of 20 fe an the operator an d before well is eit ction pipe shall be sas surface casing and date or the we	AFF entual plugging of d on each drilling all be set by circul- et into the underly d the district office ther plugged or pre- e cemented from b g order #133,891- ell shall be plugged	Will Cores be taken? If Yes, proposed zone IDAVIT this well will comply with he rig; ating cement to the top, in ving formation. In on plug length and place oduction casing is cement velow any unable water to C, which applies to the KC of in all cases, NOTIFY of	C.S.A. 55 et all cases s ment is ned ed in; surface with C District S	t. seq. surface pipe cessary <i>pric</i> hin <i>120 day</i> 3 area, alteri	shall be sor to pluggers of plug on nate II cen	KANSAS COAF	RECEIVED DRIPORATION COMP PR 0 7 2008 SERVATION DIVISION
Bottom Hole Local KCC DKT #: The undersigned h t is agreed that the 1. Notify the aj 2. A copy of th 3. The minimu through all the well is 5. The approp 6. If an ALTEF Or pursuant must be cor hereby certify tha	thereby affirms that the drilling, come following minimum requirement appropriate district office <i>prior</i> to the approved notice of intent to dium amount of surface pipe as spunconsolidated materials plus as dry hole, an agreement between the two district office will be notified RNATE II COMPLETION, product to Appendix "B" - Eastern Kansimpleted within 30 days of the sp	ompletion and events will be met: spudding of well; rill shall be posterecified below shaminimum of 20 fern the operator and before well is eitction pipe shall be sas surface casing and date or the were true and to the	AFF entual plugging of d on each drilling all be set by circul- et into the underly d the district office ther plugged or pre- e cemented from b g order #133,891- ell shall be plugged	Will Cores be taken? If Yes, proposed zone IDAVIT this well will comply with he rig; ating cement to the top, in ying formation. e on plug length and place oduction casing is cement relow any unable water to C, which applies to the KC of, in all cases, NOTIFY de	C.S.A. 55 et all cases s ment is ned ed in; surface with C District S	t. seq. surface pipe cessary <i>pric</i> hin <i>120 day</i> 3 area, alteri	shall be sor to pluggers of plug on the licentry cemen	KANSAS COAF	RECEIVED DRIPORATION COMP PR 0 7 2008 SERVATION DIVISION
Bottom Hole Local KCC DKT #: The undersigned h It is agreed that the 1. Notify the al 2. A copy of th 3. The minimu through all 4. If the well is 5. The approp 6. If an ALTEF Or pursuant must be cor I hereby certify tha	thereby affirms that the drilling, or the following minimum requirement appropriate district office <i>prior</i> to the approved notice of intent to dium amount of surface pipe as sp unconsolidated materials plus a s dry hole, an agreement betwee oriate district office will be notified RNATE II COMPLETION, product it to Appendix "B" - Eastern Kans impleted within 30 days of the sp that the statements made herein and	ompletion and events will be met: spudding of well; rill shall be posterecified below shaminimum of 20 fern the operator and before well is eitction pipe shall be sas surface casing and date or the were true and to the	AFF entual plugging of d on each drilling all be set by circul- et into the underly d the district office ther plugged or pre- e cemented from b g order #133,891- ell shall be plugged	Will Cores be taken? If Yes, proposed zone IDAVIT this well will comply with he rig; ating cement to the top, in ving formation. In on plug length and place oduction casing is cement velow any unable water to C, which applies to the KC d. In all cases, NOTIFY de each and belief. Scott Hampel	C.S.A. 55 et all cases s ment is ned ed in; surface with C District S	t, seq. surface pipe cessary <i>prio</i> hin <i>120 day</i> 3 area, alteri ce prior to a	shall be sor to pluggers of plug on the licentry cemen	KANSAS COAF	RECEIVED ORPORATION COMPORATION DIVISION WICHITA, KS
Bottom Hole Local KCC DKT #: The undersigned h It is agreed that the 1. Notify the a 2. A copy of th 3. The minimu through all t 4. If the well is 5. The approp 6. If an ALTER Or pursuant must be cor I hereby certify tha	thereby affirms that the drilling, or the following minimum requirement appropriate district office <i>prior</i> to the approved notice of intent to durn amount of surface pipe as spunconsolidated materials plus as dry hole, an agreement betwee oriate district office will be notified RNATE II COMPLETION, product to Appendix "B" - Eastern Kansimpleted within 30 days of the sput the statements made herein at 4/08 Signature of Ope	ompletion and events will be met: spudding of well; rill shall be posterecified below shaminimum of 20 fern the operator and before well is eitction pipe shall be sas surface casing and date or the were true and to the	AFF entual plugging of d on each drilling all be set by circul- et into the underly d the district office ther plugged or pre- e cemented from b g order #133,891- ell shall be plugged	Will Cores be taken? If Yes, proposed zone IDAVIT this well will comply with he rig; ating cement to the top, in ying formation. e on plug length and place oduction casing is cement elow any unable water to C, which applies to the KC d. In all cases, NOTIFY de edge and belief. Scott Hampel Remember to:	all cases s ment is ned ed in; surface with CD District office	t. seq. curface pipe cessary <i>prio</i> hin <i>120 day</i> 3 area, alteri ce prior to a	shall be a cort to plugging as of plug of nate il community common vices Plugging Vice Plugging Shall be a constant to the shall be a constant.	KANSAS COAF	RECEIVED ORPORATION COMPR 0 7 2008 SERVATION DIVISION WICHITA, KS
Bottom Hole Local KCC DKT #: The undersigned h t is agreed that the 1. Notify the ag 2. A copy of th 3. The minimu through all the well is 5. The approp 6. If an ALTEF Or pursuant must be cor thereby certify tha Date: 4/4 For KCC Use C	thereby affirms that the drilling, or the following minimum requirement appropriate district office <i>prior</i> to be approved notice of intent to district office prior as spunconsolidated materials plus as dry hole, an agreement between the district office will be notified to Appendix "B" - Eastern Kans mpleted within 30 days of the sput to Appendix "B" - Sastern Kans mpleted within 30 days of the sput the statements made herein and	ompletion and events will be met: spudding of well; rill shall be poste lectified below sha minimum of 20 fe en the operator and d before well is eit ction pipe shall be leas surface casing and date or the we re true and to the least or Agent:	AFF entual plugging of d on each drilling all be set by circul- et into the underly d the district office ther plugged or pre- e cemented from b g order #133,891- ell shall be plugged	Will Cores be taken? If Yes, proposed zone IDAVIT this well will comply with he rig; ating cement to the top, in ying formation. In on plug length and place oduction casing is cement elow any unable water to C, which applies to the KC d. In all cases, NOTIFY de edic and belief. Scott Hampel Remember to: - File Drill Pit Application	all cases s ment is neced in; surface with CC District 3 istrict office	t. seq. surface pipe cessary <i>pric</i> thin <i>120 day</i> 3 area, alterice prior to a	shall be sor to pluggers of plug on the licen my cemen Vice Pluggers of the licent to Different	KANSAS COAF	RECEIVED DRPORATION COMPR 0 7 2008 SERVATION DIVISION WICHITA, KS
Bottom Hole Local KCC DKT #: The undersigned h It is agreed that the 1. Notify the ag 2. A copy of th 3. The minimu through all u 4. If the well is 5. The approp 6. If an ALTEF Or pursuant must be cor I hereby certify tha Date: 4/4 For KCC Use C API # 15 -	thereby affirms that the drilling, or the following minimum requirement appropriate district office <i>prior</i> to the approved notice of intent to district office prior as spunconsolidated materials plus as dry hole, an agreement between the district office will be notified RNATE II COMPLETION, product to Appendix "B" - Eastern Kans mpleted within 30 days of the sput the statements made herein and the s	ompletion and events will be met: spudding of well; rill shall be poshe minimum of 20 fe en the operator and before well is eit ction pipe shall be sas surface casin and date or the we re true and to the erator or Agent:	AFF entual plugging of d on each drilling all be set by circul- et into the underly d the district office ther plugged or pre- e cemented from b g order #133,891- ell shall be plugged	Will Cores be taken? If Yes, proposed zone IDAVIT this well will comply with he rig; ating cement to the top, in ying formation. e on plug length and place oduction casing is cement elow any unable water to C, which applies to the KC d. In all cases, NOTIFY de edge and belief. Scott Hampel Remember to:	all cases s ment is neced in; surface with CD District 3 district office on (form CI ACO-1 with	t. seq. surface pipe cessary <i>pric</i> thin <i>120 day</i> 3 area, alten ce prior to a Title: DP-1) with	shall be sor to pluggers of plug on the licentry cemen. Vice Pluggers of pluggers of the licentry cemen.	KANSAS COAF	RECEIVED ORPORATION COMPR 0 7 2008 SERVATION DIVISION WICHITA, KS
Bottom Hole Local KCC DKT #: The undersigned h t is agreed that the 1. Notify the ag 2. A copy of th 3. The minimu through all the well is 5. The approp 6. If an ALTEF Or pursuant must be cor thereby certify tha Date: 4/4 For KCC Use C	thereby affirms that the drilling, or the following minimum requirement appropriate district office <i>prior</i> to the approved notice of intent to durn amount of surface pipe as spunconsolidated materials plus as dry hole, an agreement betwee priate district office will be notified RNATE II COMPLETION, product to Appendix "B" - Eastern Kans impleted within 30 days of the spunch at the statements made herein at 4/08 Signature of Ope	ompletion and events will be met: spudding of well; rill shall be poste lectified below sha minimum of 20 fe en the operator and d before well is eit ction pipe shall be leas surface casing and date or the we re true and to the least or Agent:	AFF entual plugging of d on each drilling all be set by circul- et into the underly d the district office ther plugged or pre- e cemented from b g order #133,891- ell shall be plugged	Will Cores be taken? If Yes, proposed zone IDAVIT this well will comply with he rig; ating cement to the top, in ving formation. It is on plug length and place oduction casing is cement elow any unable water to C, which applies to the KO In all cases, NOTIFY de edde and belief. Scott Hampel Remember to: File Drill Pit Applicatio File Completion Form File acreage attributio Notify appropriate dis	all cases s ment is neced in; surface with CD District office on (form CI n ACO-1 with on plat accountrict office 4	t. seq. surface pipe cessary pric hin 120 day 3 area, alteri ce prior to a Title: DP-1) with thin 120 day ording to fiel 18 hours pric	shall be : or to plug: s of plug of nate II cen ny cemen Vice Pi Intent to D s of spud d proratior or to works	KANSAS CO AF Set CONS ging; date. nenting ting. resident - date; n orders; over or re-enting	RECEIVED DRPORATION COMPORATION DIVISION DIVISION DIVISION WICHITA, KS
Bottom Hole Local KCC DKT #: The undersigned h It is agreed that the 1. Notify the al 2. A copy of th 3. The minimu through all the well is 5. The approp 6. If an ALTEF Or pursuant must be cor I hereby certify tha Date: 4/4 For KCC Use C API # 15 - C Conductor pipe Minimum surface	thereby affirms that the drilling, or the following minimum requirement appropriate district office <i>prior</i> to the approved notice of intent to drum amount of surface pipe as spunconsolidated materials plus as dry hole, an agreement between the district office will be notified RNATE II COMPLETION, product to Appendix "B" - Eastern Kansmpleted within 30 days of the spunct of the statements made herein and the statements made herein and the statements of Operation of Operation (Complete Complete	ompletion and events will be met: spudding of well; rill shall be poshe minimum of 20 fe en the operator and before well is eit ction pipe shall be sas surface casin and date or the we re true and to the erator or Agent:	AFF entual plugging of id on each drilling all be set by circul eet into the underly d the district office ther plugged or pre- e cemented from b g order #133,891- ell shall be plugged best of my knowle	Will Cores be taken? If Yes, proposed zone IDAVIT this well will comply with he rig; atting cement to the top, in ving formation. It is on plug length and place oduction casing is cement elow any unable water to C, which applies to the KC In all cases, NOTIFY of the completion Form File Completion Form File acreage attributio Notify appropriate dis Submit plugging repo	all cases s ment is neced in; surface with CD District office on (form CI n ACO-1 with on plat accountrict office 4 rt (CP-4) a	t. seq. surface pipe cessary prio hin 120 day 3 area, alteri ce prior to a Title: DP-1) with thin 120 day ording to fiel 8 hours prio	shall be sor to pluggers of plug of nate II cerenny cemen Vice Pluggers of spud of proration or to working is comp	KANSAS CO AF Set CONS ging; date. nenting ting. resident - date; n orders; over or re-entileted (within	RECEIVED DRPORATION COMPORATION DIVISION DIVISION DIVISION WICHITA, KS
Bottom Hole Local KCC DKT #: The undersigned h It is agreed that the 1. Notify the aj 2. A copy of th 3. The minimu through all it 4. If the well is 5. The approp 6. If an ALTEF Or pursuant must be cor I hereby certify tha Date: 4/4 For KCC Use C API # 15 - Conductor pipe Minimum surface	thereby affirms that the drilling, come following minimum requirement appropriate district office <i>prior</i> to the approved notice of intent to durn amount of surface pipe as spunconsolidated materials plus as dry hole, an agreement betwee oriate district office will be notified RNATE II COMPLETION, product to Appendix "B" - Eastern Kansimpleted within 30 days of the spunch at the statements made herein and the statements made herei	ompletion and events will be met: spudding of well; rill shall be poste lectified below sha minimum of 20 fe en the operator and d before well is eit ction pipe shall be sas surface casing and date or the we re true and to the erator or Agent:	AFF entual plugging of id on each drilling all be set by circul eet into the underly d the district office ther plugged or pre- e cemented from b g order #133,891- ell shall be plugged best of my knowle	Will Cores be taken? If Yes, proposed zone IDAVIT this well will comply with he atting cement to the top, in ving formation. It is on plug length and place oduction casing is cement elow any unable water to C, which applies to the KC of the applies to the	all cases s ment is neced in; surface with CD District office on (form CI n ACO-1 with on plat accountrict office 4 rt (CP-4) a value before di	t. seq. surface pipe cessary prio hin 120 day 3 area, alteri ce prior to a Title: DP-1) with thin 120 day ording to fiel 18 hours pria after pluggir isposing or	shall be a cort to pluggers of plug of mate il cern my cemen vice Pluggers of spud of proration or to working is compinipeting s	KANSAS COAF set CONS ging; date. nenting ting. resident - irill; date; n orders; over or re-enf leted (within alt water.	Production Production Production Production Production
It is agreed that the 1. Notify the ag 2. A copy of th 3. The minimu through all the unit of the well is 5. The approp 6. If an ALTEF Or pursuant must be cor I hereby certify that Date: 4/4 For KCC Use C API # 15 - C Conductor pipe Minimum surface	thereby affirms that the drilling, or the following minimum requirement appropriate district office <i>prior</i> to the approved notice of intent to driving minimum and the driving as a significant of surface pipe as spunconsolidated materials plus as dry hole, an agreement between the district office will be notified RNATE II COMPLETION, product to Appendix "B" - Eastern Kans impleted within 30 days of the spunch at the statements made herein at the statements made herein at 4/08 Signature of Ope ONLY 19/- 22530-000	ompletion and events will be met: spudding of well; rill shall be poste lectified below sha minimum of 20 fe en the operator and d before well is eit ction pipe shall be sas surface casing and date or the we re true and to the erator or Agent:	AFF entual plugging of id on each drilling all be set by circul eet into the underly d the district office ther plugged or pre- e cemented from b g order #133,891- ell shall be plugged best of my knowle	Will Cores be taken? If Yes, proposed zone IDAVIT this well will comply with he rig; atting cement to the top, in ving formation. It is on plug length and place oduction casing is cement elow any unable water to C, which applies to the KC In all cases, NOTIFY of the completion Form File Completion Form File acreage attributio Notify appropriate dis Submit plugging repo	all cases s ment is ned ed in; surface with CC District 3 district office on (form CI ACO-1 with on plat accountrict office 4 all before di red (See: a	t. seq. surface pipe cessary prio hin 120 day 3 area, altern ce prior to a Title: DP-1) with thin 120 day ording to field after pluggir isposing or authorized e	shall be a sor to plug of nate II come on y cemen of sort of spud of proration or to working is compinited in sexpiration of the sexpiration of th	KANSAS COAF set CONS ging; date. nenting ting. resident - irill; date; n orders; over or re-ent leted (within alt water. date) please	Production Production Production Production Production
Bottom Hole Local KCC DKT #: The undersigned h It is agreed that the 1. Notify the ap 2. A copy of th 3. The minimu through all the well is 5. The approp 6. If an ALTEF Or pursuant must be cor I hereby certify tha Date: 4/4 For KCC Use C API # 15 Conductor pipe Minimum surfac Approved by: This authorizat	thereby affirms that the drilling, or the following minimum requirement appropriate district office <i>prior</i> to the approved notice of intent to driving minimum and the driving as a significant of surface pipe as spunconsolidated materials plus as dry hole, an agreement between the district office will be notified RNATE II COMPLETION, product to Appendix "B" - Eastern Kans impleted within 30 days of the spunch at the statements made herein at the statements made herein at 4/08 Signature of Ope ONLY 19/- 22530-000	ompletion and events will be met: spudding of well; rill shall be poste vecified below sha minimum of 20 fe on the operator and before well is eit ction pipe shall be sas surface casin and date or the we re true and to the erator or Agent: feet feet per AL	AFF entual plugging of d on each drilling all be set by circul set into the underly nd the district office ther plugged or pre e cemented from b g order #133,891- ell shall be plugged best of my knowle	Will Cores be taken? If Yes, proposed zone IDAVIT this well will comply with he rig; ating cement to the top, in ving formation. In on plug length and place oduction casing is cement velow any unable water to C, which applies to the KC In all cases, NOTIFY of the completion Form File Drill Pit Application File Completion Form File acreage attribution Notify appropriate tile Submit plugging repo Obtain written approv If this permit has expi	all cases s ment is ned ed in; surface with CC District 3 district office on (form CI ACO-1 with on plat accountrict office 4 all before di red (See: a	t. seq. surface pipe cessary prio hin 120 day 3 area, altern ce prior to a Title: DP-1) with thin 120 day ording to field after pluggir isposing or authorized e	shall be a sor to plug of nate II come on y cemen of sort of spud of proration or to working is compinited in sexpiration of the sexpiration of th	KANSAS COAF set CONS ging; date. nenting ting. resident - irill; date; n orders; over or re-ent leted (within alt water. date) please	Production Production Production Production Production
Bottom Hole Local KCC DKT #: The undersigned h It is agreed that the 1. Notify the ap 2. A copy of th 3. The minimu through all the well is 5. The approp 6. If an ALTEF Or pursuant must be cor I hereby certify tha Date: 4/4 For KCC Use C API # 15 Conductor pipe Minimum surfac Approved by: This authorizat	thereby affirms that the drilling, or the following minimum requirement appropriate district office prior to the approved notice of intent to di um amount of surface pipe as sp unconsolidated materials plus a to dry hole, an agreement between the strict office will be notified that I I COMPLETION, product to Appendix "B" - Eastern Kans mpleted within 30 days of the sp at the statements made herein at the statement made her	ompletion and events will be met: spudding of well; rill shall be poste vecified below sha minimum of 20 fe on the operator and before well is eit ction pipe shall be sas surface casin and date or the we re true and to the erator or Agent: feet feet per AL	AFF entual plugging of d on each drilling all be set by circul set into the underly nd the district office ther plugged or pre e cemented from b g order #133,891- ell shall be plugged best of my knowle	Will Cores be taken? If Yes, proposed zone IDAVIT this well will comply with he rig; ating cement to the top, in ving formation. In on plug length and place oduction casing is cement velow any unable water to C, which applies to the KC In all cases, NOTIFY of the completion Form File Drill Pit Application File Completion Form File acreage attribution Notify appropriate tile Submit plugging repo Obtain written approv If this permit has expi	all cases s ment is neced in; surface with CDistrict office an (form CI ACO-1 with on plat accountrict office a rt (CP-4); all before di red (See: a and return	t. seq. surface pipe cessary prio hin 120 day 3 area, alteri ce prior to a Title: DP-1) with thin 120 day ording to fiel 18 hours pria after pluggir isposing or authorized e to the addre	shall be a sor to plug of nate II come on y cemen of sort of spud of proration or to working is compinited in sexpiration of the sexpiration of th	KANSAS COAF set CONS ging; date. nenting ting. resident - irill; date; n orders; over or re-ent leted (within alt water. date) please	Production Production Production Production Production
Bottom Hole Local KCC DKT #: The undersigned h It is agreed that the 1. Notify the al 2. A copy of th 3. The minimu through all 4. If the well is 5. The approp 6. If an ALTEF Or pursuant must be cor I hereby certify tha Date: 4/4 For KCC Use C API # 15 Conductor pipe Minimum surfac Approved by: This authorizat	thereby affirms that the drilling, or the following minimum requirement appropriate district office <i>prior</i> to the approved notice of intent to durn amount of surface pipe as spunconsolidated materials plus as dry hole, an agreement between the district office will be notified RNATE II COMPLETION, product to Appendix "B" - Eastern Kans impleted within 30 days of the spunch at the statements made herein at the statements made herein at the statement of Ope on the spunch of the spunch of the spunch of the statement of the statement of Ope on the spunch of th	ompletion and events will be met: spudding of well; rill shall be poste vecified below sha minimum of 20 fe on the operator and before well is eit ction pipe shall be sas surface casin and date or the we re true and to the erator or Agent: feet feet per AL	AFF entual plugging of d on each drilling all be set by circul set into the underly nd the district office ther plugged or pre e cemented from b g order #133,891- ell shall be plugged best of my knowle	Will Cores be taken? If Yes, proposed zone IDAVIT this well will comply with he rig; atting cement to the top, in ying formation. It is on plug length and place oduction casing is cement wellow any unable water to C, which applies to the KO I. In all cases, NOTIFY de edde and belief. Scott Hampel Remember to: File Drill Pit Applicatio File acreage attributio Notify appropriate dis Submit plugging repo Obtain written approv If this permit has expi check the box below	all cases s ment is neced in; surface with CD District office In (form CI ACO-1 with on plat account; or (CP-4) a all before di red (See: a and return	t. seq. surface pipe cessary prio hin 120 day 3 area, alteri ce prior to a Title: DP-1) with thin 120 day ording to fiel 8 hours prio after pluggir isposing or authorized e to the addre	shall be sor to pluggers of plug of nate II cerement of the pluggers of spudding the programmer of the working is completing a expiration ceres below.	KANSAS COAF set CONS ging; date. nenting ting. resident - irill; date; n orders; over or re-ent leted (within alt water. date) please	Production Production Production Production Production

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 191	1-22530-000		Location of	Vell: Cour	ıty:	NE SV	V SE, S	Sumner County, KS	
Operator:	McCoy Petroleum	Corporation	<u></u>	990	fe	et from	и⊠ѕ	(check one) Line of Section	
Lease:	ERSKINE :	¥3- 3 2	1	650	fe	et from 🛛	E 🗌 W	(check one) Line of Section	
Well Number:	#3-32		Sec 32	Twp_	31	S. R	3	☐ East XWest	
Field:	Erskine N	orth							
Number of Acres attributable to well: 160		Is Section: Regu		egular	lar irregular?				
QTR / QTR / QTR of acreage: SE/4			If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SSW						

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells) (Show footage to the nearest lease or unit boundary fine.)





NOTE: In all cases locate the spot of the proposed drilling location.

In plotting the proposed location of the well, you must show.

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (CO-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: McCoy Petroleum C	orporation		License Number:	5003			
Operator Address: 8080 E. Central, Suit	e #300, Wichita, K	(S 67206-2366	100.				
Contact Person: Scott Hampel	Phone Number:	316-636-2737x	104				
Lease Name & Well No.:	Pit L¢cation (QQQQ):						
	Artificial Liner? Yes 80 Length (fee	No (bbls) No 80 est point:	Sec 32 Twp 31 990 Feet from 1650 Feet from Su Chloride concentration: (For Emergency How is the pit lined if a plast Bentonite / Drilling M	North / South East / West Immer Pits and Settling Pits only) ic liner is not used? Mud N/A: S and determining liner KANSAS COR	Line of Section Line of Section County mg/l		
Distance to nearest water well within one-mile of p		Depth to shallow Source of information	ation:	CONSE	ERVATION DIVISION WICHITA, KS		
Emergency, Settling and Burn Pits ONLY:			er and Haul-Off Pits ONLY:	electric log	L] KDWK		
Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily:	Type of material utilized in drilling/workover: Number of working pits to be utilized: Abandonment procedure: Evaporation and backfill when dry.						
Does the slope from the tank battery allow all spille flow into the pit? Yes No	ed fluids to	Drill pits must be	closed within 365 days of spud	I date.			
I hereby certify that the above statemen 4/4/08 Date		o the best of my kno	Scott Hay	lampel			
Date Received: 4/7/68 Permit Numb		FFICE USE ONL	Y Date: 4/7/08 Le	ase Inspection:	Yes A No		