For KCC Use:	4-13-08
Effective Date:	4-1308
District #	<u></u>
SGA? Yes	No

# Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

## NOTICE OF INTENT TO DRILL

Expected Sould Pate: April 10 2008	Snot Description:	
Expected Spud Date:	Spot Description:	
34102 🗸	(aning)	
OPERATOR: License#	feet from N / S Line of S	
Name:Jayhawk Energy, Inc.	teet from Lie / W Line of s	ection
Address 1: P. O. Box 191	Is SECTION: Regular Irregular?	
Address 2:	(Note: Locate well on the Section Plat on reverse side)	
City: Girard State: KS Zip: 66743 +	County: Bourbon	
Contact Person: Mark Smith Phone: 620-449-2200	Lease Name: Ryan Well #: 14 - 1	
/	Field Name: Wildcat	
CONTRACTOR: License# 9684	Is this a Prorated / Spaced Field?	No
Name: M S Drilling	Target Formation(s): Riverton Coal	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 330	and a second
⊠Oil ✓ □ Enh Rec □ Infield □ Mud Rotary	Ground Surface Elevation:fee	MSL.
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	<b>X</b> No
Disposal XWildcat Cable	,,,,	X No
Seismic ; # of Holes Other	Depth to bottom of fresh water: 50	
Other:	Depth to bottom of usable water:	
	Surface Pipe by Alternate: III XII /	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20	
Operator:	Length of Conductor Pipe (if any): none	
Well Name:	Projected Total Depth: 600	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Riverton Coal	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other: AIR	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR )	_
KCC DKT #:	Will Cores be taken?	<b>≺</b> No
	If Yes, proposed zone:	
		11. (55.0)
	DAVIT ging of this well will comply with K.S.A. 55 et. seg.  KANSAS CORPORA	IVED
The undersigned hereby affirms that the drilling, completion and eventual plugg	ging of this well will comply with K.S.A. 55 et. seq.	TOTA COMMISSION
It is agreed that the following minimum requirements will be met:	APR 0	7 2000
<ol> <li>Notify the appropriate district office prior to spudding of well;</li> </ol>	· · · · · · · · · · · · · · · · · · ·	ZUUG
2. A copy of the approved notice of intent to drill shall be posted on each d	rilling rig:	~~~
a The state of the	THEORY OF THE STATE OF THE STAT	
3. The minimum amount of surface pipe as specified below shall be set by	circulating cement to the top; in all cases surface pipe shalf SERVATION	N DIVISION
<ol><li>The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the unconsolidated.</li></ol>	circulating cement to the top; in all cases surface pipe <b>shall SANSERVATIO</b> underlying formation.  WICHIT.	N DIVISION
<ol> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u.</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugged.</li> </ol>	circulating cement to the top; in all cases surface pipe shalf construction.  WICHIT, it office on plug length and placement is necessary prior to plugging; if or production casing is cemented in;	N DIVISION
<ol> <li>The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u.</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugged.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented in the complete of the complete shall be comented in the complete shall be complete.</li> </ol>	circulating cement to the top; in all cases surface pipe shall CANSERVATION WICHIT.  It office on plug length and placement is necessary prior to plugging; If or production casing is cemented in;  If or production casing is cemented in;  If or production and usable water to surface within 120 DAYS of spud date.	N DIVISION
<ol> <li>The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u.</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugged.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented if Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133</li> </ol>	circulating cement to the top; in all cases surface pipe shall CANSERVATION WICHITS.  It office on plug length and placement is necessary prior to plugging; of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing	N DIVISION
<ol> <li>The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u.</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugged.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p</li> </ol>	circulating cement to the top; in all cases surface pipe shall content of with total content of the content of	N DIVISION
<ol> <li>The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the u.</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugged.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented if Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133</li> </ol>	circulating cement to the top; in all cases surface pipe shall content of with total content of the content of	N DIVISION
<ol> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u.</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugged.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented in Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best of the complete of the production.</li> </ol>	circulating cement to the top; in all cases surface pipe shall content of the top; in all cases surface pipe shall content of the toffice on plug length and placement is necessary prior to plugging; of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate It cementing lugged. In all cases, NOTIFY district office prior to any cementing, st of my knowledge and belief.	N DIVISION
<ol> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u.</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugged.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p</li></ol>	recirculating cement to the top; in all cases surface pipe shall suffice underlying formation.  It office on plug length and placement is necessary prior to plugging; at or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief.  Title:	ON DIVISION A, KS
3. The minimum amount of surface pipe as specified below <b>shall be set</b> by through all unconsolidated materials plus a minimum of 20 feet into the u.  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugged.  6. If an ALTERNATE II COMPLETION, production pipe shall be comented in Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best Date:  Date:  O4/01/08  Signature of Operator or Agent:	circulating cement to the top; in all cases surface pipe shall content of the top; in all cases surface pipe shall content of the toffice on plug length and placement is necessary prior to plugging; of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate It cementing lugged. In all cases, NOTIFY district office prior to any cementing, st of my knowledge and belief.	N DIVISION
3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u.  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugged.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best pate:  Date:  O4/01/08  Signature of Operator or Agent:  For KCC Use ONLY	recirculating cement to the top; in all cases surface pipe shall SASERVATION WICHIT.  Inderlying formation.  It office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief.  Title:  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;	ON DIVISION A, KS
3. The minimum amount of surface pipe as specified below <b>shall be set</b> by through all unconsolidated materials plus a minimum of 20 feet into the u.  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugged.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented if Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best Date:  Signature of Operator or Agent:  For KCC Use ONLY  API #15 - OU- 23353-OOO	recirculating cement to the top; in all cases surface pipe shall SASERVATION WICHIT, underlying formation.  It office on plug length and placement is necessary prior to plugging; at or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief.  Title:  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;	ON DIVISION A, KS
3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u.  4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best pate:    Output	recirculating cement to the top; in all cases surface pipe shall SASERVATION WICHIT, underlying formation.  It office on plug length and placement is necessary prior to plugging; at or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 38,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	ON DIVISION A, KS
3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u.  4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented if Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p I hereby certify that the statements made herein are true and correct to the best pate:    Out	recirculating cement to the top; in all cases surface pipe shall SASERVATION WICHIT, underlying formation.  It office on plug length and placement is necessary prior to plugging; if or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 38,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	ON DIVISION A, KS  14 27
3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u.  4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented if Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best of the statements made herein are true and correct to the best of the statements of Operator or Agent:    Out	recirculating cement to the top; in all cases surface pipe shall SASERVATION WICHIT, underlying formation.  It office on plug length and placement is necessary prior to plugging; at or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 38,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	N DIVISION A, KS  14 27
3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u.  4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best pate:    Date: 04/01/08	recirculating cement to the top; in all cases surface pipe shall SASERVATION WICHIT, and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 38,891-C, which applies to the KCC District 3 area, alternate It cementing lugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days	ON DIVISION A, KS  14 27
3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u.  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugged.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented if Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best Date:    O4/01/08	recirculating cement to the top; in all cases surface pipe shall sustrated underlying formation.  It office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate It cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days of Obtain written approval before disposing or injecting salt water.	14 27 23
3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u.  4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best pate:    Date: 04/01/08	recirculating cement to the top; in all cases surface pipe shall sustration.  WICHIT, and office on plug length and placement is necessary prior to plugging; or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please	ON DIVISION A, KS  14 27
3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u.  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugged.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented if Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best Date:    O4/01/08	recirculating cement to the top; in all cases surface pipe shall SASERVATION without office on plug length and placement is necessary prior to plugging; of or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 38,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief.  **Title:**  **Remember to:**  - File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days obtain written approval before disposing or injecting salt water.  - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	14 27 23 X

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 01/- 23353-0000		
Operator: Jayhawk Energy, Inc.	Location of Well: County: Box	irbon
Lease: Ryan	300	feet from X N / S Line of Section
Well Number: 14 - 1	990	feet from E / X W Line of Section
Field: Wildcat	Sec. 14 Twp. 27	S. R. <sup>23</sup> 🔀 E 🔲 W
Number of Acres attributable to well:	Is Section: Regular or	Irregular
	If Section is Irregular, locate Section corner used: NE	e well from nearest corner boundary.

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	330			·	 		
990	-0				 ·		RECEIVED KANSAS CORPORATION COMMISSION
	 ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			·········	 :		APR 0 7 2008
	 			,	 		CONSERVATION DIVISION WICHITA, KS
	 		14	 	 :		EXAMPLE
	 			: 	 44	:	1980
	 				 · · · · · · · · · · · · · · · · · · ·		3390'
	 				 i		
		:			:		SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

			License Number: 34102	
Operator Name: Jayhawk Energy, Inc.				KS 66743
Operator Address: P. O. Box 191			Girard	10 00/43
Contact Person: Mark Smith			Phone Number: 620-449-2200	
Lease Name & Well No.: Ryan 14 - 1			Pit Location (QQQQ):	
Type of Pit:	Pit is:		NE _ NW _ NW	
Emergency Pit Burn Pit	Proposed	Existing	Sec. 14 Twp. 27 R. 23	East West
Settling Pit Drilling Pit	If Existing, date co	onstructed:	300 Feet from North /	South Line of Section
Workover Pit Haul-Off Pit	Dit appoint		990 Feet from East /	West Line of Section
(If WP Supply API No. or Year Drilled)	Pit capacity: 80	(bbls)	Bourbon	County
Is the pit located in a Sensitive Ground Water	Arga2 Ves V		Chloride concentration:	mg/l
is the pit located in a Serisitive Glound vvaler	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	7	(For Emergency Pits and Settling	
is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not	used?
Yes No	Yes X		native clay	
Pit dimensions (all but working pits):	25 Length (fe	eet)3		N/A: Steel Pits
Depth f	rom ground level to de	eepest point:	6 (feet)	No Pit
If the pit is fined give a brief description of the	e liner	Describe proc	edures for periodic maintenance and determined any special monitoring.	ninin RECEIVED
material, thickness and installation procedur	е.		KANSA	AS CORPORATION COM
NI/A		! KI/A		
IN/A		N/A		APR 0 7 2008
WA		N/A		_
				APR 0 7 2008 CONSERVATION DIVISI WICHITA, KS
	le of pit		owest fresh waterfeet.	CONSERVATION DIVISI
		Depth to shall	owest fresh waterfeet.	CONSERVATION DIVISI WICHITA, KS
Distance to nearest water well within one-mil	feet	Depth to shall Source of info	owest fresh waterfeet.	CONSERVATION DIVISI WICHITA, KS
Distance to nearest water well within one-mil  N/A feet	feet	Depth to shall Source of info meas	owest fresh waterfeet. rmation: ured well owner electric locations tover and Haul-Off Pits ONLY: al utilized in drilling/workover: AIR	CONSERVATION DIVISI WICHITA. KS
Distance to nearest water well within one-mil  N/A feet	feet	Depth to shalld Source of info meas:  Drilling, Work Type of material	owest fresh waterfeet. rmation: ured well owner electric locations over and Haul-Off Pits ONLY: al utilized in drilling/workover: AIR rking pits to be utilized: 1	CONSERVATION DIVISI WICHITA. KS
N/A feet	feet	Depth to shalld Source of info meas:  Drilling, Work Type of material	owest fresh waterfeet. rmation: ured well owner electric locations tover and Haul-Off Pits ONLY: al utilized in drilling/workover: AIR	CONSERVATION DIVISI WICHITA. KS
Distance to nearest water well within one-mil  N/A feet Depth of water well  Emergency, Settling and Burn Pits ONLY  Producing Formation:  Number of producing wells on lease:	feet	Depth to shall Source of info meas  Drilling, Work Type of mater Number of wo Abandonment	owest fresh waterfeet. rmation: ured well owner electric locations over and Haul-Off Pits ONLY: al utilized in drilling/workover: AIR rking pits to be utilized: 1	CONSERVATION DIVISI WICHITA. KS
Distance to nearest water well within one-mil  N/A feet	feet  ':  Il spilled fluids to	Depth to shall Source of info meas:  Drilling, Work Type of mater Number of wo Abandonment  Drill pits must	west fresh waterfeet. rmation: ured well owner electric location tover and Haul-Off Plts ONLY: al utilized in drilling/workover: AIR rking pits to be utilized: 1 procedure: Backfill when dry be closed within 365 days of spud date.	CONSERVATION DIVISI WICHITA. KS
Distance to nearest water well within one-mil  N/A feet	feet  ':  Il spilled fluids to	Depth to shall Source of info meas:  Drilling, Work Type of mater Number of wo Abandonment  Drill pits must	west fresh waterfeet. rmation: ured well owner electric location tover and Haul-Off Plts ONLY: al utilized in drilling/workover: AIR rking pits to be utilized: 1 procedure: Backfill when dry be closed within 365 days of spud date.	CONSERVATION DIVISI WICHITA. KS
Distance to nearest water well within one-mil  N/A feet	feet  ':  Il spilled fluids to	Depth to shall Source of info meas:  Drilling, Worl  Type of mater Number of wo Abandonment  Drill pits must	west fresh waterfeet. rmation: ured well owner electric locations.  sover and Haul-Off Pits ONLY: all utilized in drilling/workover: AIR rking pits to be utilized: 1  procedure: Backfill when dry  be closed within 365 days of spud date.  st of my knowledge and belief.	CONSERVATION DIVISI WICHITA. KS
Distance to nearest water well within one-mil  N/A feet Depth of water well  Emergency, Settling and Burn Pits ONLY  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow a flow into the pit?  I hereby certify that the above states.	feet  ':  Il spilled fluids to	Depth to shall Source of info meas:  Drilling, Worl  Type of mater Number of wo Abandonment  Drill pits must	west fresh waterfeet. rmation: ured well owner electric location tover and Haul-Off Plts ONLY: al utilized in drilling/workover: AIR rking pits to be utilized: 1 procedure: Backfill when dry be closed within 365 days of spud date.	CONSERVATION DIVISI WICHITA. KS
Distance to nearest water well within one-mil  N/A feet Depth of water well  Emergency, Settling and Burn Pits ONLY  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow a flow into the pit?  I hereby certify that the above state  04/01/08	feet  ':  Il spilled fluids to  tements are true and	Depth to shall Source of info meas:  Drilling, Worl  Type of mater Number of wo Abandonment  Drill pits must	west fresh waterfeet. rmation: ured well owner electric location.  tover and Haul-Off Plts ONLY: al utilized in drilling/workover: AIR rking pits to be utilized: 1  procedure: Backfill when dry be closed within 365 days of spud date.  st of my knowledge and belief.	CONSERVATION DIVISI WICHITA. KS  g
Distance to nearest water well within one-mil  N/A feet Depth of water well  Emergency, Settling and Burn Pits ONLY  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow a flow into the pit?  I hereby certify that the above state  04/01/08	feet  ':  Il spilled fluids to  tements are true and	Depth to shall Source of info meas:  Drilling, World Type of material Number of wood Abandonment  Drill pits must correct to the best of t	west fresh waterfeet. rmation: ured well owner electric location.  tover and Haul-Off Plts ONLY: al utilized in drilling/workover: AIR rking pits to be utilized: 1  procedure: Backfill when dry be closed within 365 days of spud date.  st of my knowledge and belief.	CONSERVATION DIVISION WICHITA. KS  g