# For KCC Use:

#### Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: April 9, 2008	Spot Description:
month day year	NE - SW Sec. 33 Twp. 29 S. R. 20 XE W
33344	(G/G/G/G/G) 1,980 feet from N / X S Line of Section
OPERATOR: License#	1,980 feet from E / X W Line of Section
Address 1: 210 W. Park Ave., Suite 2750	Is SECTION: Regular Irregular?
Address 2:  City: Oklahoma City State: OK Zip: 73102 +	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Richard Marlin	County: Neosho
Phone: 405-702-7480	Lease Name: Beachner Bros. Well #: 33-29-20-2  Field Name: Charokee Basin CBM
v – v – v – v – v – v – v – v – v – v –	TOTAL TRAINS.
CONTRACTOR: License#_ 33837 or another Licensed by KCC	Is this a Prorated / Spaced Field?
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 590
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 891feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 100
Other: Coalbed Methane	Depth to bottom of usable water: 199-150
	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25
Operator:	Length of Conductor Pipe (if any):
Operator:	Projected Total Depth: 1500
Original Completion Date: Original Total Depth:	Formation at Total Depth: Cherokee Coals
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other: Air
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR )
KCC DKT #:	Will Cores be taken?
	Will GOIGS BO LERGIT:
Noo Divini	If Yes, proposed zone:
	If Yes, proposed zone:
	<del>_</del>
AFF	If Yes, proposed zone:  RECEIVED  RANSAS CORPORATION COMMISS
AFF! The undersigned hereby affirms that the drilling, completion and eventual plug	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISS  Iging of this well will comply with K.S.A. 55 et. seq.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	If Yes, proposed zone:  RECEIVED  RANSAS CORPORATION COMMISS
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISS  Iging of this well will comply with K.S.A. 55 et. seq.  APR 0 9 2008
AFF! The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by	If Yes, proposed aone:  RECEIVED KANSAS CORPORATION COMMISS ging of this well will comply with K.S.A. 55 et. seq.  APR 0 9 2008  drilling rig; CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe shall Medium, KS
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISS  ging of this well will comply with K.S.A. 55 et. seq.  APR 0 9 2008  drilling rig;  CONSERVATION DIVISION  y circulating cement to the top; in all cases surface pipe shall MAGNATA, KS  underlying formation.
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISS  ging of this well will comply with K.S.A. 55 et. seq.  APR 0 9 2008  drilling rig;  CONSERVATION DIVISION  y circulating cement to the top; in all cases surface pipe shall Mediata, KS  underlying formation.  ct office on plug length and placement is necessary prior to plugging;
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugges	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISS  Iging of this well will comply with K.S.A. 55 et. seq.  APR 0 9 2008  CONSERVATION DIVISION  y circulating cement to the top; in all cases surface pipe shall MEGNITA, KS  underlying formation.  ct office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in;
AFF? The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugges 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	RECEIVED KANSAS CORPORATION COMMISS  Iging of this well will comply with K.S.A. 55 et. seq.  APR 0 9 2008  CONSERVATION DIVISION  y circulating cement to the top; in all cases surface pipe shall MCGMTA, KS  underlying formation.  ct office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.
AFF? The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugges 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	RECEIVED KANSAS CORPORATION COMMISS  Iging of this well will comply with K.S.A. 55 et. seq.  APR 0 9 2008  CONSERVATION DIVISION  by circulating cement to the top; in all cases surface pipe shall MCCMTA, KS  underlying formation.  ct office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  13,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> of through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugges 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	RECEIVED KANSAS CORPORATION COMMISS ging of this well will comply with K.S.A. 55 et. seq.  APR 0 9 2008  drilling rig;  CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe shall beguera, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of the surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the standard of the surface pipe as specified before and the district. The appropriate district office will be notified before well is either plugges for an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a light that the statements made herein are true and correct to the best of the statements.	RECEIVED KANSAS CORPORATION COMMISS  ging of this well will comply with K.S.A. 55 et. seq.  APR 0 9 2008  drilling rig;  CONSERVATION DIVISION  y circulating cement to the top; in all cases surface pipe shall Mediata, KS  underlying formation.  ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> of through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed.	RECEIVED KANSAS CORPORATION COMMISS ging of this well will comply with K.S.A. 55 et. seq.  APR 0 9 2008  drilling rig;  CONSERVATION DIVISION y circulating cement to the top; in all cases surface pipe shall beguera, KS underlying formation. ct office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed.	RECEIVED KANSAS CORPORATION COMMISS aging of this well will comply with K.S.A. 55 et. seq.  APR 0 9 2008  CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall become, KS underlying formation.  ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  1st of my knowledge and belief.  Vice President  Title:
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the bed Date:  April 2, 2008  Signature of Operator or Agent:	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISS  ging of this well will comply with K.S.A. 55 et. seq.  APR 0 9 2008  drilling rig;  CONSERVATION DIVISION  y circulating cement to the top; in all cases surface pipe shall Medica, KS  underlying formation.  ct office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  13,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing.  15 of my knowledge and belief.  Title:  Vice President
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate:    April 2, 2008	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISS  ging of this well will comply with K.S.A. 55 et. seq.  APR 0 9 2008  drilling rig;  CONSERVATION DIVISION  y circulating cement to the top; in all cases surface pipe shall begutta, KS  underlying formation.  ct office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  1st of my knowledge and belief.  Vice President  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of soud date:
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best of the complete to the best of the complete to the spud that the statements made herein are true and correct to the best of the complete to the spud that the statements made herein are true and correct to the best of the complete to the spud that the statements made herein are true and correct to the best of the complete to the spud that the statements made herein are true and correct to the best of the complete to the spud that the statements made herein are true and correct to the best of the complete to the spud that the statements made herein are true and correct to the best of the complete that the statements made herein are true and correct to the best of the complete that the statements made herein are true and correct to the best of the complete that the statements made herein are true and correct to the best of the complete that the statements made herein are true and correct to the best of the complete that the statements made herein are true and correct to the complete that the statements made herein are true and correct to the complete that the statements are true and correct to the complete that the statement is the co	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISS  ging of this well will comply with K.S.A. 55 et. seq.  APR 0 9 2008  drilling rig;  CONSERVATION DIVISION  y circulating cement to the top; in all cases surface pipe shall begutta, KS  underlying formation.  ct office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  1st of my knowledge and belief.  Vice President  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of soud date:
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the because April 2, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 133 - 27444-0000  Conductor pipe required 1906 feet	RECEIVED KANSAS CORPORATION COMMISS aging of this well will comply with K.S.A. 55 et. seq.  APR 0 9 2008  drilling rig;  CONSERVATION DIVISION  of circulating cement to the top; in all cases surface pipe shall begun, KS  underlying formation.  of office on plug length and placement is necessary prior to plugging;  from below any usable water to surface within 120 DAYS of spud date.  13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Vice President  Title:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best Date:    April 2, 2008	RECEIVED KANSAS CORPORATION COMMISS ging of this well will comply with K.S.A. 55 et. seq.  APR 0 9 2008  drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall Mediata, KS underlying formation.  ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  15 set of my knowledge and belief.  16 Vice President  17 ittle:  18
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best Date:    April 2, 2008	RECEIVED KANSAS CORPORATION COMMISS ging of this well will comply with K.S.A. 55 et. seq.  APR 0 9 2008  drilling rig;  CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall MEGMTA, KS underlying formation.  ct office on plug length and placement is necessary prior to plugging; dro production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Vice President  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best paternament.    April 2, 2008	RECEIVED KANSAS CORPORATION COMMISS aging of this well will comply with K.S.A. 55 et. seq.  APR 0 9 2008  drilling rig;  CONSERVATION DIVISION  of circulating cement to the top; in all cases surface pipe shall become, KS  underlying formation.  ct office on plug length and placement is necessary prior to plugging;  do or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  est of my knowledge and belief.  Vice President  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the surface pipe is a minimum of 20 feet into the 4. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best Date:    April 2, 2008	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISS  Iging of this well will comply with K.S.A. 55 et. seq.  APR 0 9 2008  drilling rig;  CONSERVATION DIVISION  If y circulating cement to the top; in all cases surface pipe shall become, KS  underlying formation.  It office on plug length and placement is necessary prior to plugging;  If or production casing is cemented in;  If rom below any usable water to surface within 120 DAYS of spud date.  If y circulating cement is necessary prior to plugging;  If or production casing is cemented in;  If rom below any usable water to surface within 120 DAYS of spud date.  If y complete to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  If the Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best paternament.    April 2, 2008	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISS  Iging of this well will comply with K.S.A. 55 et. seq.  APR 0 9 2008  drilling rig;  CONSERVATION DIVISION  Y circulating cement to the top; in all cases surface pipe shall become, KS  underlying formation.  ct office on plug length and placement is necessary prior to plugging;  and or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  13,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing.  15 If the Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to filed proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the surface pipe is a minimum of 20 feet into the 4. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best Date:    April 2, 2008	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISS  Iging of this well will comply with K.S.A. 55 et. seq.  APR 0 9 2008  drilling rig;  CONSERVATION DIVISION  If y circulating cement to the top; in all cases surface pipe shall become, KS  underlying formation.  It office on plug length and placement is necessary prior to plugging;  If or production casing is cemented in;  If rom below any usable water to surface within 120 DAYS of spud date.  If y circulating cement is necessary prior to plugging;  If or production casing is cemented in;  If rom below any usable water to surface within 120 DAYS of spud date.  If y complete to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  If the Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.


#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 133-27444-0000	
Operator: Quest Cherokee, LLC	Location of Well: County: Neosho
Lease: Beachner Bros.	1,980 feet from N / X S Line of Section
Well Number: 33-29-20-2	1,980 feet from E / X W Line of Section
Field: Cherokee Basin CBM	Sec. 33 Twp. 29 S. R. 20 X E W
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR/QTR/QTR/QTR of acreage: NE - SW	
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



#### In plotting the proposed location of the well, you must show:

1980

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Quest Cherokee, LLC		License Number: 33344	
Operator Address: 210 W. Park Ave., Suite 2750		Oklahoma City OK 73102	
Contact Person: Richard Marlin		Phone Number: 405-702-7480	
Lease Name & Well No.: Beachner Bi	ros. 33-	-29-20-2	Pit Location (QQQQ):
Type of Pit:	Pit is:		NESW
Emergency Pit Burn Pit	Proposed	Existing	Sec. 33 Twp. 29 R. 20 East West
Settling Pit Drilling Pit	If Existing, date of	onstructed:	1,980 Feet from North / South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		1,980 Feet from East / West Line of Section
(If WP Supply API No. or Year Drilled)	300	(bbls)	Neosho County
Is the pit located in a Sensitive Ground Water	Area? Yes	ไท้ง	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)
is the bottom below ground level?  Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?  Air Drilling Well
30 10 5			
Pit dimensions (all but working pits): 30 Length (feet) 10 Width (feet) N/A: Steel Pits  Depth from ground level to deepest point: 10 (feet) No Pit			
If the pit is lined give a brief description of the liner material, thickness and installation procedure.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.		edures for periodic maintenance and determining	
Well is being air drilled.		Well is beir 3 days	ng air drilled with operations lasting approx.
Distance to nearest water well within one-mile of pit  4920  NA feet Depth of water well 100 feet  Depth to shalls Source of info			
Emergency, Settling and Burn Pits ONLY:  Drilling, Workover and Haul-Off Pits ONLY:		over and Haul-Off Pits ONLY:	
Į.		al utilized in drilling/workover: Air Drilled  rking pits to be utilized:1	
Number of producing wells on lease: Number of wor		rking pits to be utilized:1	
Barrels of fluid produced daily: Abandonment procedure: Air Dry, Back fill and cover.		procedure: Air Dry, Back fill and cover.	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No  Drill pits must be closed within 365 days of s		be closed within 365 days of spud date.	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.			
APR 0 9 2008  April 2, 2008  APR 0 9 2008			
Date		Coparo :	Signature of Applicant or Agent WICHITA, KS
KCC OFFICE USE ONLY Steel Pit RFAC RFAS			
Date Received: 4/9/08 Permit Num	nber:	Perm	nit Date: 4/9/08 Lease Inspection: Yes No

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202