For KCC Use: Effective Date: 4-15 TB District # 3 SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: April 14, 2008	Spot Description:	
month day year		٦w
33344	(0/0/0/0) 660 feet from N / S Line of Se	
OPERATOR: License#	660 feet from X E / W Line of Se	
Address 1: 210 W. Park Ave., Suite 2750		Suon
	Is SECTION: Regular irregular?	
Address 2:	(Note: Locate well on the Section Plat on reverse side)	
City: Oklahoma City State: OK Zip: 73102 +	County: Neosho	
Contact Person: Richard Marlin	Lease Name: Coomes, Charles D. Well #: 33-1	
Phone: 405-702-7480	Field Name: Cherokee Basin CBM	
CONTRACTOR: License# 33837 or another Licensed by KCC		 l
Name: Will advise on the ACO-1	Is this a Prorated / Spaced Field?	No
Name.	Target Formation(s): Cherokee Coals	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):	
Oil Enh Rec Infield Infield Mud Rotary	Ground Surface ∉levation: 900 feet t	MSL
	Water well within one-quarter mile:	No _
	Public water supply well within one mile:	No
Disposal Wildcat Cable	Depth to bottom of fresh water: 100	<u>.</u>
Seismic; # of Holes Other	Depth to bottom of usable water: 150	
Other: Coalbed Methane		
If OWWO: old well information as follows:	Surface Pipe by Alternate:	
III OWWO: old well information as lollows.	Length of Surface Pipe Planned to be set: 25	
Operator:	Length of Conductor Pipe (if any):	
Well Name:	Projected Total Depth: 1500	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Cherokee Coals	
onginal completion ballot	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond X Other: Air	
If Yes, true vertical depth:		
Bottom Hole Location:	DWR Permit #:	
KCC DKT #:	(Note: Apply for Permit with DWR)	1
	Will Cores be taken? Yes ∑	JINO
	Will Cores be taken? If Yes, proposed zone:	
	If Yes, proposed zone:	
	If Yes, proposed zone: RECEIVE	:D
AFF	If Yes, proposed zone: RECEIVE RECEIVE CORPORATION	:D
AFF The undersigned hereby affirms that the drilling, completion and eventual plug	If Yes, proposed zone: IDAVIT RECEIVE Grant Street Seq. KANSAS CORPORATION	ED COMMISSION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	If Yes, proposed zone: RECEIVE RECEIVE CORPORATION	ED COMMISSION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. APR 0 9 2	ED COMMISSION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone: RECEIVE Grant Street Street RECEIVE KANSAS CORPORATION APR 0 9 2	ED COMMISSION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by	If Yes, proposed zone: RECEIVE RECEIVE RANSAS CORPORATION APR 0 9 2 drilling rig; by circulating cement to the top; in all cases surface pipe shall be surface in the control of the	ED COMMISSION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the	IDAVIT RECEIVE RECEIVE KANSAS CORPORATION APR 0 9 2 drilling rig; by circulating cement to the top; in all cases surface pipe shall be surface, witchira, is underlying formation.	ED COMMISSION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. APR 0 9 2 drilling rig; by circulating cement to the top; in all cases surface pipe shall be will be underlying formation. interpolation of the property of the property of the plaging; interpolation of the plaging of the plaging;	ED COMMISSION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. APR 0 9 2 drilling rig; by circulating cement to the top; in all cases surface pipe shall be wichtha, in underlying formations. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;	ED COMMISSION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. APR 0 9 2 drilling rig; by circulating cement to the top; in all cases surface pipe shall be wichtha, in underlying formations. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date.	ED COMMISSION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. APR 0 9 2 drilling rig; by circulating cement to the top; in all cases surface pipe shall be will-hita, in a complete to plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing	ED COMMISSION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. APR 0 9 2 drilling rig; by circulating cement to the top; in all cases surface pipe shall be separation with the sequence of the production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	ED COMMISSION
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. APR 0 9 2 drilling rig; by circulating cement to the top; in all cases surface pipe shall be WICHITA, in underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.	ED COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrection of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be increased.	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. APR 0 9 2 drilling rig; by circulating cement to the top; in all cases surface pipe shall be EBVATION (Inc.) underlying formations. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.	ED COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrection of the surface will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the beautiful according to the statements and the first true and correct to the beautiful according to the statements made herein are true and correct to the beautiful according to the statements are true and correct to the beautiful according to the statements made herein are true and correct to the beautiful according to the statements and the statements are true and correct to the beautiful according to the statements and the statements are true and correct to the beautiful according to the statements are true and correct to the statements are true and correct to the statements.	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. APR 0 9 2 drilling rig; by circulating cement to the top; in all cases surface pipe shall be WICHITA, in underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.	ED COMMISSION 008 DIVISION S
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrection of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be increased.	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. APR 0 9 2 drilling rig; by circulating cement to the top; in all cases surface pipe shall be EBVATION (Inc.) underlying formations. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.	ED COMMISSION 008 DIVISION S
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrection of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and correct to the best of the statements.	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. APR 0 9 2 drilling rig; by circulating cement to the top; in all cases surface pipe shall be WiCHITA, in underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: Vice President	ED COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrection of the surface will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the between the completed within 30 days of Operator or Agent: April 8, 2008	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. APR 0 9 2 drilling rig; by circulating cement to the top; in all cases surface pipe shall be WiCHITA, in underlying formations, inct office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Pest of my knowledge and belief. Title: **Vice President** **Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;	ED COMMISSION 008 DIVISION S
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the complete and the statements of the product of the plants. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 27442-0000	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. APR 0 9 2 drilling rig; by circulating cement to the top; in all cases surface pipe shall be WiCHITA, in underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: Vice President	ED COMMISSION 008 DIVISION S
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrection of the surface will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the between the completed within 30 days of Operator or Agent: April 8, 2008	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. APR 0 9 2 drilling rig; by circulating cement to the top; in all cases surface pipe shall be WICHITA, in underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: Nemember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	ED COMMISSION 008 DIVISION S
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B". Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the conductor pipe required. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 27442-0000 Conductor pipe required feet	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. APR 0 9 2 drilling rig; by circulating cement to the top; in all cases surface pipe shall be WiCHITA, in underlying formations, inct office on plug length and placement is necessary prior to pluggling; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Title: Vice President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	ED COMMISSION 008 DIVISION S 33
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the complete and correct to the complete and correct to the between the complete and correct to the between the complete and correct to the	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. APR 0 9 2 drilling rig; by circulating cement to the top; in all cases surface pipe shall be WICHITA, in underlying formations, includerlying formation and placement is necessary prior to plugging; and or production casing is cemented in; in from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Plugged. In all cases, NOTIFY district office prior to any cementing. Title: **Vice President** **President** **Pr	ED COMMISSION OOS CIVISION S 33
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the because. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 27442-0000 Conductor pipe required	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. APR 0 9 2 drilling rig; by circulating cement to the top; in all cases surface pipe shall be ENVIOLETA, in underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. east of my knowledge and belief. Pile Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);	ED COMMISSION 008 DIVISION S 33
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the beat shall be approved by: April 8, 2008 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 27442-000 Conductor pipe required Minimum surface pipe required Approved by: White 4-1008 This authorization expires: 4-1009	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. APR 0 9 2 drilling rig; by circulating cement to the top; in all cases surface pipe shall be WICHITA, in underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Title: Vice President File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.	ED COMMISSION 008 DIVISION S 33
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the because. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 27442-0000 Conductor pipe required	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. APR 0 9 2 drilling rig; by circulating cement to the top; in all cases surface pipe shall be WiCHITA, in underlying formations, includerlying formation cashing is cemented in; in from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: Persident Wice President Title: Vice President Title: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	OO8 DIVISION 33 29 20
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the best of the spud date or the well shall be Date: April 8, 2008	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. APR 0 9 2 drilling rig; by circulating cement to the top; in all cases surface pipe shall be WICHITA, in underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Pile Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Date:	ED COMMISSION 008 DIVISION S 33
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be. I hereby certify that the statements made herein are true and correct to the beat shall be approved. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 27442 - 000 Conductor pipe required Minimum surface pipe required Approved by: White 4-1008 This authorization expires: 4-1009	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. APR 0 9 2 drilling rig; by circulating cement to the top; in all cases surface pipe shall be WiCHITA, in underlying formations, includerlying formation cashing is cemented in; in from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: Persident Wice President Title: Vice President Title: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	OO8 DIVISION 33 29 20


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 133-27442-0000	
Operator: Quest Cherokee, LLC	Location of Well; County: Neosho
Lease: Coomes, Charles D.	660 feet from N / S Line of Section
Well Number: 33-1	660 feet from X E / W Line of Section
Field: Cherokee Basin CBM	Sec. <u>33</u> Twp. <u>29</u> S. R. <u>20</u> E W
Number of Acres attributable to well: QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee, LLC		License Number: 33344	
Operator Address: 210 W. Park Av	e., Suite 275	0	Oklahoma City OK 73102
Contact Person: Richard Marlin		Phone Number: 405-702-7480	
Lease Name & Well No.: Coomes, Charles D. 33-1		Pit Location (QQQQ):	
Type of Pit:	Pit is:		NENE
Emergency Pit Burn Pit	Proposed	Existing	Sec33Twp29R20 \infty East West
Settling Pit Drilling Pit	If Existing, date constructed:		660 Feet from North / South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		Feet from East / West Line of Section
(If WP Supply API No. or Year Drilled)	300	(bbls)	Neosho County
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l
Is the bettern below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?
Is the bottom below ground level? Yes No	Yes X	No	Air Drilling Well
Pit dimensions (all but working pits): 30 Length (feet) 10 Width (feet) N/A: Steel Pits			
Depth from ground level to deepest point:10(feet) No Pit			
		edures for periodic maintenance and determining ncluding any special monitoring.	
Well is being air drilled. Well is bei		ng air drilled with operations lasting approx.	
3 days			
		an drined with operations lasting approx.	
		west fresh waterteet.	
NA feet Depth of water well feet meas			over and Haul-Off Pits ONLY: al utilized in drilling/workover: Air Drilled
		over and Haul-Off Pits ONLY:	
		al utilized in drilling/workover: Air Drilled	
Number of producing wells on lease: Number of wo		rking pits to be utilized:1	
Barrels of fluid produced daily: Abandonment		procedure: Air Dry, Back fill and cover.	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date.	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. KANSAS CORPORATION COMM SSI			
APR 0 9 2008			
April 8, 2008 Date April 8, 2008			
KCC OFFICE USE ONLY Steel Pit RFAC RFAS			
Date Received: 4/9/08 Permit Number: Permit Date: 4/9/08 Lease Inspection: Yes No			
Date Received: 7/9/00 Permit Num	nper:	rerm	it Date, /// / D Lease Inspection. Tes I No