For KCC Use:
Effective Date: 4-15-08
District # 3

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

## NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: April 14, 2008 month day year	Spot Description:
, .	SW - NE Sec. 32 Twp. 31 S. R. 19 XE W
OPERATOR: License#	feet from X N / S Line of Section
Name: Quest Cherokee, LLC	2,250 feet from E / W Line of Section
Address 1: 210 W. Park Ave., Suite 2750	Is SECTION: Regular Irregular?
Address 2:	(Nate: Locate well on the Section Plat on reverse side)
City: Oklahoma City State: OK Zip: 73102 +	County: Labette
Contact Person: Richard Marlin	Lease Name: Eggers, Ron L. Well #: 32-1
Phone: 405-702-7480	Field Name: Cherokee Basin CBM
CONTRACTOR: License# 33837 or another Licensed by KCC	
CONTRACTOR: License# 50007 of direction by Noo	Is this a Prorated / Spaced Field?
Name: _Will advise on the ACO-1	Target Formation(\$): Cherokee Coals
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 365
	Ground Surface Elevation: 915 feet MSL
	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal Wildcat Cable	Depth to bottom of fresh water: 100
Seismic;# of HolesOther	Depth to bottom of usable water: 150
Other: Coalbed Methane	
If OldfiddO. and well information on follows:	Surface Pipe by Afternate: I XIII
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth: 1500
Original Completion Date: Original Total Depth:	Formation at Total Depth: Cherokee Coals
/	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond X Other: Air
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR )
	(redicting property serve extension and the property serve extensi
KCC DKT #:	
KCC DKT #:	Will Cores be taken?
KCC DKT #:	Will Cores be taken? Yes No If Yes, proposed zone:
	Will Cores be taken?  If Yes, proposed zone:  RECEIVED
AFFII	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  CANSAS CORPORATION COMM
	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  WANSAS CORPORATION COMM  Fing of this well will comply with K.S.A. 55 et. seq.
AFFII	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  WANSAS CORPORATION COMM  Fing of this well will comply with K.S.A. 55 et. seq.
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met:	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  CANSAS CORPORATION COMM
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d	Will Cores be taken?  If Yes, proposed zone:  PAVIT  Fing of this well will comply with K.S.A. 55 et. seq.  APR 0 9 2008  Filling rig;  CONSERVATION DIVISION
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by	Will Cores be taken?  If Yes, proposed zone:  PAVIT  Fing of this well will comply with K.S.A. 55 et. seq.  APR 0 9 2008  Filling rig;  CONSERVATION DIVISION CONCLUDING SHALL BE SENTCHITA, KS
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a min	Will Cores be taken?  If Yes, proposed zone:  PACEIVED  KANSAS CORPORATION COMM  APR 0 9 2008  rilling rig:  CONSERVATION DIVISIO  circulating cement to the top; in all cases surface pipe shall be sewichita, KS  inderlying formation.
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district	Will Cores be taken?  If Yes, proposed zone:  PACEIVED  KANSAS CORPORATION COMM  APR 0 9 2008  rilling rig:  CONSERVATION DIVISION  circulating cement to the top; in all cases surface pipe shall be sewichita, KS anderlying formation, at office on plug length and placement is necessary prior to plugging;
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district of the uppropriate district office will be notified before well is either plugged.	Will Cores be taken?  If Yes, proposed zone:  PACEIVED  KANSAS CORPORATION COMM  APR 0 9 2008  rilling rig;  Conservation division  circulating cement to the top; in all cases surface pipe shall be sewichita, KS inderlying formation.  It office on plug length and placement is necessary prior to plugging;  If or production casing is cemented in;
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented in	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMM  APR 0 9 2008  rilling rig;  Conservation division  circulating cement to the top; in all cases surface pipe shall be sewichtta, KS underlying formation.  It office on plug length and placement is necessary prior to plugging;  of or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented if Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMM  APR 0 9 2008  rilling rig;  CONSERVATION DIVISIO  circulating cement to the top; in all cases surface pipe shall be sewichtta, KS inderlying formation.  It office on plug length and placement is necessary prior to plugging; If or production casing is cemented in; If you have the control of the contr
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMM  APR 0 9 2008  rilling rig;  CONSERVATION DIVISION  circulating cement to the top; in all cases surface pipe shall be semichita, KS anderlying formation, to office on plug length and placement is necessary prior to plugging; for production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date.  8,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented if Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMM  APR 0 9 2008  rilling rig;  CONSERVATION DIVISION  circulating cement to the top; in all cases surface pipe shall be semichita, KS anderlying formation, to office on plug length and placement is necessary prior to plugging; for production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date.  8,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plugs it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u.  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best applied.	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMM  APR 0 9 2008  rilling rig:  CONSERVATION DIVISION  circulating cement to the top; in all cases surface pipe shall be sewichita, KS anderlying formation, at office on plug length and placement is necessary prior to plugging; for production casing is cemented in; room below any usable water to surface within 120 DAYS of spud date.  8,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMM  APR 0 9 2008  rilling rig:  CONSERVATION DIVISION  circulating cement to the top; in all cases surface pipe shall be sewichita, KS anderlying formation, at office on plug length and placement is necessary prior to plugging; for production casing is cemented in; room below any usable water to surface within 120 DAYS of spud date.  8,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plugs it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u.  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best applied.	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMM  APR 0 9 2008  rilling rig;  CONSERVATION DIVISIO  circulating cement to the top; in all cases surface pipe shall be sewichtta, KS underlying formation.  t office on plug length and placement is necessary prior to plugging; for production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date.  8,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  Vice President
The undersigned hereby affirms that the drilling, completion and eventual plugs it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u.  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best applied.	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMM  APR 0 9 2008  rilling rig;  Conservation division circulating cement to the top; in all cases surface pipe shall be sewichita, KS inderlying formation, it office on plug length and placement is necessary prior to plugging; for production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date.  8,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  Vice President  Title:
The undersigned hereby affirms that the drilling, completion and eventual plugs it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the d.  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged.  5. The appropriate district office will be notified before well is either plugged.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented if Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best Date:  April 8, 2008  Signature of Operator or Agent:  For KCC Use ONLY	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMM  APR 0 9 2008  rilling rig;  CONSERVATION DIVISIO  circulating cement to the top; in all cases surface pipe shall be selected. KS  inderlying formation,  t office on plug length and placement is necessary prior to plugging; for production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing lauged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  Vice President  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACC-1 within 120 days of spud date:
The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u.  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugged.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best pate:  April 8, 2008  Signature of Operator or Agent: A complete the product of the complete that the statements made herein are true and correct to the best pate:  For KCC Use ONLY  API # 15 - O99 - 2 4 363-000	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMM  APR 0 9 2008  rilling rig;  CONSERVATION DIVISIO  circulating cement to the top; in all cases surface pipe shall be selected. KS  inderlying formation,  t office on plug length and placement is necessary prior to plugging; for production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing lauged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  Vice President  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACC-1 within 120 days of spud date:
The undersigned hereby affirms that the drilling, completion and eventual plugs it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the d.  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged.  5. The appropriate district office will be notified before well is either plugged.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented if Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best Date:  April 8, 2008  Signature of Operator or Agent:  For KCC Use ONLY	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMM  APR 0 9 2008  rilling rig;  circulating cement to the top; in all cases surface pipe shall be sewichtta, KS inderlying formation.  to office on plug length and placement is necessary prior to plugging; or production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date.  3.891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  Vice President  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u.  4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best Date:  April 8, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMM  APR 0 9 2008  rilling rig;  CONSERVATION DIVISION  circulating cement to the top; in all cases surface pipe shall be semichita, KS anderlying formation, at office on plug length and placement is necessary prior to plugging; for production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3.891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  Vice President  Title:  Remember to:  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit blueding report (CP-4) after plugging is completed (within 60 days):
The undersigned hereby affirms that the drilling, completion and eventual plugs it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the destrict office will be notified before well is either plugged.  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best pate:  April 8, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - O99 - 2 4 3 6 3 - 0000  Conductor pipe required feet  Minimum surface pipe required feet per ALT.	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMM  APR 0 9 2008  rilling rig;  Conservation Division  circulating cement to the top; in all cases surface pipe shall be sewichtta, ks underlying formation.  t office on plug length and placement is necessary prior to plugging; for production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date.  3.891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  Vice President  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plugs it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best pate:    April 8, 2008	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMM  APR 0 9 2008  rilling rig;  CONSERVATION DIVISIO  circulating cement to the top; in all cases surface pipe shall be selection, to office on plug length and placement is necessary prior to plugging; for production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date.  3.891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  Vice President  Remember to:  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit all unders report (CP-4) after plugging is completed (within 60 days):
The undersigned hereby affirms that the drilling, completion and eventual plugs it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u.  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugged.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented if Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p.  I hereby certify that the statements made herein are true and correct to the best posterior.  April 8, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMM  APR 0 9 2008  Filling rig;  CONSERVATION DIVISION  circulating cement to the top; in all cases surface pipe shall be sewichta, KS inderlying formation.  It office on plug length and placement is necessary prior to plugging;  for production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  B,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  Vice President  Title:  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plugs it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best pate:    April 8, 2008	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMM  APR 0 9 2008  rilling rig;  circulating cement to the top; in all cases surface pipe shall be sewichtta, KS inderlying formation.  It office on plug length and placement is necessary prior to plugging;  for production casing is cemented in;  rom below any usable water to surface within 120 DAYS of spud date.  8,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  Vice President  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plugs it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u.  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugged.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented if Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p.  I hereby certify that the statements made herein are true and correct to the best posterior.  April 8, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15	If Yes, proposed zone:  RECEIVED KANSAS CORPORATION COMM ping of this well will comply with K.S.A. 55 et. seq.  APR 0 9 2008  rilling rig;  Conservation division circulating cement to the top; in all cases surface pipe shall be sewichtta, ks inderlying formation, t office on plug length and placement is necessary prior to plugging; for production casing is cemented in; rom below any usable water to surface within 120 DAYS of spud date. 8,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  Vice President  Title:  Remember to:  File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired  Date:  "Tone Mansas Corporation Commans RECEIVED  KANSAS CORPORATION COMMA  APR 0 9 2008  CONSERVATION COMMA  A
The undersigned hereby affirms that the drilling, completion and eventual plugs it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u.  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugged.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented if Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p.  I hereby certify that the statements made herein are true and correct to the best posterior.  April 8, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API # 15	Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMM  APR 0 9 2008  rilling rig;  circulating cement to the top; in all cases surface pipe shall be sewichtta, KS inderlying formation.  It office on plug length and placement is necessary prior to plugging;  for production casing is cemented in;  rom below any usable water to surface within 120 DAYS of spud date.  8,891-C, which applies to the KCC District 3 area, alternate II cementing lugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  Vice President  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 099-24363-0000	
Operator: Quest Cherokee, LLC	Location of Well: County: Labette
Lease: Eggers, Ron L.	2,275 feet from N / S Line of Section
Well Number: 32-1	2,250 feet from X E / W Line of Section
Field: Cherokee Basin CBM	Sec. 32 Twp. 31 S. R. 19 X E W
Number of Acres attributable to well:  QTR/QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## APPLICATION FOR SURFACE PIT

#### Submit in Duplicate

Operator Name: Quest Cherokee, LLC		License Number: 33344	
Operator Address: 210 W. Park Av	e., Suite 2750	0	Oklahoma City OK 73102
Contact Person: Richard Marlin		Phone Number: 405-702-7480	
Lease Name & Well No.: Eggers, Ron L. 32-1		Pit Location (QQQQ):	
Type of Pit:  Emergency Pit Burn Pit  Settling Pit Drilling Pit  Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)  Is the pit located in a Sensitive Ground Water  Is the bottom below ground level?  Yes No  Pit dimensions (all but working pits):	Pit is:    Proposed	Existing onstructed:  (bbls)  No  et)  10 epeest point:	
material, thickness and installation procedure.		ng air drilled with operations lasting approx.	
Source of info		west fresh waterfeet. mation: uredwell ownerelectric logKDWR	
Emergency, Settling and Burn Pits ONLY:  Producing Formation:		owest fresh waterfeet. rmation: ured well owner electric log KDWR  over and Haul-Off Pits ONLY: al utilized in drilling/workover: Air Drilled rking pits to be utilized: 1  procedure: Air Dry, Back fill and cover.	
		be closed within 365 days of spud date.  RECEIVED  KANSAS CORPORATION COMMISS	
April 8, 2008 Date  April 8 CONSERVATION DIVISION Signature of Applicant or Agent  CONSERVATION DIVISION STORY  KCC OFFICE USE ONLY  Steel Pit  RFAC  RFAS			
Date Received: 4/9/08 Permit Nun	nber:	Perm	it Date: 4/9/08 Lease Inspection: Yes No