#### 

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

## NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: 2 4 15 08	Spot Description:	
month day year	C - NW - NE - Sec. 18 Twp. 29 S. R. 13	3 ⊠E∏w
33539	(Q/Q/Q/Q) 660 feet from N / 5	
DPERAIOH: License#	1,980 feet from X E / N	
Name: Cherokee Wells, LLC	Is SECTION: Regular Inregular?	Tr Citto of Gadiner.
ddress 1: P.O. Box 296	<del></del>	
oddress 2:	(Note: Locate well on the Section Plat on reverse si	ide)
State: KS Zip: 66736 + Contact Person: Emily Lybarger	County: Elk	4.0
200 070 2000	Lease Name: Thomas Well	1 #: A-3
Tione.	Field Name: Cherokee Basin Coal Gas Area	
CONTRACTOR: License#_33072	Is this a Prorated / Spaced Field?	Yes X No
lame: Well Refined Drilling	Target Formation(s): Mississippian	LANGE OF COMPANY
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 660	
<u></u>	Ground Surface Elevation: Unknown	feet MSL
Oil Enh Rec X Infield Mud Rotary	Water well within one-quarter mile:	Yes X No
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:	Yes X No
	Depth to bottom of fresh water: est. 100'	
Seismic ; # of HolesOther	Depth to bottom of usable water:	mande of a of Philosophy and
	Surface Pipe by Alternate:	_
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: Minimum 40'	
<del>-</del> .	Length of Conductor Pipe (if any): N/A	
Operator:	Projected Total Depth: 1350'	
Well Name:Original Total Depth:	Formation at Total Depth: Mississippian	
Ofiginal Completion Date. Ofiginal Total Depth.	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:	
f Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	
KCC DKT #:	(**************************************	
1 V V V V V V V V V V V V V V V V V V V	Will Cores be taken?	l Yes XINo
	Will Cores be taken? If Yes, proposed zone:	Yes No
<b>AFI</b> The undersigned hereby affirms that the drilling, completion and eventual plu	If Yes, proposed zone:  RE  FIDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.	ECEIVED PORATION COMMISSI
AFI The undersigned hereby affirms that the drilling, completion and eventual plu t is agreed that the following minimum requirements will be met:	If Yes, proposed zone:  RE  FIDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.	ECEIVED
	FIDAVIT  KANSAS CORF  Ingging of this well will comply with K.S.A. 55 et. seq.  APR  Indrilling rig;  CONSEI  By circulating cement to the top; in all cases surface pipe shall to enderlying formation.  First office on plug length and placement is necessary prior to play and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of sp. 33,891-C, which applies to the KCC District 3 area, alternate II of	ECEIVED PORATION COMMISSING TO 2008  RVATION DIVISION MORETA, KS  Rugging;  ud date.  comenting
AFI The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eact  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dis  5. The appropriate district office will be notified before well is either plugs 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #"	FIDAVIT  KANSAS CORF  Ingging of this well will comply with K.S.A. 55 et. seq.  APR  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall are underlying formation.  In drilling rig;  conserved the control of the con	ECEIVED PORATION COMMISSING TO 2008  RVATION DIVISION MORETA, KS  Rugging;  ud date.  comenting
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the state well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the base.	FIDAVIT  RESERVANSAS CORF  Ingging of this well will comply with K.S.A. 55 et. seq.  APR  In drilling rig;  In drilling	ECEIVED PORATION COMMISS  RVATION DIVISION MORETA, KS  lugging; ud date. cementing enting.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eact  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th  4. If the well is dry hole, an agreement between the operator and the distance of the surface well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the between the complete of the statements made herein are true and correct to the between the complete of the statements made herein are true and correct to the between the complete of the statements made herein are true and correct to the between the complete of the statements made herein are true and correct to the statements.	FIDAVIT  KANSAS CORF  Igging of this well will comply with K.S.A. 55 et. seq.  APR  Adrilling rig;  by circulating cement to the top; in all cases surface pipe shall to a underlying formation.  rict office on plug length and placement is necessary prior to plud of production casing is cemented in; d from below any usable water to surface within 120 DAYS of spin 33,891-C, which applies to the KCC District 3 area, afternate III of plugged. In all cases, NOTIFY district office prior to any cements of my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders.  Notify appropriate district office 48 hours prior to workover or Submit plugging report (CP-4) after plugging is completed (we obtain written approval before disposing or injecting salt water of this permit has expired (See: authorized expiration date) placeheck the box below and return to the address below.	ECEIVED PORATION COMMISS  R 1 0 2008  RVATION DIVISION POFFFA, KS  lugging;  ud date. pementing enting.  // Assistant  // Assistant
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eact 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best and the statements of the spud date of the well shall be completed.  Signature of Operator or Agent:  4/8/08  Signature of Operator or Agent:  Minimum surface pipe required  Approved by:  May 4/0-08  This authorization expires:  4/-0-09	FIDAVIT  KANSAS CORF  Igging of this well will comply with K.S.A. 55 et. seq.  APR  Arilling rig;  by circulating cement to the top; in all cases surface pipe shall to an underlying formation.  rict office on plug length and placement is necessary prior to plug ded or production casing is cemented in; deform below any usable water to surface within 120 DAYS of spin 33,891-C, which applies to the KCC District 3 area, alternate II of plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders.  Notify appropriate district office 48 hours prior to workover or submit plugging report (CP-4) after plugging is completed (work of this permit has expired (See: authorized expiration date) plated.	ECEIVED PORATION COMMISS  2 1 0 2008  RVATION DIVISION MORPLA, KS  Rugging;  ud date. cementing enting.  ve Assistant  20  22  23  24  25  26  27  28  28  29  29  20  20  20  20  20  20  20  20

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 049-22506-0000	50
Operator: Cherokee Wells, LLC  Lease: Thomas	Location of Well: County: Elk  660
Well Number: A-3 Field: Cherokee Basin Coal Gas Area	1,980       feet from       X       E       /       W       Line of Section         Sec. 18       Twp. 29       S. R. 13       X       E       W
Number of Acres attributable to well:  QTR/QTR/QTR/QTR of acreage: C - NW - NE -	Is Section: Regular or Irregular
	If Section is irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW


PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

		o FNC			
 	 	Thon	1986 1943.	5 FEL -3	
	 	<del></del>			
 	 	,			

RECEIVED KANSAS CORPORATION COMMISSION

APR 10 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

			·		
Operator Name: Cherokee Wells, LLC			License Number: 33539		
Operator Address: P.O. Box 296			Fredonia KS 66736		
Contact Person: Emily Lybarger			Phone Number: 620-378-3650		
Lease Name & Well No.: Thomas	A-3	3	Pit Lopation (QQQQ):		
Type of Pit:	Pit is:		C NW NE		
Emergency Pit Burn Pit	Proposed Existing		Sec. 18 Twp. 29 R. 13 East West		
Settling Pit Drilling Pit	If Existing, date constructed:		660 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit			1,980 Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)	Pit capacity: 800	(bbls)	Elk County		
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
Yes No	Yes X	No	Natural Clay & Earth		
Pit dimensions (all but working pits):	30 Length (fe	et)40	Width (feet) N/A: Steel Pits		
Depth 1	from ground level to de	eepest point:	6 (feet) No Pit		
		Depth to shalk			
N/A feet Depth of water well	feet	measi	ured well owner leectric log KDWR		
Emergency, Settling and Burn Pits ONLY		1	measured well owner electric log KDWR  lling, Workover and Haul-Off Pits ONLY:  e of material utilized in drilling/workover: Fresh Water		
			rpe of material utilized in drilling/workover: Fresh Water		
Number of producing wells on lease:  Barrels of fluid produced daily:		Number of working pits to be utilized:1  Abandonment procedure: Allow to Dry, Level Surface			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must	be closed within 365 days of spud date. RECEIVED KANSAS CORPORATION COMM		
I hereby certify that the above sta	tements are true and	correct to the bes	st of my knowledge and belief.  APR 1 0 2008		
4/8/08 Date		5 mily	CONSERVATION DIVISIO WICHITA, KS		
	ксс	OFFICE USE O	NLY Steel Pit RFAC RFAS		
./ /			:		
Date Received: 4/10/08 Permit Nu	mber:	Pern	nit Date: 4/10/08 Lease Inspection: Yes No		