For KCC Use: 4-15-08 Effective Date: 4-15-08 District # 3 SGA? Ves VNo

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Spot Description: Spot Description: Spot	tion
OPERATOR: License# Name: Quest Cherokee, LLC Address 1: 210 W. Park Ave., Suite 2750 Address 2: (Note: Locate well on the Section Plat on reverse side) City: Oklahoma City	tion
OPERATOR: License# Name: Quest Cherokee, LLC Address 1: 210 W. Park Ave., Suite 2750 Address 2: (Note: Locate well on the Section Plat on reverse side) City: Oklahoma City	
Address 1: 210 W. Park Ave., Suite 2750 Address 2:	
Address 2: City: Oklahoma City Contact Person: Richard Marlin Phone: 405-702-7480 CONTRACTOR: License# 33837 or another Licensed by KCC Name: Will advise on the ACC-1 (Note: Locate well on the Section Plat on reverse side) County: Wilson Lease Name: Union Central Life Ins. Ease Name: Union Central Life Ins. Cherokee Basin CBM Is this a Prorated / Spaced Field? Target Formation(s): Cherokee Coals Nearest Lease Or unit boundary line (in footage): 510	
City: Oklahoma City	
Contact Person: Richard Mainin Phone: 405-702-7480 CONTRACTOR: License# 33837 or another Licensed by KCC Name: Will advise on the ACO-1 Lease Name: Union Central Life Ins. Field Name: Cherokee Basin CBM Is this a Prorated:/ Spaced Field? Target Formation(s): Cherokee Coals Nearest Lease or unit boundary line (in footage): 510	
Phone: 405-702-7480 CONTRACTOR: License# 33837 or another Licensed by KCC Name: Will advise on the ACO-1 Field Name: Cherokee Basin CBM Is this a Prorated: / Spaced Field? Target Formation(s): Cherokee Coals Nearest Lease or unit boundary line (in footage): 510	
CONTRACTOR: License# 33837 or another Licensed by KCC Is this a Prorated / Spaced Field? Yes X Name: Will advise on the ACO-1 Target Formation(s): Cherokee Coals Nearest Lease or unit boundary line (in footage): 510	***********
Negroet Lease or unit boundary line (in footage): 510	No
Well Drilled For: Well Class: Type Equipment: Nearest Lease or unit boundary line (in footage): 510	
Troit Difficult of the Troit Order.	
Oil Enh Rec Minfield Ground Surface Elevation: 1072 feet I	
Gas Storage Pool Ext. Air Rotary Water well within one-quarter mile:	
Disposal Wildcat Cable Public water supply well within one mile: Science # of Holes Other Depth to bottom of fresh water: 100	No
Surface Pine by Alternate:	
If OWWO: old well information as follows: Length of Surface Pipe Planting 25	
Operator: Length of Conductor Pipe (if any);	
Well Nome: Projected Total Depth: 1500	
Original Completion Date: Original Total Depth: Formation at Total Depth: Cherokee Coals	
Water Source for Drilling Operations: Directional, Deviated or Horizontal wellbore? Yes No Water Source for Drilling Operations: Water Source for Drilling Operations: Well Farm Pond Other: Air	
If You have constituted and the	
Bottom Hole Location: DWR Permit #: (Note: Apply for Permit with DWR])	_
KCC DKT #: Will Cores be taken?	No
If Yes, proposed zone:	
RECEIVI	
NEOE111	ED
AFFIDAVIT KANSAS CORPORATION	ED COMMISSION
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.	COMMISSION
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: APR 0 9 2	COMMISSION
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	COMMISSION
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; CONSERVATION	COMMISSION 2008 DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> into the underlying formation.	COMMISSION 2008 DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> intrough all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ;	COMMISSION 2008 DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 2. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> CHITA. through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.	COMMISSION 2008 DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set/CHITA, through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing	COMMISSION 2008 DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> CHITA, through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.	COMMISSION 2008 DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> ICHITA, through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief.	COMMISSION 2008 DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 2. ONSERVATION. 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief.	COMMISSION 2008 DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: APR 0 9 / A copy of the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and correct to the best only knowledge; and belief. Vice President Title: Vice President	COMMISSION 2008 DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set CHITA, through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief. Pate: April 8, 2008 Signature of Operator or Agenty File Drill Pit Application (form CDP-1) with Intent to Drill:	COMMISSION 2008 DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set CHITA, through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief. Pate: April 8, 2008 Signature of Operator or Agenty File Drill Pit Application (form CDP-1) with Intent to Drill:	2008 DIVISION KS
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: APR 09 2 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be shiftCHITA, through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and correct to the best of my knowledge; and belief. Pate: April 8, 2008 Signature of Operator or Agenty API # 15 - 205 - 27526-000 For KCC Use ONLY API # 15 - 205 - 27526-000 File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date: File Completion Form ACO-1 within 120 days of spud date: File Completion Form ACO-1 within 120 days of spud date: File Completion Form ACO-1 within 120 days of spud date: File Completion Form ACO-1 within 120 days of spud date: File Completion Form ACO-1 within 120 days of spud date: File Completion Form ACO-1 within 120 days of spud date: File Completion Form ACO-1 w	COMMISSION 2008 DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: APR 0 9 2 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief. Date: April 8, 2008 Signature of Operator or Agent Fer KCC Use ONLY API # 15 - 205 - 27526-0000 Feet For KCC Use ONLY API # 15 - 205 - 27526-0000 Feet For KCC Use ONLY API # 15 - 205 - 27526-0000 Feet For KCC Use ONLY API # 15 - 205 - 27526-0000 Feet For KCC Use ONLY API # 15 - 205 - 27526-0000 Feet For KCC Use ONLY API # 30 - 205 - 27526-0000 Feet For KCC Use ONLY API # 31 - 205 - 27526-0000 Feet For KCC Use ONLY API # 32 - 205 - 27526-0000 Feet For KCC Use ONLY API # 35 - 205 - 27526-0000 Feet For KCC Use ONLY API # 35 - 205 - 27526-0000 Feet For KCC Use ONLY API # 35 - 205 - 27526-0000 Feet For KCC Use ONLY API # 35 - 205 - 27526-0000 Feet For KCC Use	2008 DIVISION (S
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set CHITA, through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and correct to the best owny knowledge and belief. Pate: April 8, 2008 Signature of Operator or Agent Feet Minimum surface pipe required	2008 DIVISION KS
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: APR 0 9 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be self-CHTA. It well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYs of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and correct to the best owny knowledge and belief. Per KCC Use ONLY API # 15 - 205 - 27526-0000 April 8, 2008 Signature of Operator or Agent: Minimum surface pipe required April 9 feet Minimum surface pipe required feet per ALT. I Pil Approved by: Minimum surface pipe required feet per ALT. I Pil Approved by: Minimum surface pipe required feet per ALT. I Pil Approved by: Minimum surface pipe required feet per ALT. I Pil Approved by: Minimum surface pipe required feet per ALT. I Pil Approved by: Minimum surface pipe required feet per ALT. I Pil Approved by: Minimum surface pipe required feet per ALT. I Pil Approved by:	2008 DIVISION (S
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the appropriate district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be self-CHTA, through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and or a general plus of the best owny knowledge and belief. Part I S 205 - 27526-000 For KCC Use ONLY API # 15 - 205 - 27526-000 April 8, 2008 Signature of Operator or Agent File acreage attribution plat according to field proration orders; Notify appropriate district office district office will not expensed date. File acreage attribution plat according to field proration orders; Notify appropriate district office all hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days) Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and retu	2008 DIVISION (S
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the appropriate district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and orrect to the best of my knowledge and belief. Date: April 8, 2008 Signature of Operator or Agent File Completion Form ACO-1 within 120 days of spud date; File completion Form ACO-1 within 120 days of spud date; File completion Form ACO-1 within 120 days of spud date; File completion Form ACO-1 within 120 days of spud date; File completion Form ACO-1 within 120 days of spud date; File completion Form ACO-1 within 120 days of spud date; File completion Form ACO-1 within 120 days of spud date; File completion Form ACO-1 within 120 days of spud date; File completion Form ACO-1 within 120 days of spud date; File completion Form ACO-1 within 120 days of spud date; File careage attribution plat according to field proration orders; Notify appropriate district office 48 hours prio	2008 DIVISION (S


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-27526-0000	
Operator: Quest Cherokee, LLC	Location of Well: County: Wilson
Lease: Union Central Life Ins.	1,830 feet from N / N S Line of Section
Well Number: 1-28-16-1	660 feet from X E / W Line of Section
Field: Cherokee Basin CBM	Sec. 1 Twp. 28 S. R. 16 X E W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular
	If Section is Imagular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee, LLC	2		License Number: 33344
Operator Address: 210 W. Park Av		0	Oklahoma City OK 73102
Contact Person: Richard Marlin			Phone Number: 405-702-7480
Lease Name & Well No.: Union Central Life Ins. 1-28-16-1		Pit Location (QQQQ):	
Type of Pit:	Pit is:		NE _ SE_
Emergency Pit Burn Pit	Proposed Existing		Sec. 1 Twp. 28 R. 16 East West
Settling Pit	If Existing, date constructed:		1,830 Feet from North / South Line of Section
Workover Pit Haul-Off Pit			660 Feet from East / West Line of Section
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Wilson
Is the pit located in a Sensitive Ground Water Area? Yes No		Chloride concentration: mg/l	
is the pit located in a Sensitive Ground vvaler		7.40	(For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
Yes No	Yes X		Air Drilling Well
Pit dimensions (all but working pits):	30 Length (fe	eet)10	Width (feet) N/A: Steel Pits
Depth fi	rom ground level to de	eepest point:	10 (feet) No Pit
		edures for periodic maintenance and determining ncluding any special monitoring.	
Well is being air drilled. Well is bei		ng air drilled with operations lasting approx.	
		3 days	
		owest fresh waterfeet.	
Source of ir		Source of informeasu	
leet Depth of water well leet L			cover and Haul-Off Pits ONLY:
		_	al utilized in drilling/workover: Air Drilled
		rking nits to be utilized:	
		procedure: Air Dry, Back fill and cover.	
Does the slope from the tank battery allow a	I spilled fluids to		
flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date.	
I hereby certify that the above stat	ements are true and	correct) to the bes	
	· 4	~ n	APR 0 9 2008
April 8, 2008		Mary	/ V Jacken
Date			Signature of Applicant or Agent CONSERVATION DIVISION WICHITA VS
	ксс	OFFICE USE O	NLY Steel Pit RFAC RFAS
Date Received: 4/9/08 Permit Nur	nhar:	Dorm	nit Date: 4/9/08 Lease Inspection: Yes No
Date Received: 77700 Permit Nun	IIDCI	FeIII	in Date.