\*Well Mane Correction

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
December 2002
Form must be Typed
Form must be Signed
All Blank of the Fitted

NOTICE OF II	NTENT TO DRILL
GA? Yes X No Must be approved by KCC flv	ve (5) days prior to commencing well
E have 42, 2007	Eas
Expected Spud Date February 13, 2007	Spot NE SW Sec. 11 Twp. 30 S. R. 19 Wes
,	1980feet from N / V S Line of Section
DPERATOR: License# 33344	1980 feet from E / W Line of Section
	Is SECTION Regular Irregular?
Address: 9520 North May Avenue, Suite 300  Oklahome City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Richard Marlin	County: Neosho
Phone: (405) 286-9316	Hence Nome. Beachner Bros Mc Well #: 11-50-15-2
	Field Name: Cherokee Basin CBM
CONTRACTOR: License# Will be licensed by the KCC	Is this a Prorated / Spaced Field?
lame: Will advise on the ACO-1	Target Formation(s): Cherokee Coals
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary; 660  Ground Surface Elevation; 983 feet MS
Oil Enh Rec / Infield / Mud Rotary	Water well within one-quarter mile: Yes ✓ N
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Don't to hollow of fresh water 100
Seismic;# of Holes Other  Other Coalbed Methane	Depth to bottom of usable water. 200- 150
✓ Other Coalbed Mediane	Surface Pipe by Allernate:   1   \sqrt{2}
OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25
Operator:	Length of Conductor Pipe required: Projected Total Depth: Cherokee Coals
Well Name:	Formation at Total Depth: 1500
Original Completion Date: Original Total Depth:	Water Source for Drilling Operations:
oirectional, Devlated or Horizontal wellbore?	
Yes, true vertical depth:	DWR Permit #:
ottorn Hole Location:	(Note: Apply for Permit with DWR)
CC DVT 4:	Will Cores be taken?
OU DNI #i	
Beachner Bros Inc	If Yes, proposed zone:
Beachner Bros Inc	If Yes, proposed zone:
Beachner Bros Inc	If Yes, proposed zone:
Beachner Bros Inc  Beachner Bros  AF  the undersigned hereby affirms that the drilling, completion and eventual	If Yes, proposed zone:  RECEIVED  RECEIVED  all plugging of this well will comply with K.S.A. 55 et. KANSAS CORPORATION COM
Beachner Bros Inc  Beachner Bros Af  The undersigned hereby affirms that the drilling, completion and eventual  is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well:	If Yes, proposed zone:  FFIDAVIT  RECEIVED  RECEIVED  APR 1 1 2000
The undersigned hereby affirms that the drilling, completion and eventual tis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;	FFIDAVIT  all plugging of this well will comply with K.S.A. 55 et. SANSAS CORPORATION COL  APR 1 1 2000
Beachner Bros Inc.  Beachner Bros Inc.  The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on  3. The minimum amount of surface pipe as specified below shall be the below shall be to the below shall be the properties of 20 feet into the pro	If Yes, proposed zone:  RECEIVED  RECEIVED  APR 1 1 2000  each drilling rig; e set by circulating cement to the top; in all cases surface OPUSERNATION ENVIS
Beachner Bros Inc.  Beachner Bros Inc.  After undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well:  2. A copy of the approved notice of intent to drill shall be posted on  3. The minimum amount of surface pipe guestified below shall be through all unconsolidated materials plus a minimum of 20 feet into the propriet of the prop	RECEIVED  FFIDAVIT  all plugging of this well will comply with K.S.A. 55 et. SANSAS CORPORATION COL  APR 1 2000  each drilling rig;  e set by circulating cement to the top; in all cases surface SPESERNATION DIVIS  WICHITA, KS  ne district office on plug length and placement is necessary prior to plugging;
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either than the propriate district office will be notified before well is either than the propriate district office will be notified before well is either than the propriate of the p	If Yes, proposed zone:  FFIDAVIT  All plugging of this well will comply with K.S.A. 55 et. SANSAS CORPORATION COLOR  APR 1 1 2000  Be each drilling rig;  Be set by circulating cement to the top; in all cases surface CONSERVATION ENVISE  WICHITA, KS  The district office on plug length and placement is necessary prior to plugging;  plugged or production gasing is cemented in;  The pented from below any usable water to surface within 120 days of spud date.
Beachner Bros Inc.  Beachner Bros Af he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet intent 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p 6. If an ALTERNATE II COMPLETION, production pipe shall be cent	If Yes, proposed zone:  FFIDAVIT  All plugging of this well will comply with K.S.A. 55 et. SANSAS CORPORATION COMPANY APR 1 1 2000  Be set by circulating cement to the top; in all cases surface SANSARMATION DIVISION to the underlying formation.  WICHITA, KS  The district office on plug length and placement is necessary prior to plugging; plugged or production gasing is cemented in;  The nented from below any usable water to surface within 120 days of spud date.  The 133.891-C. which applies to the KCC District 3 area, alternate II cementic
Beachner Bros Inc.  Beachner Bros Inc.  Af he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet intention 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p 6. If an ALTERNATE II COMPLETION, production pipe shall be come Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall	RECEIVED  RECEIVED  APR 1 2000  each drilling rig; e set by circulating cement to the top; in all cases surface SPASARABION SIVIS  WICHITA, KS  ne district office on plug length and placement is necessary prior to plugging; plugged or production gasing is cemented in; nented from below any usable water to surface within 120 days of spud date.  der #133,891-C, which applies to the KCC District 3 area, alternate it cementinal be plugged. In all cases, NOTIFY district office prior to any cementing.
Beachner Bros Inc.  Beachner Bros Inc.  After the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on. 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int.  4. If the well is dry hole, an agreement between the operator and the properties of the strict office will be notified before well is either properties of the strict office will be notified before well is either properties of the strict office will be notified before well is either properties of the strict office will be notified before well be composed to appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well ships.	RECEIVED  RECEIVED  RECEIVED  APR 1 2000  APR 1 1 2000  APR 1 2000
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet intent to the well is dry hole, an agreement between the operator and the first the well is dry hole, an agreement between the operator and the first appropriate district office will be notified before well is either properties of the completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best of the spud date or the well shall be certified.	RECEIVED  RECEIVED  APR 1 2000  each drilling rig; e set by circulating cement to the top; in all cases surface SPASARABION SIVIS  WICHITA, KS  ne district office on plug length and placement is necessary prior to plugging; plugged or production gasing is cemented in; nented from below any usable water to surface within 120 days of spud date.  der #133,891-C, which applies to the KCC District 3 area, alternate it cementinal be plugged. In all cases, NOTIFY district office prior to any cementing.
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet intent of the well is dry hole, an agreement between the operator and the first the well is dry hole, an agreement between the operator and the first an ALTERNATE II COMPLETION, production pipe shall be come or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best	RECEIVED  RECEIVED  RECEIVED  APR 1 2000  each drilling rig; e set by circulating cement to the top; in all cases surface possers/ation and in the underlying formation.  WICHITA, KS  to the underlying formation.  WICHITA, KS  ne district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; nented from below any usable water to surface within 120 days of spud date. der #133,891-C, which applies to the KCC District 3 area, alternate it cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Set of my knowledge and belief.
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus of an ALTERNATE II COMPLETION, production pipe shall be composed on the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed.  Signature of Operator or Agent:  **Pebruary 6, 2007**  Signature of Operator or Agent:	FIDAVIT  al plugging of this well will comply with K.S.A. 55 et. SANSAS CORPORATION COL  APR 1 2000  WICHITA, KS  The district office on plug length and placement is necessary prior to plugging; plugged or production gasing is cemented in; mented from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing. Title: VP  Remember 10:  File Drill Pit Application (form CDP-1) with Intent to Drill;
Beach Car Bros Tro  he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet intent of the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p 6. If an ALTERNATE II COMPLETION, production pipe shall be come Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the bes late: February 6, 2007 Signature of Operator or Agent:  Signature of Operator or Agent:	RECEIVED  RECEIVED  APR 1 2000  Reach drilling rig;  e set by circulating cement to the top; in all cases surface SPESERWATION SIVIS  to the underlying formation.  WICHITA, KS  ne district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; nented from below any usable water to surface within 120 days of spud date.  der #133,891-C, which applies to the KCC District 3 area, alternate il cementinal be plugged. In all cases, NOTIFY district office prior to any cementing.  et of my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on. 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the first the well is dry hole, an agreement between the operator and the first the appropriate district office will be notified before well is either por pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best page of the control of the post of the control of the post of the certification.  For KCC Use ONLY  API # 15 - 133-20814-0000	RECEIVED  RECEIVED  APR 1 2000  each drilling rig; e set by circulating cement to the top; in all cases surface SPASSASCORPORATION SIVIS  to the underlying formation.  MICHITA, KS  ne district office on plug length and placement is necessary prior to plugging; plugged or production gasing is cemented in; nented from below any usable water to surface within 120 days of spud date.  der #133,891-C, which applies to the KCC District 3 area, alternate il cementinal be plugged. In all cases, NOTIFY district office prior to any cementing.  et of my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreege attribution plat according to field proration orders;
Beachner Bros Inc.  Beachner Bros Inc.  Beachner Bros Africa Bros	RECEIVED  RECEIVED  APR 1 2000  each drilling rig; e set by circulating cement to the top; in all cases surface SPASSASCORPORATION SIVIS  to the underlying formation.  MICHITA, KS  ne district office on plug length and placement is necessary prior to plugging; plugged or production gasing is cemented in; nented from below any usable water to surface within 120 days of spud date.  der #133,891-C, which applies to the KCC District 3 area, alternate il cementinal be plugged. In all cases, NOTIFY district office prior to any cementing.  et of my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on. 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the first the well is dry hole, an agreement between the operator and the first the appropriate district office will be notified before well is either proportion of pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best plate: February 6, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 133-26814-0000  Conductor pipe required feet  Minimum surface pipe required test per Alt.	RECEIVED  RECEIVED  APR 1 2000  each drilling rig; e set by circulating cement to the top; in all cases surface SPASSASCORPORATION SIVIS  to the underlying formation.  MICHITA, KS  ne district office on plug length and placement is necessary prior to plugging; plugged or production gasing is cemented in; nented from below any usable water to surface within 120 days of spud date.  der #133,891-C, which applies to the KCC District 3 area, alternate il cementinal be plugged. In all cases, NOTIFY district office prior to any cementing.  et of my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreege attribution plat according to field proration orders;
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on: 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the figure of the appropriate district office will be notified before well is either profession of the presument to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 133-26814-0000  Conductor pipe required feet  Minimum surface pipe required feet  Approved by 1444 2-2-207 feet per Alt.	RECEIVED  RECEIVED  APR 1 2000  APR 1 2000
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be represented by that the statements made herein are true and to the best plate; February 6, 2007 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 133-26814-000  Conductor pipe required feet  Minimum surface pipe required feet  Approved by 144 2-24 7 Mars 4-14-00  This authorization expires:	RECEIVED  RECEIVED  RECEIVED  APR 1 2000  APR 1 2000  APR 1
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on: 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the figure of the appropriate district office will be notified before well is either profession of the presument to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 133-26814-0000  Conductor pipe required feet  Minimum surface pipe required feet  Approved by 1444 2-2-207 feet per Alt.	RECEIVED  RECEIVED  RECEIVED  APR 1 2000  APR 1 2000  APR 1 2000  APR 1 1 2000  APR 1 1 2000  APR 1 1 2000  APR 1 1 2000
he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be represented by that the statements made herein are true and to the best plate:  For KCC Use ONLY  API # 15 - 133-26814-000  Conductor pipe required feet  Minimum surface pipe required feet  Approved by 1444 2-24-07  This authorization expires:	RECEIVED  RECEIVED  APR 1 200  APR 1 200  APR 1 200  APR 1 1 200  APR 1 200  APR 1 200  APR 1 200  APR 1

CONSERVATION DIVISION WICHITA, KS

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

CORRECTED

Plat of acreage attributable to a well in a prorated or spaced field

If the intended wall is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 133-26840000	Location of Well: County: Neosho
Operator: Quest Cherokee LLC	
Lease: Beachner Bros No. Well Number: 11-30-19-2	1980 feet from N / V S Line of Section  1980 feet from E / V W Line of Section
Well Number: 11-30-19-2	Sec. 11 Twp. 30 S. R. 19 VEast West
Field: Cherokee Basin CBM	
Number of Acres attributable to well:	Is Section: 📝 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage: NE SW	If Section is irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

(Show footage to the nearest lease or unit boundary line.)


PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)

						_		-						-					_
		•		•				ſ			•			•					
		•		•		•		1			•			•			٠		
		•		•		•		11			•			•			٠		
								.[].											
į								-11											
ł						•					-			•			•		
		•		•		•					•			•			•		
		٠.				٠.		- []			•						•		
i		•		•		•					•			٠			•		
		:						ı											
,		•		•				I											
• •	•	. •	٠.	. •		•		. [	, ,	•		٠	٠.		•	• ·			•
								i											
								¥											
								Л.											
						_		{{{	-								_		-
				•										:					
								h											
,								H											
<del>(</del>						1 '	• •	·	٠.	•		•	• •		٠			• •	•
•						1		1											
						ł		1											
						1		1			•								
		•		•	•	Ι.				•		•	•		•				•
		•				1		1			-			•			•		
		•		•		1		4			•			•			•		
		•		•		1		Ì			•			•			•		
• •	•	. •	• •	. •	• •		• •	. 1		٠		•	• •		•			• •	•
								1						Ċ					
						Į		1											
						17		1											

RECEIVED KANSAS CORPORATION COMMISSION

APR 1 1 2008

CONSERVATION DIVISION WICHITA, KS



#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

	APPLICATIO Suk	i e	CORPECTA	_	
Operator Name: Quest Cherokee LL	.c	License Number: 33344	En		
Operator Address: 9520 North May		te 300 Ok	lahoma City, Oklaho	oma 73120	• 0
Contact Person: Richard Marlin			Phone Number: ( 405 ) 2		
Lease Name & Well No. Beachner B	ros Mc #11-3	0-19-2	Pit Location (QQQQ):		
Type of Pit:	Pit is:		NE	<u>sw</u>	
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 11 Twp. 30 R.	19  ✓ East	
Settling Pit	If Existing, date co	onstructed:	1980 Feet from [ ]	North / 🕢 South Line of Section	п
Workover Pit Haul-Off Pit	Pit capacity:	<del></del>	1980 Feet from []	East / 🗹 West Line of Section	n
(If WP Supply API No. or Year Drilled)	300	(bbls)	Neosho	County	у
is the pit located in a Sensitive Ground Water	Area? ☐ Yes ✓	] No	Chloride concentration:		
is the bottom below ground level?	Artificial Liner?		(For Emergency Pit How is the pit lined if a plastic	is and Settling Pits only) liner is not used?	-
Yes No	Yes 🗸 1	No			
If the pit is lined give a brief description of the material, thickness and installation procedure	e liner e.	liner Integrity, 1	edures for periodic maintenance ncluding any special monitoring. Operation lasting appr	KANSAS CORPORATO A 3 days  APR 1  CONSERVATI	1 2008
Distance to nearest water well within one-mit	e of pit	Depth to shallo Source of Info	west fresh water		17,
N A feel Depth of water well	feet		ured well owner	_ electric logKDWR	33-
Emergency, Settling and Burn Pits ONLY		1	over and Haul-Off Pits ONLY:		\$7
Producing Formation:			al utilized in drilling/workover: A	ir Drilled	14
Number of producing wells on lease:		Number of wor	rking pits to be utilized: One procedure: Air Dry, Back Fill an	nd Cover	. 8
Barrels of fluid produced daily:		Abandonment	procedure:		.  a
Does the slope from the tank battery allow at flow into the plt? Yes No	Il spilled fluids to	Drill pits must	be closed within 365 days of spu	ud date.	
February 7, 2007	ements are true and	correct to the bes	$\wedge$	RECEIVED AS CORPORATION COMMISSION FEB 0 8 2007	4
	ксс	OFFICE USE O	NLY 4/11/08	CONSERVATION DIVISION WICKITA, KS	
Date Received: 2/8/07 Permit Nur	mber:	Pern	nit Date: 2/8/07 Lease	e Inspection: Yes 🙀 No	