For KCC Use: Effective Date: District # SGA2 Vec Vec Vec Vec

Kansas Corporation Commission Oil & Gas Conservation Division

October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

Form C-1

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: MAY 01 2008	Spot Description;
month day year	•
33019 /	$\frac{1}{(2^{(Q/Q/Q)})} = \frac{NE}{1,093} = \frac{SW}{1,093} = \frac{NE}{1,093} = \frac{Sec. 20}{1,093} = \frac{Twp. 7}{1,093} = Sec. 20$ Twp. 7 S. R. 38 \square E \square W
OPERATOR: License#	leet from Transcription
Name: ROSEWOOD RESOURCES, INC.	ieet from XIE / W Line of Section
Address 1: 2711 N. HASKELL AVE., SUITE 2800, LB 22	ls SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: DALLAS State: TX Zip: 75204 + Contact Person: STORM SANDS	County: SHERMAN
044 750 0000	Lease Name: HINNANT Well #: 34-20
ritolie.	Field Name: WILDCAT
CONTRACTOR: License# 33532	Is this a Prorated / Spaced Field?
Name: _ADVANCED DRILLING TECHNOLOGIES, LLC	Target Formation(s): Niobrara, Lansing-KS City, Marmaton, Cherokee, Morrow, Mississippian
Well Drilled For: Well Class: Type Equipment:	Nearest Lease of unit boundary line (in footage): 1093
	Ground Surface Elevation: 3,561.2 feet MSL
	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:
Seismic; # of Holes Other	Depth to bottom of fresh water: NAT 310
Other:	Depth to bottom of usable water: NA 310
	Surface Pine by Alternate: VI UII
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 360 min
Operator:	Length of Conductor Pipe (if any): N/A
Well Name:	Projected Total Depth: 5,400
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippian
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond X Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? ☐Yes ☒No
	If Yes, proposed zone:
AFF	IDAVIT RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plu	VANCA C CODDODATION COMMISSION
It is agreed that the following minimum requirements will be met:	
Notify the appropriate district office <i>prior</i> to spudding of well;	APR 14 2008
A copy of the approved notice of intent to drill <i>shall be</i> posted on each	drilling rig:
3. The minimum amount of surface pipe as specified below shall be set	ov circulating cement to the top; in all cases surface pine shall DISERVATION DIVISION
through all unconsolidated materials plus a minimum of 20 feet into the	underlying formation.
4. If the well is dry hole, an agreement between the operator and the distr	
The appropriate district office will be notified before well is either pluggIf an ALTERNATE II COMPLETION, production pipe shall be cemented	ed or production casing is cemented in;
	33,891-C, which applies to the KCC District 3 area, alternate II cementing
must be completed within 30 days of the spud date or the well shall be	
I hereby certify that the statements made herein are true and correct to the b	est of my knowledge and helief
A C	
Date: April 11, 2008 Signature of Operator or Agent:	Tille: Landman
()(
	, · · · · · · · · · · · · · · · · · · ·
For KCC Use ONLY	Remember to:
For KCC Use ONLY 181-20522-000	Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
API # 15 - 181-20522-000	Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
API # 15 - 181 - 20522-0000 Conductor pipe required None feet	Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
API # 15	Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit of upping report (CP-A) after plugging is completed (within 60 days);
API # 15 - 181 - 20522-000 Conductor pipe required	Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
API # 15 - 181 - 20522-000 Conductor pipe required	Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please
API # 15	Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.
API # 15 - 181 - 20522-000 Conductor pipe required	Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please
API # 15	File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 181-20522-0000	
Operator: ROSEWOOD RESOURCES, INC.	Location of Well: County: SHERMAN
Lease: HINNANT	1,093 feet from N / N S Line of Section
Well Number: 34-20 Field: WILDCAT	1,716 feet from E / W Line of Section Sec. 20 Twp. 7 S. R. 38 E E W
Number of Acres attributable to well: 160 QTR/QTR/QTR/QTR of acreage: NE _ SW _ NE	ls Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show lootage to the nearest lease or unit boundary line.)

	:	: :			:		<u>.</u>
	•	:				:	:
	:	: :			:	:	;
	:	:			:	•	:
		:			:	:	:
					•	•	•
				!			
						.,,	
	:				•		•
	:	:			:	:	:
	:	:			:	•	
	:					:	•
	:	; ;			:	:	
					*******		********
						_	_
	•	: :				:	
1	:	; ;			:	:	:
1 :	:			1	:	•	
1		: :			;	:	
1 :	:	: ;		l	:	:	
I				1			
l							
1	:	: :			:	:	_
	:	; :			;	:	
	:	: :			:	:	
1		: :			;	:	
	:	: :			:	:	:
1	•	: :			•	;	
	•	• •		^	•	•	•
			2	V —			
		: :				: :	
						:	i
		: :				: :	
1 :	:	: :				•	
		;			;	:	
*******							• • • • • • • •
						_	
1 :	:	•			!		!
:	;	: :			;		
:		: :			:		
		:			,		
Ι '					•		
						1,716	
l						1,/10	
	;	: :					'
	:						
	:	: :			· Y	:	
1 :	:	: :			: 1	:	
١ .							٠ .
					1		
:		:		1.0	93'	:	
			i	1,0	99		
:		:			.		:
:		: :		:	: 1	:	
1		;			. 1		.
· '							

RECEIVED KANSAS CORPORATION COMMISSION

APR 14 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: ROSEWOOD RESOURCES, INC.			License Number: 33019			
Operator Address: 2711 N. HASKELL AVE., SUITE 2800, LB 22			DALLAS TX 75204			
Contact Person: STORM SANDS			Phone Number: 214-756-6606			
Lease Name & Well No.: HINNANT	34	-20	Pit Location (QQQQ):			
Type of Pit:	Pit is:		NE _ SW _ NE			
Emergency Pit Burn Pit	Proposed Existing		Sec. 20 Twp. 7 R. 38 East West			
Settling Pit	If Existing, date constructed:		1,093 Feet from North / South Line of Section			
Workover Pit Haul-Off Pit	Pit capacity:		1,716 Feet from East / West Line of Section			
(If WP Supply API No. or Year Drilled)		(bbls)	SHERMAN County			
Is the pit located in a Sensitive Ground Water	Area? Yes		Chloride concentration: mg/l			
			(For Emergency Pits and Settling Pits only)			
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?			
Pit dimensions (all but working pits):	25 Length (fe		Width (feet) N/A: Steel Pits 6 (feet) No Pit			
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.						
1		west fresh waterfeet.				
N/A feet Depth of water well feet Source of inf			west fresh waterfeet. mation: ired well owner electric log KDWR over and Haul-Off Pits ONLY:			
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:			
		al utilized in drilling/workover: Bentonite				
Barrels of fluid produced daily: Abandonment		procedure: Evaporation & Backfill				
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pi		Drill pits must t	pe closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
April 11, 2008 Date		S (s	APR 1 4 2008 CONSERVATION DIVISION WICHITA, KS			
KCC OFFICE USE ONLY Steel Pit RFAC RFAS						
Date Received: 4/14/as Permit Num	ber:	Perm	t Date: 4/14/08 Lease Inspection: Yes \No			