For KCC Use: 4-19-08 Effective Date: 4-19-08 District # 4-19-08 SGA2 Ves ZNo

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

Form C-1

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: MAY 01 2008	Spot Description:
month day year	
33019 🗸	(0000)
OPERATOR: License#	2.121 feet from N / S Line of Section 2.021 feet from E / X W Line of Section
Address 1: 2711 N. HASKELL AVE., SUITE 2800, LB 22	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: DALLAS State: TX Zip: 75204 +	County: THOMAS
Contact Person: STORM SANDS	Lease Name: KNUDSON Well #: 22-16
Phone: 214-756-6606	Field Name: WILDCAT
CONTRACTOR: License#33532	Is this a Prorated / Spaced Field?
Name: ADVANCED DRILLING TECHNOLOGIES, LLC	Target Formation(s): Niobrara, Lansing-KS City, Marmaton, Cherokee, Morrow, Mississippian
Mell Dulled Fam. Mall Olassa. Trans Francisco	Nearest Lease or unit boundary line (in footage): 2.021'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 3,071.6' feet MSL
⊠Oil ✓ ☐ Enh Rec ☐ Infield ☑ Mud Rotary¹	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal Wildcat Cable	Depth to bottom of fresh water: 181 220
Seismic ; # of Holes Other Other:	Depth to bottom of usable water: 487 220
Other:	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 260 min.
0	N/A
Operator:	Projected Total Depth: 5,000
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippian
Original Completion Bato.	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	No Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR (1)
KCC DKT #:	───── Will Cores be taken?
	If Yes, proposed zone:
	RECEIVED
	AFFIDAVIT KANSAS CORPORATION COMMISSIO
The undersigned hereby affirms that the drilling, completion and ever	intual plugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	APR 14 2008
1. Notify the appropriate district office prior to spudding of well;	
2. A conv of the approved notice of intent to drill shall be noster	on each drilling rig; CONSERVATION DIVISION
3. The minimum amount of surface pipe as specified below sha	If be set by circulating cement to the top; in all cases surface pipe shall be set
through all unconsolidated materials plus a minimum of 20 te	at into the underlying formation. If the district office on plug length and placement is necessary <i>prior to plugging:</i>
5. The appropriate district office will be notified before well is eit	
	cemented from below any usable water to surface within 120 DAYS of spud date.
Or pursuant to Appendix "B" - Eastern Kansas surface casing	order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
must be completed within 30 days of the spud date or the wel	shall be plugged. In all cases, NOTIFY district office prior to any cementing.
I hereby certify that the statements made herein are true and correct	t to the best of my knowledge and belief.
Date: April 11, 2008 Signature of Operator or Agent:	Landman
Date: April 11, 2006 Signature of Operator or Agent:	Title:
	Remember to:
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;
API # 15 - 193 - 20741-0000	File Completion Form ACO-1 within 120 days of spud date;
Conductor pipe required Nove feet	- File acreage attribution plat according to field profation orders;
Minimum surface pipe required 260 feet per ALT.	Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CR-4) after plugging is completed (within 59 days):
i minimum surface pipe requiredrest per ALI.L	I III - Submit plugging report (CP-4) after plugging is completed (within 60 days);
	- Obtain written approval before disposing or injecting salt water
Approved by: [4-14-08 4-14-09	- Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please
Approved by: LWW-U-14-04 This authorization expires: 4-14-09	- If this permit has expired (See: authorized expiration date) please
Approved by: [4-14-08 4-14-09	- If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
Approved by: WW-U-IY-OS This authorization expires: 4-14-09 (This authorization void if drilling not started within 12 months of approval of the started within 12 months of the started wit	- If this permit has expired (See: authorized expiration date) please
Approved by: LWW-U-14-08 This authorization expires: 4-14-09	- If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Date:

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 193-20741-0000					
Operator: ROSEWOOD RESOURCES, INC.	Location of Well: County: THOMAS				
Lease: KNUDSON	2,121 feet from N / S Line of Section				
Well Number: 22-16	2,021 feet from E / X W Line of Section				
Field: WILDCAT	Sec. <u>16 Twp. 7 S. R. 32</u> E X W				
Number of Acres attributable to well: 160 QTR/QTR/QTR/QTR of acreage: SE _ SE _ NW	Is Section: Regular or Irregular				
	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW				
Di	AT :				


(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

	 2,12	 '			
 2,021	 <u> </u>			·	
2,02	····· 1	6			
 	 •••••		••••		************
 	 •••••				
 	 ********		••••		

RECEIVED KANSAS CORPORATION COMMISSION

APR 14 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections,
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: ROSEWOOD RESOURCES, INC.			License Number: 33019				
Operator Address: 2711 N. HASKELL A	VE., SUITE 2800	O, LB 22	DALLAS TX 75204				
Contact Person: STORM SANDS			Phone Number: 214-756-6606				
Lease Name & Well No.: KNUDSON	22	-16	Pit Location (QQQQ):				
Type of Pit:	Pit is:		SE_SENW				
Emergency Pit Burn Pit	Proposed Existing		Sec. 16 Twp. 7 R. 32 East West				
Settling Pit Drilling Pit	If Existing, date constructed:		2,121 Feet from North / South Line of Section				
Workover Pit Haul-Off Pit	Pit capacity: (bbls)		2,021 Feet from East / West Line of Section				
(If WP Supply API No. or Year Drilled)			THOMAS				
ls the pit located in a Sensitive Ground Water			Chloride concentration:mg/l				
	<u> </u>		(For Emergency Pits and Settling Pits only)				
Is the bottom below ground level? Yes No	Artificial Liner?		How is the pit lined if a plastic liner is not used?				
Pit dimensions (all but working pits):	.5 Length (fe	eet)40	Wighth (feet) N/A: Steel Pits				
Depth fr	om ground level to de	eepest point:	6 (feet) No Pit				
If the pit is lined give a brief description of the			edures for periodic maintenance and determining				
material, thickness and installation procedure	•	initer integrity, in	ncluding any special monitoring.				
Distance to nearest water well within one-mile	of nit	Denth to shallo	west fresh water139feet.				
Source of			urce of information:				
3303 feet Depth of water well 163 feet		Source of information: measured well owner electric log KDWR Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: Bentonite					
			illing, Workover and Haul-Off Pits ONLY:				
			of material utilized in drilling/workover: Bentonite				
		of working pits to be utilized:					
		Abandonment	procedure: Evaporation & Backfill				
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date. KANSAS CORPORATION COMM					
I hereby certify that the above state	ments are true and o	correct to the best	t of my knowledge and belief. APR 1 4 200				
		9/	CONSERVATION DIVI				
April 11, 2008 Date		AX.	WICHITA, KS ignature of Applicant or Agent				
Date		<u> </u>	Rustrie of Aphicant of Agent				
	KCC	OFFICE USE O	NLY Steel Pit RFAC RFAS				
Data Bassinadi 4/w/a5 Bassinadi	ha.	5.	it Date: 4/14/08 Lease Inspection: Yes XNo				
pate Received: 1/14/08 Permit Num	Der:	Permi	T Date: Yes _				