For KCC Use:	11-10120
Effective Date: _	4-1100
District #	<u>_3</u>
SGA2 TVe	s VINo

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date:	Spot Description:	
month day year	SE SW SW Sec. 29 Twp. 15	s. <u>R. ²¹ </u>
OPERATOR: License#	(00/0/0) 150 feet from N	
Name: JTC Oil Inc.	3,990 feet from X E	: / W Line of Section
Address 1: P.O. Box 910	Is SECTION: Regular Irregular?	_
Address 2:	(Adultus Country and the Country Distance	······································
City: Louisburg State: KS Zip: 66053 +	(Note: Locate well on the Section Plat on a	everse side)
Contact Person: Tom Cain	County: Franklin	
	Lease Name: Moldenhauer	Well #: W-42
1018.	Field Name: Paola-Rantoul	
CONTRACTOR: License#_32834	Is this a Prorated / Spaced Field?	Yes XNo
Name: JTC Oil Inc.	Target Formation(s): squirrel	
	Nearest Lease or unit boundary line (in footage): 330'	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation:	feet MSL
Oil X Enh Rec X Infield Mud Rotary	Water well within one-quarter mile:	Yes X No
Gas Storage Pool Ext. X Air Rotary	•	
Disposal Wildcat Cable	Public water supply well within one mile:	Yes X No
Seismic ; # of Holes Other	Depth to bottom of fresh water: 100'	
Other:	Depth to bottom of usable water:	
3	Surface Pipe by Alternate: I XII //	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'	
Overelan	Length of Conductor Pipe (if any): none	
Operator:	Projected Total Depth: 800"	_
Well Name:	Formation at Total Depth: squirrel	
Original Completion Date: Original Total Depth:		A 444
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:	
	Well Farm Pond XOther:	
f Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	
KCC DKT #:	Will Cores be taken?	☐Yes X No
The undersigned hereby affirms that the drilling, completion and eventual plu-	HANSA gging of this well will comply with K.S.A. 55 et. seq.	S CORPORATION COMMISSI APR 0 4 2008
the agreed that the felletting timminent redementation times there.		MUNICIPAL PROPERTY OF THE PROP
Notify the appropriate district office <i>prior</i> to spudding of well;		, 2000
	by circulating cement to the top; in all cases surface pipe underlying formation. rict office on plug length and placement is necessary pro- ed or production casing is cemented in; form below any usable water to surface within 120 DA 33,891-C, which applies to the KCC District 3 area, alter	CONSERVATION DIVISION is an authority, KS for to plugging; YS of spud date. rnate II cementing
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be 	by circulating cement to the top; in all cases surface pipe e underlying formation. rict office on plug length and placement is necessary pro- ed or production casing is cemented in; of from below any usable water to surface within 120 DA 33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to a	CONSERVATION DIVISION is an authority, KS for to plugging; YS of spud date. rnate II cementing
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be 	by circulating cement to the top; in all cases surface pipe e underlying formation. rict office on plug length and placement is necessary pro- ed or production casing is cemented in; of from below any usable water to surface within 120 DA 33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to a	CONSERVATION DIVISION a shall with the test of the plugging; YS of spud date. The test of the test
 Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the distriction of the distriction	by circulating cement to the top; in all cases surface pipe e underlying formation. rict office on plug length and placement is necessary pro- ed or production casing is cemented in; of from below any usable water to surface within 120 DA 33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to a	CONSERVATION DIVISION a shall with the KS for to plugging; YS of spud date. rnate II cementing
 Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be 	by circulating cement to the top; in all cases surface pipe underlying formation. rict office on plug length and placement is necessary project or production casing is cemented in; of from below any usable water to surface within 120 DA 33,891-C, which applies to the KCC District 3 area, alterplugged. In all cases, NOTIFY district office prior to a set of pry knowledge and belief.	CONSERVATION DIVISION Is shall the text of the conservation of th
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the distric	by circulating cement to the top; in all cases surface pipe underlying formation. rict office on plug length and placement is necessary project or production casing is cemented in; of from below any usable water to surface within 120 DA 33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to a set of pry knowledge and belief. Remember to:	CONSERVATION DIVISION Eshawichita, KS for to plugging; VS of spud date. rnate II cementing any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be commented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the bottom. Signature of Operator or Agent: For KCC Use ONLY	by circulating cement to the top; in all cases surface pipe underlying formation. rict office on plug length and placement is necessary priced or production casing is cemented in; of from below any usable water to surface within 120 DA 33,891-C, which applies to the KCC District 3 area, alterplugged. In all cases, NOTIFY district office prior to a set of pry knowledge and belief. Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to D.	CONSERVATION DIVISION a shall with the KS for to plugging; VS of spud date. rnate II cementing any cementing.
 Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the bottom. Signature of Operator or Agent: For KCC Use ONLY API # 15 - OS9 - 253/3 - ODD	by circulating cement to the top; in all cases surface pipe anderlying formation. incertoffice on plug length and placement is necessary project or production casing is cemented in; of from below any usable water to surface within 120 DA 33,891-C, which applies to the KCC District 3 area, alterplugged. In all cases, NOTIFY district office prior to a set of pry knowledge and belief. Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to E File Completion Form ACO-1 within 120 days of spurious properties.	CONSERVATION DIVISION In the state of the s
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the bottom. Signature of Operator or Agent: For KCC Use ONLY	by circulating cement to the top; in all cases surface pipe underlying formation. incertifice on plug length and placement is necessary project of production casing is cemented in; if from below any usable water to surface within 120 DA 33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to a set of pry knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to E File Completion Form ACO-1 within 120 days of spuring the programment of the p	CONSERVATION DIVISION is shall with the KS for to plugging; VS of spud date. rnate II cementing any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the distric	by circulating cement to the top; in all cases surface pipe anderlying formation. First office on plug length and placement is necessary project of production casing is cemented in; of from below any usable water to surface within 120 DA 33,891-C, which applies to the KCC District 3 area, alterplugged. In all cases, NOTIFY district office prior to a set of pry knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to DE File Completion Form ACO-1 within 120 days of spure File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to work.	CONSERVATION DIVISION is shall with the ks ior to plugging; VS of spud date. mate II cementing any cementing. Orill; didate; on orders; kover or re-entry; bleted (within 60 days):
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the boundary. Signature of Operator or Agent: For KCC Use ONLY API # 15 - D59 - 25 3 / 3 - OOO Conductor pipe required feet Minimum surface pipe required feet per ALT II	by circulating cement to the top; in all cases surface pipe anderlying formation. First office on plug length and placement is necessary proceed or production casing is cemented in; of from below any usable water to surface within 120 DA 33,891-C, which applies to the KCC District 3 area, alterplugged. In all cases, NOTIFY district office prior to a set of pry knowledge and belief. Remember to:	CONSERVATION DIVISION In the plugging; VS of spud date. In the li cementing any cementing. Orill; In didate; In orders; It is didate; It i
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugg of the appropriate district office will be notified before well is either plugg of the an ALTERNATE II COMPLETION, production pipe shall be camented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the body. Signature of Operator or Agent: For KCC Use ONLY API # 15 - D59 - 253/3 - ODD Conductor pipe required feet Minimum surface pipe required feet per ALT. III	by circulating cement to the top; in all cases surface pipe anderlying formation. First office on plug length and placement is necessary proceed or production casing is cemented in; of from below any usable water to surface within 120 DA 33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to a set of pry knowledge and belief. Remember to:	CONSERVATION DIVISION Is shall with ITA, KS for to plugging; VS of spud date. renate II cementing any cementing. Orill; di date; on orders; kover or re-entry; bleted (within 60 days); salt water.
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to the the state of the well is dry hole, an agreement between the operator and the distriction of the distriction of the distriction of the shall be completed. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the both of the statements. Signature of Operator or Agent: For KCC Use ONLY API # 15 - D59 - 253/3-000 Conductor pipe required	by circulating cement to the top; in all cases surface pipe anderlying formation. First office on plug length and placement is necessary proceed or production casing is cemented in; of from below any usable water to surface within 120 DA 33,891-C, which applies to the KCC District 3 area, alterplugged. In all cases, NOTIFY district office prior to a set of pry knowledge and belief. Remember to:	CONSERVATION DIVISION In the state of the s
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the districtio	py circulating cement to the top; in all cases surface pipe underlying formation. incertifice on plug length and placement is necessary property of production casing is cemented in; if from below any usable water to surface within 120 DA 33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to a set of pry knowledge and belief. Remember to:	CONSERVATION DIVISION and WICHITA, KS for to plugging; VS of spud date. In cementing any cementing. Orill; Id date; In orders; It was an orders and orders; It was an orders and orders and orders; It was an orders and orders are and orders and orders and orders and orders and orders and ord
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the body. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 059 - 25 3 1 3 - 000 Conductor pipe required	py circulating cement to the top; in all cases surface pipe underlying formation. incertifice on plug length and placement is necessary proceed or production casing is cemented in; if from below any usable water to surface within 120 DA 33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to a set of pry knowledge and belief. Remember to:	conservation division a shall within a ks for to plugging; VS of spud date. rnate II cementing any cementing. Orill; di date; on orders; kover or re-entry; bleted (within 60 days); salt water. date) please
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the body. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 059 - 25 3 1 3 - 000 Conductor pipe required	py circulating cement to the top; in all cases surface pipe underlying formation. incertifice on plug length and placement is necessary proceed or production casing is cemented in; form below any usable water to surface within 120 DA 33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to a set of pry knowledge and belief. Remember to:	CONSERVATION DIVISION and WICHITA, KS for to plugging; VS of spud date. In cementing any cementing. Orill; Id date; In orders; It was an orders and orders; It was an orders and orders and orders; It was an orders and orders are and orders and orders and orders and orders and orders and ord

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

APR 1 1 2008

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

APINO. 15 - DS9-253/3-0000	-	
Operator: JTC Oil Inc.	Location of Well: County: Franklin	
Lease: Moldenhauer	150feet from N / X S Line of Sec	ction
Well Number: W-42	3,990 feet from X E / W Line of Sec	ction
Field: Paola-Rantoul	3,990	
Number of Acres attributable to well: OTB/OTB/OTB of acresce: SE _ SW _ SW _	s Section: Regular or Irregular	
QTR/QTR/QTR of acreage: SE _ SW _ SW	. If Section is Imagular, locate well from nearest corner boundary.	
	Section corner used: NE NW SE SW	

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)


1	7	:		1		1	. 1
1	•						
1						-	
!							
i							•
į.				i ·			
!							
ŀ							
1							!
1							
į						•	•
i	•				•	•	•
1	•						•
i	•				•	•	
1	•				•	•	•
	•				•	-	•
					•	•	:

1	•			1	:	•	
		•				•	
1	:			1			
1	•			1	_ '	•	
1	•	•		1		•	
1	:			1		:	
1	-	•		1		: '	
1	:	•		1		:	
1	-	•		1		•	
1							
,,,,,,,,,,							*********
1				I			
1					•		
1					•	•	
1							
1							
1							•
1							
1							:
1	•					,	
							:
						•	:
1	•						
1				1			
1							
1							
1							
1							
1		. ,		1 .			
1							,
1	-						,
1							
1				I			
1		* * * * * * * * *					
1				I			
1	•						
1				1			
1	•			1		,	
1	:			1		,	:
1	:			1			
1	:			1			
1	:	:		1		:	
1							
1				I			
1				1			
		1		1			
1				1			
1	4	4 .			. ,		
1	4	4 .					
1	1	-					
I	1	-1		1		•	:
1	1	-1		1			:
	•	7 - :		1			
	1	12					
	•	K					
	•	K	 -		·	:	
		K					

RECEIVED KANSAS CORPORATION COMMISSION

APR 0 4 2008

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells CG-8 for gas wells).

APR 1 1 2008


KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: JTC Oil Inc.		License Number: 32834				
Operator Address: P.O. Box 910, Lo	ouisburg, KS	66053		,,		
Contact Person: Tom Cain			Phone Number: 913 208-79	14		
Lease Name & Well No.: Moldenhaue	er W-42		Pit Location (QQQQ):			
Type of Pit:	Pit is:		SESWSW			
Ernergency Pit Burn Pit	Proposed Existing		Sec. 29 Twp. 15 R. 21 East West			
Settling Pit Drilling Pit	If Existing, date constructed:		150 Feet from North / South Line of Section			
Workover Pit Haul-Off Pit	Pit capacity:		3,990			
(If WP Supply API No. or Year Drilled)	in capacity.	(bbls)	FRANKLIN			
Is the pit located in a Sensitive Ground Water	Area? Yes X	No	Chloride concentration:	mg/l		
		<u> </u>	(For Emergency Pits and S			
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is	not used?		
Pit dimensions (all but working pits):	12 Length (fe	et)12	Width (feet)	N/A: Steel Pits		
Depth fi	rom ground level to de	eepest point:	4 (feet)	No Pit		
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and dencing any special monitoring.	/5		
Distance to nearest water well within one-mile	e of pit	Depth to shallo Source of info	west fresh water	t.		
			measured well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY	:	Drilling, Work	over and Haul-Off Pits ONLY:	318		
Producing Formation:		Type of materi	al utilized in drilling/workover:			
		working pits to be utilized:				
Barrels of fluid produced daily:		Abandonment	procedure: contents sucked out a filled with dirt.	ind Č		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date. RECEIVED				
I hereby certify that the above state	ements are true and	correct to the bes		KANSAS CORPORATION COM		
4/9/68 Date			Signature of Applicant or Agent	APR 1 1 2008 :ONSERVATION DIVISION WICHITA, KS		
	KCC	OFFICE USE O	NLY Steel Pit RF	AC RFAS		
Date Received: 4/11/08 Permit Nun	mber:	Perm	iit Date: 4/11/05 Lease Inspe	ction: Yes 🔣 No		





NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.