# For KCC Use: Effective Date: 4-19-08 District # SCA2 Ves ANO

## KANSAS CORPORATION COMMISSION Oil & Gas Conservation Division

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

## NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

month day year		
		w
33344 /	(2/0/0/0) 1,650 feet from N / X S Line of Sec	tion
OPERATOR: License#	660 feet from E / W Line of Sec	
Address 1: 210 W. Park Ave., Suite 2750	Is SECTION: Regular Irregular?	
Address 2:		
City: Oklahoma City State: OK Zip: 73102 +	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Richard Marlin	County: Labette 35.1	<del></del>
Phone: 405-702-7480	Lease Name: O'Brien, Robert R. Well #: 35-1 Field Name: Cherokee Basin CBM	
CONTRACTOR: License# 33837 or another Licensed by KCC		
CONTRACTOR: License#3383/ or another Licensed by RCC  Name: Will advise on the ACO-1	Is this a Prorated / Spaced Field?	No
Name:	Target Formation(s): Cherokee Coals	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 660	
Oil Enh Rec XInfield Mud Rotary	Ground Surface Elevation: 946 feet N	
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	Newwa
Disposal Wildcat Cable	Public water supply well within one mile:	No
Seismic ; # of Holes Other	Depth to bottom of fresh water: 100	
Other: Coalbed Methane	Depth to bottom of usable water:	
	Surface Pipe by Alternate:	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25	
Operator:	Length of Conductor Pipe (if any):	
Well Name:	Projected Total Depth: 1500	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Cherokee Coals	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond XOther: Air	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	( <b>Note:</b> Apply for Permit with DWR	
KCC DKT #:	Will Cores be taken?	No
	If Yes, proposed zone:	
	RECEIV	ED
AFF	IDAVIT KANSAS CORPORATION	N COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plug	aging of this well will comply with K.S.A. 55 et. seg.	
	300 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
It is agreed that the following minimum requirements will be met:	APR 14:	2008
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well:	APR 142	2008
Notify the appropriate district office <i>prior</i> to spudding of well;     A copy of the approved notice of intent to drill <i>shall be</i> posted on each	drilling rig: CONSERVATION	DIVISION
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> be</li> </ol>	drilling rig;  CONSERVATION by circulating cement to the top; in all cases surface pipe shall be selfichita, i	DIVISION
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> </ol>	drilling rig;  CONSERVATION by circulating cement to the top; in all cases surface pipe shall be selficHITA, is underlying formation.	DIVISION
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the distr</li> </ol>	drilling rig;  CONSERVATION by circulating cement to the top; in all cases surface pipe shall be selficHITA, to underlying formation. ict office on plug length and placement is necessary prior to plugging;	DIVISION
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger</li> </ol>	drilling rig;  CONSERVATION by circulating cement to the top; in all cases surface pipe shall be selficHITA, is underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;	DIVISION
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented</li> </ol>	drilling rig;  CONSERVATION by circulating cement to the top; in all cases surface pipe shall be selficHITA, is underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date.	DIVISION
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> to the through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13</li> </ol>	drilling rig;  CONSERVATION by circulating cement to the top; in all cases surface pipe shall be selficHITA, is underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing	DIVISION
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be</li> </ol>	drilling rig;  CONSERVATION by circulating cement to the top; in all cases surface pipe shall be selficHITA, is underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	DIVISION
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be</li> <li>I hereby certify that the statements made herein are true and correct to the be</li> </ol>	drilling rig;  CONSERVATION by circulating cement to the top; in all cases surface pipe shall be selfichita, is underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.	DIVISION
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be</li> <li>I hereby certify that the statements made herein are true and correct to the behavior.</li> </ol>	drilling rig;  CONSERVATION by circulating cement to the top; in all cases surface pipe shall be selficHITA, is underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	DIVISION
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be</li> <li>I hereby certify that the statements made herein are true and correct to the be</li> </ol>	drilling rig;  CONSERVATION by circulating cement to the top; in all cases surface pipe shall be sel/ICHITA, is underlying formation. into office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate It cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.  Title: Vice President	DIVISION (S
Notify the appropriate district office <i>prior</i> to spudding of well;     A copy of the approved notice of intent to drill <i>shall be</i> posted on each     The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the     If the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugge.     If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the completed within 30 days of the spud date or the well shall be Date:    April 10, 2008	drilling rig;  CONSERVATION by circulating cement to the top; in all cases surface pipe shall be sellichita, is underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.  Title:  Vice President  Remember to:	DIVISION
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #11 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the contract to the between the contract to the between the contract to the	drilling rig;  CONSERVATION by circulating cement to the top; in all cases surface pipe shall be sellichita, is underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;	DIVISION (S
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be</li> <li>I hereby certify that the statements made herein are true and correct to the best patern.</li> </ol> Signature of Operator or Agent: For KCC Use ONLY API # 15 - O99 - 24384-000	drilling rig;  CONSERVATION by circulating cement to the top; in all cases surface pipe shall be sellichita, is underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.  Title:  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;	DIVISION (S
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the boundaries.  April 10, 2008  Signature of Operator or Agent:  For KCC Use ONLY  API #15 - O99 - 2438 4-000  Conductor pipe required.  Feet	drilling rig;  CONSERVATION by circulating cement to the top; in all cases surface pipe shall be sellichita, is underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	DIVISION (S
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the contract to the between the contract to the plant of the contract to th	drilling rig;  CONSERVATION by circulating cement to the top; in all cases surface pipe shall be sel/ICHITA, is underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.  Title:  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;	DIVISION (S
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #10 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the conductor pipe required	drilling rig;  CONSERVATION by circulating cement to the top; in all cases surface pipe shall be sellichita, is underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	DIVISION (S
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1; must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the conductor pipe required    April 10, 2008	drilling rig;  CONSERVATION by circulating cement to the top; in all cases surface pipe shall be selfichita, in the underlying formation. The underlying formation into office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  **Vice President**  **Remember to:*  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);	DIVISION (S
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the conductor pipe required  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - O99 34384-OOO feet  Minimum surface pipe required feet  Minimum surface pipe required feet  Approved by:  This authorization expires:	drilling rig;  CONSERVATION by circulating cement to the top; in all cases surface pipe shall be selfichita, in the underlying formation. The underlying formation in all cases surface pipe shall be selfichita, in the underlying formation. The underlying formation in all cases surface pipe shall be selfichita, in the underlying formation in all cases surface pipe shall be selficitly.  If from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  The prior to any cementing.  Title:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.	DIVISION (S
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1; must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the between the conductor pipe required    April 10, 2008	drilling rig;  CONSERVATION by circulating cement to the top; in all cases surface pipe shall be sel/ICHITA, is underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please	DIVISION (S
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the conductor pipe required  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - O99 34384-OOO feet  Minimum surface pipe required feet  Minimum surface pipe required feet  Approved by:  This authorization expires:	drilling rig;  CONSERVATION by circulating cement to the top; in all cases surface pipe shall be sell'CHITA, is underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	DIVISION (S


### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - <u>099-24384-0000</u> Operator: Quest Cherokee, LLC	Location of Well: County: Labette
Lease: O'Brien, Robert R.	
Well Number: 35-1	1,650 feet from N / X S Line of Section Feet from E / W Line of Section
Field: Cherokee Basin CBM	Sec. <u>35 Twp. 34 S. R. 18 X</u> E W
Number of Acres attributable to well:  QTR/QTR/QTR/QTR of acreage: SE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

## PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)



#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Quest Cherokee, LLC		License Number: 33344	
Operator Address: 210 W. Park Av	/e., Suite 275	0	Oklahoma City OK 73102
Contact Person: Richard Marlin		Phone Number: 405-702-7480	
Lease Name & Well No.: O'Brien, Robert R. 35-1		Pit Lication (QQQQ):	
Type of Pit:	Pit is:		<u>NESE</u>
Emergency Pit Burn Pit	Proposed Existing		Sec. 35 Twp. 34 R. 18 East West
Settling Pit Drilling Pit	If Existing, date constructed:		1,650 Feet from North / South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		660 Feet from East / West Line of Section
(If WP Supply API No. or Year Drilled)	300	(bbls)	Labette County
Is the pit located in a Sensitive Ground Water	r Area? Yes		Chloride concentration: mg/l
la the best on the land of the	Artificial Liner?		(For Emergency Pits and Settling Pits only)
Is the bottom below ground level?  Yes No	Yes X	No	How is the pit lined if a plastic liner is not used?  Air Drilling Well
Pit dimensions (all but working pits):	30 Length (fe	10	Width (feet) N/A: Steel Pits
	rom ground level to de	,	10 (feet) No Pit
If the pit is lined give a brief description of the	e liner		edures for periodic maintenance and determining
material, thickness and installation procedure.		ncluding any special monitoring.	
ı		3 days	ng air drilled with operations lasting approx.
			ig air drilled with operations lasting approx.
Distance to nearest water well within one-mil	e of pit	Depth to shallo	
Source of info		mation:	
		measu measu	Name of the second seco
		over and Haul-Off Pits ONLY:  al utilized in drilling/workover: Air Drilled	
		rking pits to be utilized: 1	
		procedure: Air Dry, Back fill and cover.	
Does the slope from the tank battery allow all spilled fluids to			
flow into the pit? Yes No		Drill pits must	be closed within 365 days of spud date. RECEIVED
I hereby certify that the above state	ements are true and	correct to the bes	t of my knowledge and belief.  APR 14 2008
	J	)	
April 10, 2008  Date	<del>}</del>	(Chara	ignature of Applicant or Agent CONSERVATION DIVISION
		OFFICE 110F A	MIN CALLER DE DEAC DEAC
	KCC (	OFFICE USE O	NLY Steel Pit RFAC RFAS
Date Received: 4 14 08 Permit Nun	nber:	Perm	it Date: 4 (14 ( 08 Lease Inspection: Yes \No